


hp·UX / USP

Hands-On Solutions for HP-UX Users • May 1996



Desktop Application Administration: From HP VUE To CDE

Developing Client-Server Applications Using HP Distributed Smalltalk, Part 2

Software Review: Siren Mail

* A Publication of Interex • The International Association of Hewlett-Packard Computing Professionals

Camintonn Z-RAM. Delivering Memory To The World.

Memory products for:
digital
HP Apollo
IBM RISC
Silicon Graphics
SUN
PCs and
Laser Printers

Camintonn Z-RAM customers come back again and again because of our 14-year record of proven leadership. Not just in high quality products, but also in prompt customer service, knowledgeable technical support, and a 24-hour repair-or-replace guarantee. Backed by a lifetime warranty.

And since Camintonn Z-RAM has the broadest line of memory products available, designed and rigorously tested in the United States, the quality product you need is ready for immediate delivery worldwide. What's more, we're almost always the first to offer 100% compatible memory for the newest systems — often before they're available from the original manufacturers.

Guaranteed performance and a 14-year track record of growth and financial stability. Call us at 1-800-368-4726 for an immediate quote for your system.

FREE

Camintonn Z-RAM Atlas
Your Guide To The
World Of Memory

Fax this form back to us and we'll send you a Windows version of The Automated Upgrade Guide — (3.5" disk) a \$49.95 value!

Name _____

Title _____

Company _____

Street _____

City/State/Zip _____

Phone _____ Fax _____

Which computer platforms are currently in use at your company? (check all that apply)

DEC _____ SGI _____

HP _____ SUN _____

IBM _____ PC LANs _____

Camintonn/Z-RAM world headquarters located at 22 Morgan, Irvine, CA 92718-2202. European headquarters located at Oxford Science Park, OX4 4GA, U.K. © 1995 Camintonn Corporation. Product and company names are trademarks or registered trademarks of their respective companies.

CAMINTONN
CORPORATION

The last word in memory®

Tel: 800/368-4726 or 714/454-1500

Fax: 714/830-4726

U.K. Tel: 44/1 865-784747 • Fax: 44/1 865-784750



CIRCLE 30 ON READER SERVICE CARD

Is It New Or Is It Refurbished



The only difference is the money you save.



With 17 years of knowledgeable experience and reliable service, Monterey Bay Communications is a leader in Hewlett-Packard workstation remarketing. We're professionals at providing HP 1000 and 9000 users with reliable equipment that is functionally and cosmetically identical to what HP offers — and at substantial cost savings. In addition to the 700 / 400 / 300 / 200 series, Monterey Bay Communications also offers mass storage systems,

monitors, memory and interfaces, as well as a variety of printers.

All equipment is warranted and eligible for

Hewlett-Packard maintenance. An extensive parts and spares inventory and knowledgeable staff ensure prompt service and immediate delivery.

For more detailed information or a price quotation, give MBC a call at 408/429-6144.

	NEW	MBC
Performance	✓	✓
Warranty	✓	✓
Support / Tech Expertise	✓	✓
Accessories	✓	✓
Maintenance Eligibility	✓	✓
Substantial Cost Savings		✓
Simple Order Processing		✓
Immediate Delivery		✓


CIRCLE 7 ON READER SERVICE CARD

MONTEREY BAY
COMMUNICATIONS *The HP Workstation Remarketing Specialists*

Monterey Bay Communications Inc., 1010 Fair Avenue, Santa Cruz, CA 95060 Tel: 408-429-6144 Fax: 408-429-1918



©1996 Hewlett-Packard Company



You have to accommodate the past.
Prevail in the present. And remain
flexible into the future. Feel any pressure?


What computer company do you work with?

You should be working with Hewlett-Packard, a company that knows how to make client/server solutions work in the real world. Over the years, HP has helped thousands of companies successfully transition to flexible open enterprise computing. And we can do the same for you. If the business decisions are yours, the computer system should be ours.

Hewlett-Packard Computer Systems

 HEWLETT®
PACKARD

Contents



Features

Desktop Application Administration: From HP VUE To CDE	<i>by Anna Ellendman</i>	22
Software Review: Siren Mail	<i>by Greg Cagle</i>	40
Developing Client-Server Applications Using HP Distributed Smalltalk, Part 2	<i>by Frederick F. Chew</i>	46

page 46

Departments

Q & A	8
HP 1000 Guru	70
CSL Perspective	74
Industry Watch	76
New Products	78

Columns

HP-UX Systems Administration	<i>by Chris Curtin</i>	14
HP-UX	<i>by David L. Totsch</i>	18
On Site	<i>by Lisa Zahn</i>	56
Internet Goodies	<i>by Joe Berry</i>	60
X-Watch	<i>by Larry Headlund</i>	64

*New Products
See page 78*



*Cover Story:
See page 22*



Lose your mouse and increase your productivity.

From Wall Street to Silicon Valley, your top competitors have replaced hundreds of free mice that came with their workstations with \$199 MOUSE-TRAK™ trackballs. The reason: productivity and reliability.

Productivity: Laboratory testing has shown that only 4 hours of continuous mouse usage can result in as much as 60% loss of hand strength. A trader, engineer, or data entry user in that condition is simply not going to be as productive in the second half of the day as in the first. The same tests show no signs of physical fatigue when using a MOUSE-TRAK.


Reliability: MOUSE-TRAK's rugged construction results in *much* higher reliability than mice or consumer trackballs. MOUSE-TRAK doesn't take traders out of play or make support people pull their hair out!

Call, Fax, or email today to order or receive more information about MOUSE-TRAK.

1 - 8 0 0 - 5 3 3 - 4 8 2 2
sales @ moustrak.com
<http://www.moustrak.com>

mouse-trak[®]

The Professional's Trackball



ITAC Systems, Inc. 214 494 3073 Fax 214 494-4159

International MOUSE-TRAK dealers: **UK** NTWare Ltd. Tel: 0865 784990 **SunExpress** Tel: 0800 89 88 88 • **France** PHASELYS Tel: 1 43 94 42 42 **RISC TECHNOLOGY EUROPE** Tel: 01 41 85 10 20 **SunExpress** Tel: 05 90 61 57 • **Germany** The Chameleon Group Tel: 0211-379057 **SunExpress** Tel: 01 30 81 61 91 • **Switzerland** Datacomp Tel: 01 740 51 40 **SunExpress** Tel: 155 19 26 • **Denmark** DeSeCAM Tel: 48 24 12 04 • **Holland** SunExpress Tel: 06 022 34 45 • **Canada** Guillevin Tel: 416 670 8433 • **Australia** Hypec Electronics Tel: (02) 808 3666 • **Sweden** SPECMA Tel: 031 89 16 00 **SunExpress** Tel: 020 795 726 • **Korea** Aurora Systems, Inc. Tel: 718-4985 • **Israel** Seg Tec Tel: 972 3 556 7458 • **Japan** SunExpress Tel: 0120-33-9096

MOUSE-TRAK is manufactured in the U.S.A. by ITAC Systems, Inc., 3113 Benton Street, Garland, Texas 75042 Fax: 214/494-4159 Patented by ITAC Systems, Inc. MOUSE-TRAK is a registered trademark of ITAC Systems, Inc. Other brand and product names are trademarks of their respective holders.

<http://www.interex.org/>

INTEREX EXECUTIVE DIRECTOR
Charles A. Piercy

PUBLICATIONS MANAGER
Connie Wright

EDITORIAL

MANAGING EDITOR
Michael Ehrhardt

COPY EDITOR
Richard Kranz

NEW PRODUCTS EDITOR
Michelle Pollace

PROOFREADER
Jean Nattkemper

ADVERTISING & MARKETING

ADVERTISING SALES MANAGER
Brian Hallin

ACCOUNT EXECUTIVE
Nader Saghafi

ADVERTISING COORDINATOR
Phil Nguyen

DESIGN AND PRODUCTION

SENIOR GRAPHICS DESIGNER
Molly McGinnity

DESKTOP PUBLISHING SPECIALIST
June Ramirez

GRAPHICS PRODUCTION SPECIALIST
Gale Patterson

hp·ux/usr is published bimonthly by Interex, the International Association of Hewlett-Packard Computing Professionals. Second-class application pending at Sunnyvale, California 94086 and additional offices. The editorial and business offices are located at 1192 Borregas Ave., Sunnyvale, California 94089, USA, 408.747.0227, Fax 408.747.0947. Address membership questions and change of address to Membership Services. Address all questions concerning circulation/distribution to the Distribution Manager.

Remittances should be sent to Interex,
 P.O. Box 60000,
 San Francisco, California 94160, USA.

Address all editorial correspondence to Michael Ehrhardt,
 Editor, *hp·ux/usr* Magazine, c/o Interex,
 P.O. Box 3439, Sunnyvale, California 94088-3439, USA.

Subscription to *hp·ux/usr* is \$49.50 (6 issues) per year in the U.S., add \$25.00 for Canada and Mexico, add \$50.00 for all other countries. Member Services (Associate, Contributing or Online Service Package membership levels) include a subscription to *hp·ux/usr*, at \$49.50. For other Member Services refer to membership form.

Statements of fact and opinion are the responsibility of the authors alone and do not imply an opinion on the part of the Interex Board or Magazine. Entire contents copyright © 1996 by Interex. All rights reserved.

POSTMASTER: Send address changes to:
 Interex, P.O. Box 3439,
 Sunnyvale, California 94088-3439 USA.
 Attention: Member Services.

TRADEMARKS: UNIX, X/Open Co. Ltd.;
 HP-UX, Hewlett-Packard; X Window System,
 X Consortium, Inc.

How to Contact Interex...

EDITORIAL SUBMISSIONS

hp·ux/usr encourages readers to contribute their opinions, tips, and solutions. When sending letters for publication or to request author contribution guidelines, please address them to *hp·ux/usr* editor Michael Ehrhardt.

Postal Address:

Interex
 P.O. Box 3439
 Sunnyvale, CA 94088-3439

Office Address:

1192 Borregas Avenue
 Sunnyvale, CA 94089

Because of the difference in zip codes between our office address and P.O. Box, please be sure to address all regular mail to the P.O. Box. Any express service packages should be delivered to the Borregas Avenue address. Thank you for your attention to this small but significant detail.

TELEPHONE:

The Interex switchboard is open 8:00 a.m.-5:00 p.m., Pacific Time. Call 800.468.3739 (U.S. and Canada) or 408.747.0227. After 5:30 p.m. our voicemail system will record your call.

FACSIMILE:

Call 408.747.0947

INTERNET:

To send e-mail to Interex, use the following address format:
 <IDname>@interex.org

The following IDs are currently active on Interex's HP 9000:

Address	Department
ehrhardt	<i>hp·ux/usr</i> Letters to the Editor, Q&A, and requests for author guidelines
webmaster	Internet support
cslhpux	Contributed Software Library
membership	Membership/subscription inquiries and services
pubs	Circulation and advertising inquiries
conference	Conference questions and arrangements

An example would be *pubs@interex.org*
Anything before the @ sign is case insensitive.

COMPUSERVE:

Interex can be contacted via the CompuServe ↔ Internet gateway. To send CompuServe mail, use the following format:

>INTERNET: *pubs@interex.org*

You can address your mail to specific departments using the ID's listed above.

Interex maintains a CompuServe account that is collected daily. Please address all messages to ID no. 76376, 1222.



interex

Shared Knowledge.

Shared Power.

As a not-for-profit association of HP computing professionals, Interex is dedicated to meeting the information, education, and advocacy needs of its members worldwide.

In today's world of rapidly changing technology, Interex puts hands-on solutions to hardware, software, and operating system problems at your fingertips. Because members actively contribute—exchanging ideas and sharing solutions—Interex is a vital link in the transfer of HP expertise.

Operating independently from Hewlett-Packard, Interex has more than 20 years of serving HP computing professionals. Through its publications, conferences, and volunteer committee structures, Interex has the qualifications to represent you, a valuable member of the HP user community.


Interex® is a trademark registered in the U.S. Patent and trademark office.

CONCORDE

CONCORDE

CONCORDE

DLT Tape Solutions for Your HP 9000



HP
Recommended
& Supported

Capacity, Performance & Reliability

These are all advantages inherent to Digital Linear Tape (DLT) technology. Your data-intensive applications require an "industrial strength" solution. DLT Tape offers exceptional durability and data integrity along with the ability to grow easily with your emerging needs.

Concorde Technologies, Inc. provides a full line of DLT tape solutions.

DLT Drives

- 20-40 GB Capacity/Tape*
- SCSI-2 Interface
- 2 Year Warranty
- 1040 GB Library Capacity*
- 1.5-3.0 MB/Sec. Drive Transfer Rate*
- 80,000 Drive MTBF
- 10,000 Hour Head Life

DLT Libraries

- 1-9 Drives/Library
- 3-of-9 Bar Code Reader
- Up to 264 DLT Cartridges
- Capacities to 10 TB/Library*
- Operator Load Port
- Hewlett-Packard Support
- Throughput to 1.3 TB/Hour*
- Cost-Effective Upgrades

DLT Software

- Backup/Restore Software
- "Hot" Database Backup
- Bar Code Support
- Client/Server Support
- HSM Software
- OmniBack II Support
- Lights Out Automated Operation
- Heterogeneous Network Support

Concorde specializes in high-performance network backup/restore solutions for HP 9000 Servers and Workstations. Backed by HP experience and a commitment to support, Concorde is an established leader among Hewlett-Packard Channel Partners.

To discuss your specific application or for a free backup/restore solutions catalog, contact a Concorde Sales Engineer.

800-359-0282



Channel
Partner

**CONCORDE
TECHNOLOGIES**

Concorde Technologies, Inc.

9770 Carroll Center Road, Suite F, San Diego, CA 92126-6504 USA
(619) 536-5500, (800) 359-0282, Fax: (619) 566-4396
E-mail: info@concordetech.com
<http://www.concordetech.com>

* Assumes 2:1 compression

CIRCLE 113 ON READER SERVICE CARD



Question & Answer

Q: I have an HP 9000 Series 715 running HP-UX 9.03. My root disk is a QUANTUM LPS525S, which is 511,742 kilobytes in size. After some changes to my environment, I need to increase the size of my root file system. How can this be done?

A: You cannot increase the actual size of the root file system on this disk without a reinstall. There is no way to expand the file system. If the root disk is the only disk on your system, you have two alternatives:

- Clean up the file system to improve the disk space. This can be achieved by trimming log files, removing core files, and removing large files that are no longer needed on the system. You may want to try using the utility */system/TOOL/FreeDisk*. There is a readme file included called *FreeDiskREADME* in the same directory.
- Reinstall the system. During the installation, you will be asked for the size of your primary swap. If you decrease the size, it will allow for a larger root file system. However, be sure that you configure enough primary swap. Since you have only one disk, this will be your only device swap location. If you have multiple disks on the system, you have another alternative. You can choose to move part of the root file system elsewhere. */usr* is a good choice among HP-UX files. It uses a large amount of disk space and is not needed for a boot in single-user mode. A subdirectory that contains application data or users' home directories is a good choice as well. Make sure that you have a good backup of the data before you begin any procedure.

If you have another disk that is currently not being used, you can do the following:

```
# shutdown 0
# newfs /dev/rdsk/c201d4s0 QUANTUM_PD425S_noreserve
# mkdir /usr2
# mount /dev/dsk/c201d4s0 /usr2
# cd /usr
# find . -hidden -depth -print | cpio -pduxvm /usr2
# du -s /usr /usr2
```

In this example, the unused disk is at address 2.0.1.4.0 and is a QUANTUM PD425S. All of the disk will be used for file system. */usr* will be moved to the disk.

When you are sure that the data was transferred properly, you can remove the files under */usr*.

```
# rm -r /usr/*
```


At this point, you need to create an entry in */etc/checklist* so that the file system will be mounted on boot:

```
/dev/dsk/c201d4s0    /usr          hfs      defaults  0 2
```

Test with a reboot.

Continued on Page 10

For enterprise-wide backup and retrieval, *SM-arch*[®] is the only choice.



SM-arch minimizes network traffic and increases performance through multiple simultaneous backups and retrievals over devices distributed across the network—all with single-point control.

The **SM-arch** server runs most multi-user operating systems including:

- SunOS
- Solaris
- HP/UX
- AIX
- SCO
- ConvexOS
- Ultrix
- Irix
- Windows NT

SM-arch's high-ranking customer support services include:

- Training
- Installation
- Backup planning
- User support

CIRCLE 89 ON READER SERVICE CARD

If you're considering *OmniBack II*, consider this...

► Will one server license allow me to use remote backup tape devices so I can reduce network traffic? **No.**

► Is the backup catalog compact enough so I don't have to buy extra disk space? **No.**

► If the backup server fails, can I recover my data using standard UNIX utilities? **No.**

For Distributed Backup, the only consideration is *SM-arch*—rated #1 in heterogeneous network backup and retrieval software.



Software Moguls, Inc.

World Headquarters 612.932.6738

Fax 612.932.6736

e-mail: info@moguls.com

European Sales office (49) 2266 4356

Software Moguls' Home Page
can be accessed at URL
<http://www.moguls.com>

\$99* INSTALLATION!
Let an expert install
and configure *SM-arch* at
your site for just \$99.
Offer available in most U.S. metro
areas for standard installations.
Full day/\$1000 value.

Turn your friend into a *usr*.

As a subscriber to *hp-ux/usr*, you already know about all the hands-on solutions you can find to your HP-UX problems in every issue. Solutions contributed by readers like you. In order to expand our pool of information, we want to turn more HP-UX users into *hp-ux/usr* readers. Because the more people contributing to the HP-UX knowledge base, the more we can all improve the performance of our systems.

Everyone Benefits!

If you know someone who can benefit from this publication or has something to contribute, tell them about it. We'd be happy to send them a free issue. Just tell them to let us know your name when they call one of our Membership Representatives at **800.INTEREX** or **408.747.0227**. It's easy! And a great way to increase the expertise of all HP-UX users.

interex

The International
Association of
Hewlett-Packard
Computing Professionals

```
# shutdown -r0
```

A second scenario is that you do not have an unused disk, but you do have a file system that has a great deal of free disk space.

Filesystem	kbytes	used	avail	capacity	Mounted on
/dev/dsk/c201d3s0	1156586	380458	660469	37%	/data

```
# du -s /usr
```

Use this value to make sure that you have enough room in the destination file system. Remember that the output is in units of 512-byte blocks.

```
# mkdir /data/usr
# cd /usr
# find . -hidden -depth -print | cpio -pduxvm /data/usr
# du -s /usr /data/usr
# rm -r /usr
```

At this point, */usr* does not exist anymore. However, the data that was under */usr* does. Create a link called */usr* to that data. Notice that a symbolic link must be used as it is a link into a separate file system.

```
# ln -s /data/usr /usr
```

Q: I just purchased a MICROP 1528 for my 715 workstation running 9.05. I would like to make this my root disk. Must I perform an install on the new disk?

A: If your current root disk is the same type of disk, you can simply make a copy of the disk using *dd(1)*. However, do *not* use this command if different disk types are involved. If you do, you will effectively waste space on the new disk or use a file system structure that is not optimal for the new disk. This command can also be used for copying non-root disks as well. For example, if the new disk is at address 2.0.1.5.0, issue this command:

```
# dd if=/dev/rdsck/c201d6s0 of=/dev/rdsck/c201d5s0 bs=64k
```


If your current root disk is not a MICROP 1528, then you can follow a series of steps to avoid an installation. First, you must decide how much primary swap you want on the new disk. This means you must select an appropriate disktab entry. Let's say you would like to have 200 megabytes.

```
# newfs /dev/rdsck/c201d5s0 MICROP_1528_200MB
# mkboot -s 700 -v /dev/rdsck/c201d5s0
```



Got an HP 9000 without one of our expansion cards? We admire your patience.

Introducing high performance EISA bus controllers that support from 8 to 64 fast, flexible serial ports.



You bought your HP 9000, Series 700™ for its powerful and efficient multi-tasking capabilities. The problem is, how do you connect your single-port workstation to an increasing number of serial devices, such as printers, terminals, modems, meters, and other instrumentation. Welcome to the waiting game.

Now you can stop switching cables and rationing ports. With SBE's new Super SEU family of serial expansion controllers, you can increase your HP's throughput using a standard tty interface and cost-effective asynchronous channels. SBE's Super SEU-8 provides access to eight serial channels through a DB-25 fan out cable. Starting

with a single EISA card, the Super SEU+ offers an expandable system that attaches to a DB-25 16-port expansion module. Other 16-port modules can extend your system up to sixty-four ports on demand.

Each port on these units features surge protection, full modem control and is independently configurable to data rates of up to a blazing 230Kbps (115Kbps full duplex) to accommodate the V.34 standard.

HP-UX™ driver and installation software are also provided so that installation, set-up and operation are a breeze.

And to make instrument programming and report automation more viable, SBE's optional TULIP™ driver software supports HP's Standard Instrument Control Library™ with serial I/O for SICL-accessible instruments.

So why wait? Call today to see just how fast SBE can connect your HP to more of the places you want to be!

Lab tested
TULIP software
drivers fully
support HP's SICL.



For more information, call 1-800-214-4SBE



© 1995 SBE, Inc. 4550 Norris Canyon Road, San Ramon, California 94583. Tel: 510-355-2000, Fax: 510-355-2020. SBE, Inc. Europe Tel: (+44) 8062-8889. United Kingdom, Tel: +44 (0) 1753-710442. The SBE logo, Super SEU and TULIP are trademarks of SBE, Inc. HP-UX, HP 9000 Series 700 and the Standard Instrument Control Library (SICL) are trademarks of Hewlett-Packard Company.

CIRCLE 29 ON READER SERVICE CARD

```
# mkdir /newroot
# mount /dev/dsk/c201d5s0 /newroot
# cd /
# find . -hidden -depth -xdev | cpio -pduxvm /newroot
```

If you plan to move the new disk to the current address of your root disk, nothing more need be done. However, if you plan to keep the disk at its current address, you must change a couple of things. First, */newroot/etc/checklist* must be changed to allow for the proper mounting of */*. Change the first field of the entry for */* to the device file for the new disk.

```
/dev/dsk/c201d6s0 / hfs defaults 0 1
```

will become

```
/dev/dsk/c201d5s0 / hfs defaults 0 1
```

Secondly, if you want the system to boot automatically off the new disk, you must change the primary boot path of the system. You can do this by booting the system in attended boot mode.

Q: What is dynamic buffer cache and should I be using it? How do I tell if I am using it already?

A: Dynamic buffer cache exists on the 700 workstations at 9.X and continues to exist at 10.X in a slightly different form. Buffer cache is a portion of physical memory that is dedicated to file system I/O. All I/O to file systems goes through the buffer cache. It allows for the possibility of read and write requests being satisfied without the need for actual disk access. This can be extremely beneficial in some situations.

The size of the buffer cache can be static or dynamic. There is an internal algorithm that controls the dynamic nature of the buffer cache. During high file system I/O activity, the size of the buffer cache will increase. As the I/O begins to subside, the size will decrease. HP has released a patch that limits the increase to 50 percent of your RAM.

There is a kernel parameter that controls this characteristic of the buffer cache. It is called *bufpages*. If *bufpages* is set to zero, dynamic buffer cache will be used. If *bufpages* is greater than zero, a static size will be used that is based on that value. The value is in units of 4 kilobytes.

You can use *sam* to determine the value of *bufpages* on your system. Another way is to issue the following command at the command line.

```
# echo "bufpages?D" | adb /hp-ux /dev/kmem
```

The value of *bufpages* on disk (in the file */hp-ux*) will be displayed. If the value is zero, the size of your buffer cache will vary. You can find the current size of your buffer cache by using *Glance*, a performance analysis tool. Another method is to check the value of *bufpages* in memory. Remember, you have a version of the kernel on disk and an executing copy of *hp-ux* in memory.

```
# echo "bufpages/D" | adb /hp-ux /dev/kmem
```

Compare that to the amount of physical memory on your system.

```
# echo "physmem/D" | adb /hp-ux /dev/kmem
```

Only you, after consulting with your application vendors, can decide what type of buffer cache to use. If your I/O is fairly consistent on the system, you may want to use a static value. However, it is difficult to determine what that static size should be. When you increase the size of your buffer cache, you are lessening the amount of memory that can be used for running processes. As a result, it is possible to induce paging on the system. On the other hand, a buffer cache that is too small could result in excessive disk access.

Q: I have just added a Seagate ST31200N to my HP 9000 735. I will be using this disk for file system and swap. I have been directed by one of my application vendors to add 240 megabytes of additional swap. I can't find a disktab entry to fit my needs. How can I create my own disktab entry?

A: HP has provided a variety of disktab entries for supported disks. In most cases, the available choices satisfy configuration requirements. If this is not the case, you can create a disktab entry based on existing entries. The first section of */etc/disktab* gives a good deal of information about creating your own disktab entry.

Let's first look at the "no swap" entry for your disk drive.

viNOT

THE UNIX TEXT EDITOR FOR **NORMAL** PEOPLE

- **Easy to use**
- **Easy to customize**
- **Easy on your budget**



For an evaluation copy or additional information, contact:



Computer Solutions, Inc.

120 E. Marks St. • Suite 225 • Orlando, FL 32803

407-649-0123 or 512-343-6634 • FAX 407-649-1407

All trademarks belong to their respective holders.

CIRCLE 110 ON READER SERVICE CARD

```
SEAGATE_ST31200N_noswap|SEAGATE_ST31200N_noreserve:\n
:No swap or boot:ns#38:nt#13:nc#2075:\
:s0#1025050:b0#8192:f0#1024:\
:se#512:rm#5400:
```

Most likely, you will want the block size, *b0*, and the fragment size, *f0*, to remain the same. You will want to keep the number of sectors per track, *ns*, and the number of tracks per cylinder, *nt*, the same as well. These are values that HP has deemed optimal for this disk and consequently they are used in the supported disktab entry. The value that will be changed, however, is the number of cylinders, *nc*. You will need to reduce that to reduce the size of the file system. Since the following relationship must hold true:

*s0 = ns * nt * nc*

you must decrease *nc* to decrease *s0*, which is the size of the file system. The amount of swap on the disk is decided by the size of the file system. The disktab entry above allows no room for swap.

First, subtract 240 megabytes from the *s0* value. That equates to about 779,290 kilobytes. Then, divide that by (*ns * nt*). That would equal about 1,577. That should be the value of *nc*. To

get the new *s0* value, multiply *ns*, *nt*, and *nc*.

```
nc = (s0 - <size of swap>) / (ns * nt)
s0 = ns * nt * nc
```

The new disktab entry is:

```
SEAGATE_ST31200N_noswap|SEAGATE_ST31200N_noreserve:\n
:No swap or boot:ns#38:nt#13:nc#1577:\
:s0#779038:b0#8192:f0#1024:\
:se#512:rm#5400:
```

□

Questions are answered by Susan Potter, an HP-UX System Support engineer at the HP Atlanta Response Center. E-mail: sup@atl.hp.com.

HP-UX Systems Administration

by Chris Curtin

Tracking Last User Logins

THIS MONTH I PRESENT A script for displaying information about user logins.

This script displays the following:

- Last Successful User Login
- Last Unsuccessful User Login
- Last Successful User Login via Modem
- Last Successful User Login via an X Terminal

But first I need to warn you of a possible security hole in HP-UX.

/tmp Permissions

By default Hewlett-Packard sets the permissions on the */tmp* directory to *drwxrwxrwx*, which basically means that anyone can do anything in the directory. This is dangerous because of the many temporary files, recovery files, named pipes, UNIX Sockets, and log files that get written to this directory.

One way of making */tmp* a little more secure is to set the ‘sticky-bit’ or ‘save-text’ bit in its permission. Normally the sticky-bit tells HP-UX to leave the program that has the bit set in memory between invocations. (Even though that is what the bit is for, HP-UX seems silently to ignore it.)

What setting the sticky bit on a directory does is change who can delete or rename a file. If you are not the owner of the directory, the owner of the file, or root, you cannot rename or delete the file.

To change the permission on */tmp* (and probably */usr/tmp* also) execute the following:

```
chmod +t /tmp
```

as root.

Note that the */etc/update* program removes the sticky-bit from the */tmp* directory each time it is run, so you’ll have to set it back when you are done using */etc/update*.

LastLogin Script

When I was in college, at UMASS-Amherst, we did all of our work on VAX VMS and Ultrix systems. One very nice feature of both of these operating systems was that they told you the last time of your successful and unsuccessful logins.

When I moved to HP-UX about 10 years ago, I noticed that there was no similar feature. I then promptly forgot about it. That changed this past February when a user of the HP-UX System Administration mailing list asked how to implement similar functionality for HP-UX. I sat down and wrote the script in Listing 1.

I then went out of town for a couple of weeks and never sent it to the person asking the question ;). Luckily someone else had the same idea and was able to help the person.

Basically, what this script does is use the */etc/last* and */etc/lastb* commands to determine when a user logged in last. This version also tells the user the last time he or she logged in via modem or X Terminal. The modem field is very important if someone who should not be is using an account from an external location.

First I use the */etc/lastb* command to find the last unsuccessful login by the user. Note that the */etc/lastb* command, when used with a user name, matches only logins that failed because of passwords.

If the user meant to log in as “edward” and typed “edword,” this command will not catch it. This is why I recommend a nightly or weekly *cron* task

There Is A Better Way To Access Your Data



VISIMAGE — The Right Tool for Report Writing Won't Hammer Your System

Visimage, the original client-server report writer in the HP market, keeps getting better. Visimage now provides a Microsoft® Windows™ interface. Familiar mouse-driven icons empower users to select, report and download data in a controlled environment. Visimage is easy to set up and easy to use. Advanced reporting capabilities assure that users never outgrow the power of Visimage.

Our unique client-server technology minimizes resource demand through serial or network connections. Data remains on the host server, maintaining security and accuracy while eliminating potential network overloads. Users can schedule Visimage reports on the host that run independently of their PCs. Efficient data retrieval can be further enhanced by integration with HP third party indexing tools.

Choose Visimage, the right tool to access IMAGE, IMAGE/SQL, ALLBASE, ORACLE®, KSAM, C-ISAM® and flat files on your HP 3000 or HP 9000 computer.

HP, HP 3000, HP 9000, IMAGE, IMAGE/SQL, ALLBASE, and KSAM are products of Hewlett-Packard Company. MS-DOS is a registered trademark and Windows is a trademark of Microsoft Corporation. ORACLE is a registered trademark of Oracle Corporation. C-ISAM is a registered trademark of Informix Software, Inc. VISIMAGE PC and Visimage for Windows are trademarks of ARES, France.

**Call now for your FREE
Windows™ or MS-DOS®
demo diskette!**



VITAL
Soft
INCORPORATED

1-800-VITALSOFT

1-800-848-2576

1153 Bordeaux Drive, Suite 101
Sunnyvale, CA 94089-1210 Fax: (408) 745-6681
75362.762@compuserve.com

CIRCLE 183 ON READER SERVICE CARD

LISTING 1 User Logins

```

#!/bin/ksh
#
# Determine the last valid and invalid logins for the current user
# Requires that /etc/btmp exist.
#
# Define some variables which we might want to change later
#
# MaxBad is the maximum number of bad login entries to show
# MaxGood is the maximum number of successful login entries to show
#
MaxBad=1
MaxGood=2
#
# Now get the last bad information.
#
BadLogin=`/etc/lastb -$MaxBad $USER`
if [ -z $BadLogin ]
then
    echo "No Unsuccessful Login History."
else
    echo "Last Bad Login:"
    echo $BadLogin
    echo ""
fi
#
# Now the last successful Information
#
GoodLogin=`/etc/last -1 $USER`
GoodModem=`/etc/last $USER | grep ttyd | head -1 -n 1`
#
# Assumes that all X terminals contain 'xterm' in the name
#
GoodXTerminal=`/etc/last $USER | grep xterm | head -1 -n 1`
#
if [ -z $GoodLogin ]
then
    echo "No Successful Login History."
else
    echo "Last Login:"
    echo $GoodLogin
    echo "Last $MaxGood Logins:"
    /etc/last -$MaxGood $USER
fi
#
if [ -z $GoodModem ]
then
    echo "No Modem Login History."
else
    echo "Last Successful Modem Login:"
    echo $GoodModem
fi
#
if [ -z $GoodXTerminal ]
then
    echo "No X Terminal Login History."
else
    echo "Last Successful X Terminal Login:"
    echo $GoodXTerminal
fi

```

which reports all bad logins to root user.

Next I use the */etc/last* command to report the last unsuccessful login and the last two successful logins. Reporting the last two successful logins allows the user to think if he was logged in at that time and, if not, to change his password and alert the security officials since the account may have been compromised.

The last two pieces of data supplied to the user are the last successful modem and X Terminal logins. I added this data because of my user base.

The majority of my users use the X Terminal as their primary interface to the system; however, several use PCs running Windows and a Telnet script to log in. If one of the PC users sees that his account was logged in from an X terminal, then he knows his password has been compromised.

The same logic applies to the modems. If a user doesn't remember logging in via modem (or doesn't own a modem), then we need to investigate. This strategy puts some security checks into the hands of the users, who see the information every day, and may help detect break-ins faster.

One thing to note about this script: if the user has never had an unsuccessful login attempt or never logs in via modem or X terminal, a message about not having any History is displayed. Also, the */etc/last* and */etc/lastb* programs use the contents of the */etc/wtmp* and */etc/btmp* files. Since these files grow without bound (unless trimmed) the commands may take several seconds. If the files have been trimmed, the data may not be available to provide to the user.

For example, if the last unsuccessful login was 45 days ago, but the log file scripts keep only 30 days of data, this script will report no history of unsuc-

cessful logins. See my September 1995 column for a system that maintains the login log files and others.

Internet Resources

I recently signed up with a local Internet provider and have a direct Internet account. One of the first things I did was go to the Yahoo search engine and see what I could find relating to HP-UX. While the Internet Goodies column by Joseph Berry in this magazine covers the general Internet, I'll be occasionally reporting system administration related sites I have found.

Besides the usual HP stuff (www.hp.com, etc.) I found a U.S. link to the Liverpool Software Porting Archive (<http://hpx.cae.wisc.edu>). This site contains public domain software ported and tested on HP-UX. A quick look at the contents showed all the X Window stuff HP did not ship in 8.x and 9.x and a section devoted to system administration utilities. They also have a mailing list that will notify you when additional packages are added to the archive or updated. (See the Web page for more details.)

The next site I found contains all the HP-UX 10.X release notes in HTML format (http://arpf.arl.mil/tworks/archives/10.0_wp.html). I looked through them and they seem to be the ones HP provides.

The last site I'll mention this time is the UNIX Guru Universe (<http://www.polaris.net/ugu>). As the name implies, this is a Web site dedicated to UNIX administration. I just found this site a couple of days before writing this column, but I'm sure I'll have lots to write about for the next column.

In addition to the standard Usenet news groups like *comp.sys.hp** and

comp.unix.admin, I found a great group where System Administrators can vent their frustrations: *alt.sysadmin.recovery*. It is a great place for an admin to vent the silly and stupid things users have done or management has ordered them to do. No technical content, but it makes you feel better knowing that you are not alone.

Cool Stuff

For my birthday last year my daughter gave me a great t-shirt. It says "System Administration: It's a dirty job, but someone said I have to do it." It is from the publisher of *SysAdmin* magazine and can be ordered by calling (913) 841-1631. I have no connection with *SysAdmin* magazine—I just think it is a great t-shirt. (I suspect that my wife helped pick it out because my daughter was 11 months at the time.)

I wore the shirt while on a tour of the Napa, California area and had about a dozen people stop me and either ask where I got it or what systems I worked with. My bosses thought it was funny too.

Well that's it for this time. Now that I have a better Internet connection I'm looking for sites to check out. Send me your comments and suggestions for columns to the address below. □

Chris Curtain, a software developer for Bradley Ward Systems, Inc. in Atlanta, Georgia, specializes in device driver development for factory automation on the HP 9000. He can be reached via e-mail at: chris@bwilab3.atl.ga.us.

#include for Korn Shells

ONCE YOU HAVE WRITTEN A FEW Korn shell programs strewn with functions, ideas such as code reuse pop into your head. This thought usually occurs about the eighth time you strip apart several existing shell programs to quickly generate an offspring. If you are willing to take some time writing reusable code, you can use techniques to make that code a part of the shell programs you develop. Basically, there are two ways to accomplish a C type of #include:

1. “source” a file that contains your generic code
or
2. autoload specific functions.

Sourcing a file entails bringing the text of the file into the current environment for execution. That is, it executes as though the sourced file were typed into the current shell script at the point in the file of the source syntax. You can use it to include code segments you have written. I typically use it to set shell parameters common to a group of shell scripts (a configuration file of sorts). I believe in writing independent shell scripts, so here is the syntax I normally use:

```
if [[ -r ${CONFIG_FILE} ]]
then
    . ${CONFIG_FILE}
else
    echo "FATAL ERROR: ${CONFIG_FILE}"
    echo "does not exist or is not readable!"
    exit 2
fi
```

Note that \${CONFIG_FILE} is set elsewhere before the code. The contents of the file might look like this:

```
##### Set APNAME to the basename of the program
APNAME=${0##*/}
#####
# Strip off trailing extensions...
APNAME=${APNAME%%.*}

LOG_DIR=/var/opt/${APNAME}/${APNAME}.log
TMP_DIR=/usr/tmp
TMP_ERR=${TMP_DIR}/${APNAME}.${$.err
TMP_OUT=${TMP_DIR}/${APNAME}.${$.out}
```

The advantages to this kind of configuration file are a single point of change, code size reduction, and coordination of parameter names. Be careful—it can be a real disadvantage, too, especially if someone gets the idea to nest configuration files or source more than a couple. Doing so can make debugging more frustrating than it already is. If you find yourself placing the same sort of parameter setup at the top of very many

Why not the BEST?

The BEST Products
The BEST Performance
The BEST Warranty
The BEST Value

Unattended Backup Solutions



Tape Library Autochangers

- HP 4mm DAT, Exabyte 8mm, 3480, QIC, DLT, S-VHS, and AMPEX DST 19mm drives
- Up to 600 cartridges per changer

Autoreply

- Allows any backup program to control Autochangers (TAR, CPIO, DUMP, FBackup, etc.)

QuadraJet

- Tape Array controller
- 400% increase in speed and capacity
- Automatic tape mirroring


UNISTORE®

- Unattended backup and Hierarchical Storage Management (HSM) for CA-UNICENTER

Backup Programs for UNIX and Novell

- Omniback and Omniback-Turbo, Hi-Back, Networker, ARCserve, Budtool, DATtool, OpenVbackup, and others

Storage Solutions



Disk Drives and Towers

- Fixed or removable drives
- Fast and Fast-Wide options
- HP disk mechanisms with 5-year warranties

Memory Expansion

- For HP 1000, 3000 and 9000

RAMdisk

- For HP 1000 and 9000

Optical Disk Drives

- Rewritable, Write Once, and CD-Recordable



Optical Disk Autochangers

- 3-1/2", 5-1/4" and CD (Up to 144 cartridges per changer)

Custom Solutions

Custom Device Drivers

- For HP 1000 and 9000

Custom Programming

- Consulting and Programming Services

Robotic Control Software

- With API, Interactive, and GUI interfaces

Call with your requirements!

CIRCLE 8 ON READER SERVICE CARD



"I promise you—no service hassles, no matter who is servicing your HP system."

Rick Walsh
CEO

 **HERSTAL AUTOMATION**
7414 Manatee Street
Sarasota, FL 34243-1824 U.S.A.
Phone: 1-941-358-2001 • Fax: 1-941-358-2010

shell scripts, sourcing configuration files may be a tactic you should consider. These sourced files do not have to be executable.

This sourcing technique works for both Bourne and Korn shells. In the above example, collapse the "[["'s and "]]"'s into "[" and "]", respectively, for the Bourne shell.

You can also source files that contain functions. Then you can have access to those functions within your shell program.

If you are using the Korn shell, there is an alternative to sourcing a file to make the function a part of the program. To illustrate, I have written the function GETYNANSR. The code appears later. When I write interactive shell programs, I use this function quite often. Here is a short shell program that uses the function GETYNANSR:

```
#!/bin/ksh
FPATH=/usr/local/functions_ksh
typeset -fu GETYNANSR

PROMPT="Is this a test"

if GETYNANSR "${PROMPT}"
then
    echo "Yes, it was."
else
    echo "No, it was NOT."
fi
```

The FPATH parameter tells the Korn shell what directories to search for autoload functions, much as PATH tells it where to look for executables. The typeset -fu syntax establishes GETYNANSR as an autoloadable function. Therefore, when the function GETYNANSR is used within the shell, it will scan FPATH for a file of the same name that contains a function of the same name.

Here is the code for GETYNANSR:

```
##### Function GETYNANSR
##### This function returns:
#####          0 for an affirmative answer
#####          and 1 for a negative answer
GETYNANSR()
{
##### Loop until an understandable answer is given.
while true
do
    echo "${1} (Y/N) \c"
    read ANSR
    case ${ANSR} in
        [Yy] | [Yy][Ee][Ss] ) ##### Affirmative
            return 0
            ;;
        [Nn] | [Nn][Oo] ) ##### Negative
            return 1
            ;;
        * ) ##### Huh???
            echo "\n\n\tYour input >\c"
            echo "${ANSR}< \c"
            echo "was not understood."
            echo "\tPlease try again.\n\n"
            ;;
    esac
done
}
```

GETYNANSR loops, displaying the prompt, until the user enters an appropriate answer. A return code is used to pass the answer back. The file GETYNANSWER is in does not have to be executable. Any time I write a shell program that requires a Yes/No answer to a question, I can pass the prompt as parameter one to GETYNANSR and get exactly what I need.

Autoloading functions has the overhead associated with searching for the files, but, once a function is loaded, it does not have to be loaded again. With sourcing, there is the temptation to source a file that contains functions you may not use, unnecessarily increasing the size of the shell program.

The techniques are similar and yet dissimilar—you could write a function that initializes parameters. Either technique will allow you to write reusable code, which has the potential to decrease the amount of time it takes to create new shell programs. □

After serving several different organizations over the past seven years as a system administrator with various flavors of UNIX, David L. Totsch still enjoys the profession. He also enjoys discussing UNIX with just about anyone. At present, he is working with HP-UX systems and wide-area networks for a Fortune 100 company in the Piedmont area of North Carolina. He can be reached via Internet: dtotsch@wfu.edu.

Interex Presents

HPWORLD '96

See hundreds
of exhibitors!

The Conference & Expo
for Hewlett-Packard
Computing Solutions

Keeping You A Step Ahead

Conference

- Hands-on solutions
- Peer-to-peer interaction
- Expert optimization techniques
- Real-world migration tips

Expo

- Create high availability solutions
- Improve high-end performance and scalability
- Develop migration strategies
- Learn about new technologies
- Make the right purchasing decisions

Sponsored and managed by the
Association of Hewlett-Packard
Computing Professionals (Interex)




August 4-9, 1996
Anaheim, California
Anaheim Convention Center

**Get HP WORLD '96 registration
and "Free Expo Pass" information!**

See us on the WWW at <http://www.interex.org/>

Call an HP WORLD '96 Conference Representative at 1.800.990.EXPO
or e-mail us at conference@interex.org.



DESKTOP APPLICATION ADMINISTRATION: FROM HP VUE TO CDE

Both HP VUE and CDE provide ways to integrate applications into the desktop's graphical environment. These include:

- A way to start an application by double-clicking an icon representing that application.
- Special containers for these icons.
- The ability to specify unique appearance and behavior for data file icons.

This article describes the end-user and system administration models for the CDE desktop and compares them to the HP VUE model. The article also describes the tools available for moving applications from HP VUE to CDE.

HP VUE User Model for Applications

The default HP VUE configuration includes three toolboxes—Personal, General, and Network—and Front Panel controls for opening them (*Figure 1*).

BY ANNA ELLENDMAN

InterWorks

Technical Users Forum of Interex



FIGURE 1 HP VUE toolboxes and Front Panel controls



The toolboxes are containers for icons representing applications; the user can launch an application by double-clicking the appropriate icon. The General Toolbox contains applications available to all users on the system, and can be modified only by system administrators. Users can modify the Personal Toolbox by copying applications icons they use frequently from the other toolboxes. The Network Toolbox is a container for applications located on other systems in the network. As with the General Toolbox, only system administrators can modify this toolbox.

CDE User Model for Applications

There are several drawbacks to the HP VUE model of three toolboxes:

- There are three different locations for application icons.
- The toolboxes mix application icons and directories in the same view.
- Other files related to applications, such as templates, sample data files, and readme files are generally not placed in the toolboxes.
- The user is not “insulated” from network dependencies.

The CDE Application Manager addresses all of these drawbacks (*Figure 2*). It is a single container for all the applications available to the user, and is opened by clicking a control in the CDE Front Panel. Each item in the top level of the Application Manager is a directory containing one or more related applications. These directories are called application groups.

FIGURE 2 CDE Application Manager and application groups



Usually, an application group is a container for a single application and contains the application icon (used to start the application) plus other files related to the application (Figure 3). However, an application group can be a container for many separate applications.

Since the application groups appear together in a single window, they appear to occupy the same file system location. The fact that this is not the case, and that the application groups are actually located in a variety of local and remote locations, is hidden from users.


System Administration Model for the HP VUE Toolboxes

To the system administrator, an HP VUE toolbox is a File Manager view of a special directory:

Personal	\$HOME/.vue/types/tools
General	/usr/vue/config/types/tools
Network	/usr/vue/config/types/import

The Personal and General toolboxes are modified by adding icons (files or directories) to these directories. For example, an icon labelled SystemLoad in the Personal Toolbox represents

FIGURE 3 Contents of application groups





The New Vikon.

Full strength UNIX on-the-go!



- 13" 1280 x 1024 VUEpanel™
- 100 MHz HP PA-RISC
- 192 Mb RAM, 10 Gb disk
- Three internal bays
- DC power & rackmount option

Have you been yearning for an easy to tote system with *full* UNIX capabilities? The new Vikon™ is your answer. It's a Hewlett-Packard PA-RISC powered SuperTransportable® with a *real* workstation display.

It's for savvy, on-the-go professionals who need a TransportableWorkstation™ for on-the-site solutions, or those who simply need *full* strength™ UNIX *and* portability. The Vikon is small enough and light enough to go wherever you need to be. And, when you get there, you'll have a *real* UNIX workstation at your command.

The VUEpanel display will reward you with crisp, brilliant images. PA-RISC delivers power and performance, while HP-UX provides the application solution base you're looking for. And, it's portable!

So, when you're on-the-go and need a full strength UNIX platform by your side, the Vikon is your answer. It's from SEJUS.® A Hewlett-Packard authorized VAR, serving the HP community since 1986. Call us now for more information.


SEJUS... providing better solutions.®



SEJUS

SEJUS CORPORATION
2618 PALISADES CREST DRIVE
LAKE OSWEGO, OR 97034-7550 USA
PHONE 503.638.9000 FAX 503.638.9009

CIRCLE 126 ON READER SERVICE CARD

FIGURE 4 File system locations of HP VUE toolboxes

the file `$HOME/.vue/types/tools/SystemLoad`, and an icon labelled Utilities in the General Toolbox represents the directory `/usr/vue/config/types/tools/Utilities`.

The directories at the top level of the Network toolbox are formed by manually creating symbolic links across file system mounts. By convention, the link is made to a special export location on the application server (see Figure 4).

System Administration Model for the CDE Application Manager

To the system administrator, the CDE Application Manager is a File Manager view of a special temporary directory created at login:

```
/var/dt/appconfig/appmanager/login-display
```

For example, when user anna logs into CDE at display hpcvxpae:0, the CDE Login Manager creates the directory:

```
/var/dt/appconfig/appmanager/anna-hpcvxpae-0
```

This directory is recreated each time the user

logs in. This is possible because none of the contents of the Application Manager are actually located in this file system location.

How Applications Are Gathered into the Application Manager

After the Login Manager creates the Application Manager directory, it must gather application groups into it. The application groups are gathered by means of symbolic links, and the links are made from multiple locations. This is what makes it possible for the Application Manager to display application groups located in a variety of directories, including personal, system-wide, and remote locations.

The symbolic links that gather the application groups are created by the CDE utility `dtappgather`, which is automatically run by the Login Manager. For example, the desktop provides a built-in application group:

```
/usr/dt/appconfig/appmanager/C/Desktop_Apps
```

At Login time, `dtappgather` creates the following symbolic link:

```
/var/dt/appconfig/appmanager/anna-hpcvxpae-0/Desktop_Apps ->
/usr/dt/appconfig/appmanager/C/Desktop_Apps
```

so that the Application Manager contains an application group named `Desktop_Apps`.

It's here!

*From the creators of the leading HP3000 backup product
and the inventors of online backup capability comes*

BACKUP/9000

**BACKUP/9000 offers significant benefits over SAM,
fbackup, tar, and all HP9000 backup packages:**

- Much faster backup and restore
- "Set and forget" scheduling
- Data compression and encryption
- Unattended "lights out" backup
- Append a week's backups to one tape
- Tape library management
- Backup to multiple tape drives
- Full network support
- GUI and command-line interface
- Much more

With over 3,500 HP customers, ORBiT has been writing HP backup software for over 10 years. We welcome the challenge to prove our product in your own environment: contact your local ORBiT representative for a free demo copy.

ORBiT USA
+1 (510) 837-4143
fax (510) 837-5752

ORBiT Benelux
+31 (3465) 53 884
fax (3465) 54 101

ORBiT France
+33 (40) 68 85 50
fax (40) 68 85 52

ORBiT Germany
+49 (30) 852 70 97
fax (30) 852 70 35

ORBiT UK
+44 (1306) 741741
fax (1306) 742742

ORBiT Scandinavia
+358 (0) 638 450
fax (0) 638-445

ORBiT Spain
+34 (1) 304-4530
fax(1) 327-2943

ORBiT Italy
+39 (2) 33 41 21
fax (2) 33 41 23 33

ORBiT Far East
+65 227-6959
fax +65 227-6867

CIRCLE 122 ON READER SERVICE CARD



The Application Search Path

The locations from which *dtappgather* gathers applications are directories on the desktop's application search path. The default application search path consists of three local locations:

Personal	<code>\$HOME/.dt/appconfig/appmanager</code>
System-wide	<code>/etc/dt/appconfig/appmanager/\$LANG</code>
Built-in	<code>/usr/dt/appconfig/appmanager/\$LANG</code>

where `$LANG` is the value of the `LANG` (language) environment variable. The default value for `LANG` is C.

System administrators (or users) usually will want to add additional locations, especially if networks are configured to distribute applications among a variety of application servers. CDE provides the environment variables `DTSPSYSAPPHOSTS` (system-wide) and `DTSPUSERAPPHOSTS` (personal) for modifying the application search path.

At login time, the Login Manager runs a desktop utility named *dtsearchpath* before running *dtappgather*. *dtsearchpath* assembles the complete application search path by adding the values of these environment variables to the built-in locations.

The application search path variables accept a special syntax that makes it easy to add application servers: `VARIABLE=hostname:.` This syntax is expanded by *dtappgather* (assuming NFS mounts) to the mounted system-wide location on `hostname`:

```
/net/hostname/etc/dt/appconfig/appmanager/$LANG
```

For example, if `DTSPSYSAPPHOSTS` specifies two remote systems:

```
DTSPSYSAPPHOSTS=SystemA:,SystemB:
```

and these systems contain these application groups:

```
SystemA /etc/dt/appconfig/appmanager/C/EasyAccounting
SystemB /etc/dt/appconfig/appmanager/C/BestSpreadSheet
```

then *dtappgather* creates the following symbolic links (assuming `$LANG=C`):

```
/var/dt/appconfig/appmanager/anna-hpcvxpaee-0/EasyAccounting ->
    /net/SystemA/etc/dt/appconfig/appmanager/C/EasyAccounting
/var/dt/appconfig/appmanager/anna-hpcvxpaee-0/BestSpreadSheet ->
    /net/SystemB/etc/dt/appconfig/appmanager/C/BestSpreadSheet
```

Figure 5 shows an Application Manager containing application groups gathered from personal, system-wide, and built-in locations, and from two application servers.


Application Infrastructure: Actions, Data Types, and Icons

In both HP VUE and CDE, the ability to create icons representing applications and their data files depends on an infrastructure of desktop constructs:

- Action definitions
- Data type definitions
- Icon image (pixmap and bitmap) files

HP RENTALS

HP WORKSTATION SALES & RENTALS



WORKSTATIONS

807	E55	NEW!	755	750	CRX	433 S	CRX	382	360	332
827	F20	J200	735	730	CRX-24	425 T	VRX	362	350	330
847	G30	K200	725	720	CRX-24Z	425 S	GRX	380	345	320
E25	H40	K400	715	710	CRX-48Z	425 E	PVRX	375	340	310
E35	I70	T500	712	705	GRX	400 S/T	EVRX	370		

AND MORE ...

Printers
Plotters

X Terminals
APOLLO ON Series

PC's
Memory

Discs
Test Equipment

800 Series
Data Acquisition

TSA is THE place for daily, weekly, monthly or long term rentals of Hewlett-Packard equipment.
Ask about our 6-12 month purchase plans. Equipment available for same day shipment.

1-800-422-4872

THE RIGHT EQUIPMENT. RIGHT NOW.

713/935-1500 • Fax 713/935-1555
Email:Info@tsa.com



Authorized
Rental
Company



TSA

2040 West Sam Houston Parkway N. • Houston, Texas 77043

HP RENTALS

HP RENTALS

HP RENTALS

HP RENTALS

HP RENTALS

FIGURE 5 The Application Manager gathers application groups on the application search path

Actions

The desktop uses actions to create a relationship between an icon in the Application Manager (or File Manager) and a command. Actions are the construct that allow you to create application icons—icons that the user can double-click to run applications.

For example, consider the following definition for an action named *Xwud*:

```
ACTION Xwud
{
    LABEL      Xwd_Display
    ICON       XwudIcon
    DESCRIPTION Displays an X Windows screen file.
    EXEC_STRING xwud -in %(File)Arg_1"xwd file to display:%
}
```

Once an action is defined in the desktop's actions database, you can create an application icon by creating an executable file with the same name as the action (in this case, *Xwud*). The action definition describes the appearance and behavior of the application icon. *Figure 6* shows how the ICON and LABEL fields describe its appearance.

The DESCRIPTION and EXEC_STRING describe its behavior. The DESCRIPTION field contains the text displayed in the CDE Help Viewer when the user selects the icon and requests help (F1). The EXEC_STRING specifies the command run when the user double-

clicks the icon. In the case of the *Xwud* action, the command is:

```
xwud -in file
```

where *file* is the file argument. The portion of the EXEC_STRING that represents the file argument is:

```
%(File)Arg_1"xwd file to display:%
```

If the user drops a data file on the icon labelled Xwd_Display, its pathname is used as the argument. If the user double-clicks the icon, the action prompts for that path by displaying a dialog box with a text field labelled *xwd file to display*.

Data Types

Files are represented in the CDE File Manager as icons that users can manipulate. The appearance and behavior of these icons are described by "data types."

A data type definition has two parts:

- DATA_ATTRIBUTES defines the files' appearance and behavior.
- DATA_CRITERIA specifies the criteria used to

Remote File Editing

Faster - Easier - Smoother - Less Expensive

Faster

Just about everything about Remote File Editing (RFE) is faster. Files open faster, screens scroll and repaint faster, text searches go faster and most importantly, the job gets done faster.

Easier

Because SpeedEdit is a Microsoft Windows based program, the ease and uniformity of Windows makes learning and using SpeedEdit/Win a breeze. The added benefits of mouse support, multiple, resizable, cascadable windows, and drop down menus all add to the ease of use factor.

Smoother

Everything about SpeedEdit/Windows is smoother. Transitions following commands, screen repaints, scrolling, windowing and the overall look for the editing environment are smoother and cleaner. Features like color coding of reserved words, comments, modified text and more blend right in with the speedy screen displays. Sweeping changes are displayed immediately and without the flicker and hesitation typical of terminal applications.

Less Expensive

SpeedEdit/Win starts at \$495 and allows one to edit files on any number of host computers, for no additional charge. Compare that to the need to replicate software on multiple hosts, even if it will be the same user using it everywhere. SpeedEdit even lets you edit files on the Internet. Of course, you can also edit files and develop programs right on your PC as well.

Capability

SpeedEdit may very well be the most sophisticated and capable text editor available for any environment. With over 200 built in editing functions, an equal number of settings, and complete programmability and customization capabilities, even the most demanding users will find SpeedEdit a valuable tool.

Features

SpeedEdit is loaded with features.

- *Multiple Windows
- *File scan facility
- *Language Sensitivity
- *Color highlighting, reserved words, comments
- *Remote File Editing
- *Full Programmability
- *Much more...200+ Functions more...

Free Demo

You can obtain a free, fully functional demo off our Internet WEB page by visiting us at <http://www.isiinc.com>. If you do not have Internet access, contact us at:

Inclination Software, Inc.

PO Box 8668
Incline Village, NV 89452
(702)831-5595
Fax: (702)831-4979
EMAIL sales@isiinc.com






FIGURE 6 Icon for the Xwud action**FIGURE 7** An XWD data file in File Manager, with "Open" in its pop-up menu

assign a file to that data type.

For example, here is a data attributes definition for X window dump files (the data files for the *Xwud* action):

```
DATA_ATTRIBUTES_XWD
{
  ACTIONS      Open
  ICON         Dtxwd
  DESCRIPTION   This file contains an XWD graphics image.
}
```

The ACTIONS field lists one or more actions that can be run on the file from the File Manager, in this case, *Open* (see Figure 7).

The criteria definition specifies that typing is name-based—files are type XWD if their file names end with *.xwd*. (CDE also supports content-based data typing.)

```
DATA_CRITERIA_XWD1
{
  DATA_ATTRIBUTES_NAME    XWD
  MODE                   f
  NAME_PATTERN           *.xwd
}
```

The *Open* behavior for XWD files is to display the file using the *Xwud* action. The connection between *Open* and the *Xwud* action is made through another action that maps the *Open* action to the *Xwud* action for the XWD data type:

```
ACTION Open
{
  TYPE          MAP
  MAP_ACTION    Xwud
  DATA_TYPE     XWD
}
```

Creating Actions and Data Types with the Create Action Application

The desktop includes an application, *Create Action*, that allows users and system administrators to create actions and data types without having to learn the syntax rules for the definitions. It provides fill-in-the-blank text fields for supplying various parts of the action and data type definitions, and lets you browse and choose from available icons. Furthermore, *Create Action* allows you to enter the command to be executed (EXEC_STRING) using shell language (\$n) for file arguments.

Create Action is optimized for creating

Interex—a comprehensive resource for HP-UX users

Interex, the International Association of Hewlett-Packard Computing Professionals, is a comprehensive and objective source of HP-specific information that is focused, solutions-oriented, and officially recognized by Hewlett-Packard.

hp-ux/usr Magazine

Interex's bimonthly publication for users of HP's 9000 computers operating in multi-user, workstation, and multi-system environments

hp-ux/resource directory

Interex's extensive resource guide for HP 9000 users

INTEREXPRESS

Interex's monthly newsletter covers important industry news

HP World '96

The HP computing event of the year!
August 5-9, 1996—Anaheim, California
Contact: 1.800.990.EXPO or
408.747.0227

Special Interest Groups

Forums for HP customers to meet and share information in order to increase their effectiveness as an HP Computing Professional

Advocacy

Protect your investment in HP equipment through Interex's well established advocacy channels to HP



interex

Shared Knowledge.
Shared Power.

For more information about any of the products or services listed above, please call Interex at 1.800.INTEREX, 408.747.0227, or e-mail us at membership@interex.org.

Interex Online

<http://www.interex.org/>

Now, CD-Recordable for HP3000, HP9000 & HP1000 computers



**Nothing up our
CD-Sleeves...**
(well, maybe a bunny or two)

**no CD-Smoke n' Mirrors,
no CD-Sleight o' Hand,
no CD-Camera Tricks
just presto-change,
it's CD-Recordable!**

Create your own CD-ROM disks to archive and safeguard critical data. Get true peace of mind knowing your data will be there for years... as much as a hundred of them.

Shazam! Bering's OptiPac CD-R is specifically designed with the HP3000, HP9000 and HP1000 user in mind. Now you can make your own CD-ROM disks for keeping an audit trail or distributing financials, large CAD/CAM files, graphic images, and internal documentation to satellite offices or company departments.

Who needs magic anymore...CD-R is here.

Bering



U.S.A. toll-free, call **800.237.4641**

Outside the U.S.A. dial **408.364.6500** or e-mail us at info@bering.com

©1996 Bering Technology - All rights reserved. All brand names and product names are trademarks of their respective holders.

CIRCLE 115 ON READER SERVICE CARD

actions and data types for applications and their associated data files (*Figure 8*). It automatically creates an *Open* action for the data type that runs the application, and lets you specify an optional Print command to be used when a file of that data type is dropped on a desktop printer icon.

Icon Image Files

Action and data type definitions include an ICON field that specifies the icon image to use in File Manager and the Application Manager. The desktop uses a naming convention for icon image files: *basename.size.type*. For example, a medium-size pixmap for the *Xwud* action might be named *Xwud.m.pm*. The ICON field generally specifies only the base name; the desktop adds the appropriate file name extensions, depending on File Manager view setting and type of display.

How the Desktop Finds Actions, Data Types, and Icons

As with application groups, the desktop uses search paths to locate action and data type definitions, icon files, and help volume files. The default search path locations are analogous to the application search path locations (see *Figure 9*). An additional requirement for action and data type definition files is that they use the naming convention **.dt*.

The actions/data types, icon, and help search paths are automatically updated when the application search path is modified. This ensures that the desktop will find all the desktop configuration files needed by the application. For example, if SystemA is added to the application search path, the locations:

```
/net/SystemA/etc/dt/appconfig/types/$LANG  
/net/SystemA/etc/dt/appconfig/icons/$LANG  
/net/SystemA/etc/dt/appconfig/help/$LANG
```

are automatically added to the desktop search paths.

Application Registration in CDE

An application can be integrated into the desktop by placing the desktop configuration files into locations specified by the desktop search paths. However, this can make administration difficult, since the desktop configuration files for an application are scattered among numerous directories, each of which contains files for many applications. It is usually preferable to gather all the configuration files for an application under one location, called the application root, or *app_root*. CDE allows you to do this by providing a utility, *dtappintegrate*.

The function of *dtappintegrate* is to create links between the files in the *app_root* location and the system-wide

FIGURE 8 Create Action Windows





FIGURE 9 Directory structure of system-wide desktop configuration files




search path locations. The process of creating these links with *dtappintegrate* is called “application registration.” The collection of desktop configuration files beneath the *app_root* directory is called the “registration package.”

Figure 10 illustrates a registration package for an application named *BestSpreadSheet*.

The structure of the registration package closely resembles the structure of the system-wide configuration files (compare Figure 10 with Figure 9).

Once the registration package has been created, the system administrator runs *dtappintegrate* to create the symbolic links shown in figure 11:

FIGURE 10 Example of a registration package



dtappintegrate -s app_root

Application Servers in HP VUE and CDE

Both HP VUE and CDE provide two ways for a local system (or session server) to access remote applications:

- An action can be written to run its command (EXEC_STRING) on a specified remote system. The action definition uses the EXEC_HOST field to specify where the command is run. All the other desktop configuration files remain on the local system. The EXEC_HOST method is almost identical between HP VUE and CDE.
- The desktop can access a remote desktop application server that contains the application and all the desktop configuration files. The CDE model for application servers is similar to HP VUE, but has been modified to simplify administration.

HP VUE Model for Desktop Application Servers

The HP VUE Network Toolbox provides users with access to applications on application servers. Applications are said to be “imported” into the client’s Network Toolbox and “exported” by the application server (Figure 12).

The two systems contain special directories for this purpose. The import location on the client is the Network Toolbox. The export location on the application server contains the action and data type definitions, and the *tools* directory beneath it becomes the application server’s entry in the Network Toolbox. The administrator directs the client to search the server’s export location by setting a special environment variable, *VUEACTIONREMOTEHOST*. The administrator must manually create the symbolic link between the Network Toolbox and the *tools* directory on the server.

CDE Model for Desktop Application Servers

CDE does not set aside special import and export locations for networked

New kids on the block...

“ I bet there's a whole bunch of ads in this magazine for **tape libraries**. But you won't want to miss what my dad has to say, 'cuz his SL-400's really neat—it's easy to use, it won't break, and you can even buy it from him, too. ”



CIRCLE 103 ON READER SERVICE CARD

Membership Levels and Service Package



Shared Knowledge.
Shared Power.

The International
Association of
Hewlett-Packard
Computing
Professionals

Membership Levels

■ associate level

includes the following services/benefits:

- Subscription to either:
hp•ux/usr magazine – includes companion Product Directory
Interact magazine – includes companion Product Directory
- Member rates for Interex Conferences
- Read-only access to Interex Online library
- Membership in your local Regional User Group (RUG) at RUG membership rate

Service Package

■ online service package

includes ALL the benefits of Contributing Level plus:

- **Software Access**—unlimited downloads from entire library of HP-UX, MPE, and RTE programs (containing over 4,800 programs). Includes one free tape of current Interex Annual Release in the operating system of your choice. Custom tapes from software library are also available.

■ contributing level

includes the following services/benefits:

- Subscription to BOTH:
hp•ux/usr magazine – includes companion Product Directory
Interact magazine – includes companion Product Directory
- Subscription to InterexPress, monthly news publication
- E-Mail account through Interex (includes read-only access to Interex Online library)
- Access to Special Interest Groups (SIGs)
- Member rates for Interex Conferences
- Membership in your Regional User Group (RUG) at RUG membership rate
- Voting Privileges for Board Elections and Advocacy Surveys (i.e., system improvement surveys)

■ Information Access

—full text search and downloading capabilities for all Interex publications including: *hp•ux/usr*, *Interact*, Vendor Resource Directories, product news and announcements, and Conference Proceedings abstracts.

- **Member Access**—member directory. Find members with similar interests. Plus access to the *Who's Who* guide of Interex staff, volunteers, and HP liaisons.

Online services are continually upgraded and modified; services are subject to change without notice.

...with seven years of experience

and a customer list that includes IBM, Disney, Shell, Chrysler, Price Waterhouse, Sallie Mae, and others.

Here's our story. For two decades, **IGM Communications** made tape access devices for the broadcasting industry. With great design and leading-edge technology, IGM captured over 80% of its market.

Seven years ago, IGM transferred its expertise in tape handling to the computer data storage market. IGM's ATL-5000 was the industry's first 8mm tape library. It's still being used in a wide range of applications—from storing animated drawings to collecting seismic

data—winning customer loyalty for its exceptional reliability.

In 1994, I bought IGM, launched a new division, **Straightline**, and began an aggressive strategy to produce robotic tape libraries. Our unique solution to data backup combines **4mm DAT technology** with easy operation, proven dependability, and manufacturer-direct sales and support.

So you see, we might be the new kids on *this* block, but we've been living in your neighborhood for years.

Software Compatibility:

UNIX Environments: Legato Networker, IBM Adstar, Roxco, Spectralogic, OSM, Tivoli; *Netware Environments:* Cheyenne ARCServe, Palindrome; *NT Environments:* Arcada Backup Exec
©1996 Straightline. All rights reserved. Straightline is a division of IGM Communications. All brand and product names are property of their respective holders.



**Get to know us better
by calling**

206.865.8314



straightline

677 120th Ave. NE, Suite 146 • Bellevue, Washington 98005
www.igm.com • e-mail: igm@igm.com

I'd Like to Join Interex

Choose one of the following

■ membership levels & service package

- Associate Level, \$49.50*
- Contributing Level, \$115.00*
- Contributing Level Plus Online Package \$595.00*

All membership and service packages are based on an annual fee.

Package subscribers, please choose the following:

■ preferred software format and operating system for the annual tape release

- 1600 BPI Magnetic Tape
- 6250 Magnetic Tape
- Linus Cartridge Tape (CS-80)
- DAT 4mm

(Check one of the following)

- HP-UX MPE/iX
- MPE V RTE

■ member directory

Please include me in the member directory.

- Yes No

Please initial: _____

■ service agreement

If you relocate, should services transfer with you?

- Yes No

Please initial: _____

■ mailing list

Would you like to receive mailings about other computer-related vendors' products and services?

- Yes No

Please read and sign the following disclaimer: I am applying for services with Interex. I understand that no funds will be returned after any Contributed Software Library (CSL) tapes/disks have been shipped or downloaded from Interex. I agree not to distribute software to any unauthorized users or use software received through Interex on more than one system at a time. I understand that this agreement stays in force even after my services expire or are terminated.

Contact the Membership Department for pricing of the Right-to-Copy License for multiple machine usage

Signature _____
Date ____ / ____ / ____

Order Form

■ mailing address (attach business card here)

name _____

job title _____

company _____

address _____

city/state/zip/country _____

telephone/extension _____

fax _____

e-mail _____

■ payment options

- Bill me Check enclosed, payable to Interex
- Purchase order enclosed, PO# _____
(purchase order accepted for invoicing purposes only)
- Please charge my: Visa MasterCard AmEx

credit card number / expiration date _____

signature _____

Total payment enclosed \$ _____

Foreign currency accepted BUT payment must be equivalent of U.S. currency. Each publication has an annual subscription value of \$49.50.

NOTE: Services do not begin until payment is received.

*Canada & Mexico add \$25 and all other countries outside the U.S. add \$50 for additional postage.

■ send form and payment to:



Interex, P.O. Box 3439,
Sunnyvale, CA 94088-3439, USA;

fax: 408 747-0947

phone: 800.INTEREX, 408.747.0227

e-mail: membership@interex.org

CompuServe: 76376,1222
<http://www.interex.org>

FIGURE 11 Links created by dpappintegrate**FIGURE 12** HP VUE application server configuration

applications. By default, all system-wide applications registered on an application server are available to all systems that use that application server.

A client adds an application server by setting the application search path variable `DTSPSYSAPPHOSTS`. Application groups on the server are automatically added to the Application Manager, and the search paths for actions, data types, icons, and help files are automatically updated (Figure 13).

Migrating Applications from HP VUE to CDE

CDE provides a migration tool that moves many HP VUE customizations to CDE, including customizations that were made to add applications to the HP VUE Toolboxes. Migration can be done on a system-wide or personal (per-user) basis.

The `VUEtoCDE` migration tool performs the following application-related tasks:

1. It translates HP VUE actions and data type definitions to the CDE syntax and places these new files in locations on the CDE actions search path.
2. It copies custom icons to locations on the CDE icon search path and renames them to use CDE naming conventions.
3. It copies help volume files to locations on the CDE help search path. The CDE help viewer can display files

created using the HP VUE Help System.

4. It creates a personal application group for the Personal Toolbox, and a system-wide application group for the General Toolbox. Thus, those toolboxes and their contents become available in the Application Manager.

These changes are non-invasive to the HP VUE configuration files. Therefore, systems that run both HP VUE and CDE at dif-

ferent times can have the same applications available from both desktops (Figure 14). □

Acknowledgments: I was lucky to have the help of Human Factors engineer Jay Lundell during many phases of the CDE project. CDE architect Brian Cripe was a tireless teacher and reviewer. In addition I am grateful to Molly Joy, who had engineering responsibility for VUEtoCDE, for her willingness to work closely with the writers during the development of the tool. Finally I was fortunate to have ongoing support and encouragement from my manager, Mason Lakowske, and from CDE project leader Bob Miller.

FIGURE 13 CDE application server configuration.





FIGURE 14 VUE to CDE Migration Tool dialog boxes





Software Review

by Greg Cagle

Siren Mail

THE SUBJECT OF THIS review is Siren Mail, an X/Motif Mail User Agent for UNIX platforms, from Siren Software, a division of Vicor (Visionary Corporate Technologies), Inc. Siren Mail is part of the Siren Messaging Environment, which also includes Siren Fax, a client-server fax package, Siren Directory, an X.500 directory agent, and Siren Address Book, which provides one common address book for the Siren products. Siren Mail is available for numerous UNIX systems, including SunOS, Solaris, HP-UX, AIX, Motorola 88K, and DG-UX. Siren Mail is also available for Windows and Macintosh platforms. The version reviewed is 2.02, running on an HP 715/80 at HP-UX 10.01 under CDE. Siren does not officially support 10.x, but I had no problems running on 10.01 (with compatibility links), where it behaved no differently than on HP-UX 9.05.

Features

X/Motif Interface

Siren Mail's interface is comparable

At-a-Glance

Siren Mail 2.02

Siren Software
505 Hamilton Ave
Palo Alto, CA 94301
e-mail: info@siren.com
Phone: 415-322-0600
Fax: 415-322-9999
<http://www.siren.com>

Price

Motif client: \$195

Windows and Mac clients: \$100

to other Motif interfaces I've used. It allows multiple folders to be opened at once (*Figure 1*), which I view as a distinct advantage over some of the competition. Like other mailers, it has a menu bar, a list of messages, and a customizable button area. The menu bar is logically divided into **Folder**, **Message**, **View**, **Compose**, and **Utilities** submenus.

Messaging Environment Integration

Siren Mail can be integrated with Siren Fax and the other Siren Messaging products through the Siren Message Server. The idea behind the Server is to have a central server for SMTP, X.400, and fax messages. Siren Mail has a "fax" button in the **Compose** window (*Figure 2*) which, I assume, allows faxing of a mail message via a configured fax server, but I don't have the facilities to test it. This environmental integration is unique among the MUAs I've dealt with.

Character Mode Interface

Siren Mail includes a very intuitive character-mode interface, much like elm or pine. I used it successfully from both hpterm and vt100 (dtterm) windows on my workstation (*Figure 3*), and it also works great from Reflection on a PC. It's a viable option for those who need character-mode interfaces within a terminal emulator or on an actual terminal.

MIME Capability

Siren Mail is MIME-capable, in a limited fashion. MIME enclosures in received mail are treated as attachments, and an external viewer (metamail by default) is spawned to display the enclosure. This is similar to Z-Mail, but less elegant than ishmail, which spawns its own Motif viewer, or Netscape, which

Protect your investment in HP technology.

As a member of Interex, the International Association of Hewlett-Packard Computing Professionals, you can influence the decisionmaking process that determines the fate of your HP equipment. Through our many advocacy channels to Hewlett-Packard, our members actually become involved in the development process. These well established channels include:

- Interex annual surveys
- Conference roundtables
- Special Interest Groups

Make yourself heard!

Find out more about advocacy and all of the benefits of Interex membership. Just call one of our Membership Representatives at **800.INTEREX, 408.747.0227**, or e-mail us at *membership@interex.org*.

Interex Online
<http://www.interex.org/>

interex

The International
Association of
Hewlett-Packard
Computing Professionals

MAKE YOUR PRINTING

LOOK GOOD

WITH...

Forms & FontsTM

The Unix tool for enhanced printing

- Forms overlaying and font substitution
- Color enhancement
- Plain paper check printing
- Eliminates pre-printed forms
- Minimizes annoying forms mounting
- Forms creation using any PC package
- No programming required

Special Offer!

Our free evaluations include
an electronic version of
your pre-printed form!

(800) 898-6434

(203) 966-0661

<http://www.lbmsys.com>



CIRCLE 59 ON READER SERVICE CARD

SOLID GOLD CONNECTIVITY



Now you can access any mainframe line, platform, application, or operating system from any desktop.


All From a Single Package.



teem software
PERICOM
US, UK, GERMANY, FRANCE

2271 State Highway 33, Suite 106
Hamilton Square, NJ 08690
Phone: (609) 588-5300
Fax: (609) 588-8906
BBS: (609) 595-0767
email: sales@pericom-usa.com
Sales: 1-800-233-2206



CIRCLE 184 ON READER SERVICE CARD

FIGURE 1

shows the enclosure inline. Siren Mail does not support rich text composition as do ishmaill and Netscape; the best you can do is attach already composed MIME files.

Customization

Customization of Siren Mail is supported by a series of menu items under the **Utilities** menu. These allow you to customize buttons, headers, colors, and fonts, and to configure general items. The button manager allows you to specify up to two rows of eight buttons each in the **Folder Index**, **Compose**, and **Read** windows. Each button can refer to a function normally accessed via menus, with a label of your choice. The header manager is intuitive and allows specification of headers to display as well as headers to ignore. The color manager allows you to specify the colors of just about every feature, either by name or by color sample. It allows the truly daring to define their own colors. The font manager is equally flexible and shows example text of your font choices as you make them. The general preferences dialogue allows the usual type of customizations; one feature I like is the capability of choosing the kind of signature to appear—personal, formal, or none. Another feature I like is the ability to customize the “included text” delimiter, and allow a sample include action to be viewed.

FIGURE 2**FIGURE 3**

Searching and Sorting

Searching is accomplished with the **Search Messages** dialog box, accessed under the **Utilities** menu. It's quite flexible and allows searching for text strings between date limits in a particular folder or in all open folders. For some reason, many mailers have a problem seeing the

need for this last feature. I strongly dislike using the UNIX *find* command for this. Siren Mail also allows you to specify particular parts of the messages to search, and optionally to ignore case and find nonmatching strings. It does not support UNIX regular expression searching.

Sorting is controlled by the **View** menu pulldown. It allows you to sort the folder displayed in the window by date sent, date received, status, length, author, or subject. You can also mix and match these to create a custom sort. Siren Mail also supplies a convenient menu pick to invert the current sort.

Folder Management

Siren Mail's folder manager (*Figure 4*) is reasonably flexible, but it does not support drag and drop activities. Siren Mail distinguishes between "open" and "closed" folders; this allows you to limit certain activities (such as searching) to "open" folders only.

Address Book

Siren Mail supplies an "address book" (*Figure 5*), which allows personal aliases and lists of aliases as well as system-level definitions. It also allows fax numbers to be specified for the Siren Fax product, which shares the address book. Other MUAs, however, cannot share the address book. And, try as I might, I couldn't get the "Use" button to work in the **Address Book** window, no matter what I highlighted or double clicked, in any context.

Online Context-Sensitive Help

The online help (*Figure 6*) supplied with Siren Mail appears to be complete, if a little crude. The only context it knows about appears to be on a window basis,

FIGURE 4




FIGURE 5





FIGURE 6**FIGURE 7**

meaning that within each window the help button gets you to the help information for that window. But there is no point-and-click feature sensitivity, as in some other mailers I've seen, and it's not hyperlinked, as I've seen in other products.

Licensing

Siren Mail is not licensed at run-time, so there is no license management activity required. I'm not going to get into a philosophical discussion regarding software licensing; being basically lazy, let's just say I appreciate the lack of effort required.

Installation

Installation of Siren Mail is typical of such products in my experience. The

version I tested was shipped on 4mm DAT; the process requires 5 megabytes of scratch area and 10 megabytes of permanent storage, which the installation script checks for you. The installation instructions are quite good and cover remote and NFS server installation procedures. Siren Mail is installed in its own self-contained directory and does not assume a default. I used `/opt/sirenmail` on HP-UX 10. As with other UNIX mail agents, Siren Mail requires permissions to set the mail group ID in order to create lock files if they are being used on the system.

Usability

Compatibility with other MUAs is what you would expect; folder formats

are compatible, and standards are complied with. I could not determine if Siren Mail supports conversion to or from mh folder format; it was not mentioned in the documentation or online help. Siren Mail does not use index files, and many other MUAs do; this can create compatibility issues where other MUAs may have a different view of the folder than Siren Mail does. To be safe, in an environment with different MUAs in use, I recommend disabling index files where that is an option. You can generally identify index files by looking in the same directory as the indexed folder for a "dot" file named after the folder in question. For example, a folder named `deb` may have an index file named `.deb-index` or something similar. Another usability issue is the aliasing mechanism mentioned above; most MUAs seem to be settling on `~/mailrc` for this.

Reliability

I've had a few problems with the Motif version of Siren Mail, one of which is shown in Figure 7; messages with multiple addressees corrupt the "To:" header display. The example composition, for example, has five addressees, but you can see only the last one. The problem with the "Use" button in the Address Book mentioned above is also an issue.

Performance

Siren Mail performed a little slower than other mailers I've used. Most other mailers use index files to speed access to folders, but Siren Mail does not support that to my knowledge. Opening my favorite mail hog folder (870 messages, 2.2-MB size) takes about 10 seconds. While slower than other mailers I've used, it's still acceptable. For reference,

HP 3000 • TRAINING • NEW • USED • FULL WARRANTY

HP 9000

X TERMINALS
PLOTTERS
PRINTERS
DAT • UPGRADES
OEM • 700'S
DISK • 800's

LEADER

RS 6000

BUY • SELL • RENT • REPAIR • PARTS

1 800 553 0592

FAX 612 943 1131

WORLD DATA PRODUCTS

7400 Flying Cloud Drive • Eden Prairie • MN • 55344

wdpibmhp@mr.net

Established 1987

CIRCLE 128 ON READER SERVICE CARD

the Netscape mailer takes less than a second to open the same folder after indexing it.

Supportability

Both character and Motif versions of Siren Mail are dynamically linked with system, X11, and Motif libraries. The application is therefore vulnerable to bugs introduced in new versions of these libraries on the runtime system. But, the binary of *smmotif* is just over 1 MB in size, while by comparison the *ishmail* 1.1 binary is 5 MB.

Documentation

Siren Mail is shipped with hardcopy versions of the *Installation Guide*, the *Release Notes*, a 61-page "Quick Start" guide, an *Administrator's Guide*, and a *User's Guide*. The *Administrator's Guide* and the *User's Guide* are also shipped with the product in PostScript format. The *Administrator's Guide* covers managing

folders, configuration files, address books, forms, and attachments. It is clearly targeted for the system administrator. The *User's Guide* is primarily concerned with sending and receiving messages and using folders, address books, forms, and attachments. Both manuals are replete with examples and graphics, and appear to be quite complete.

Summary

Siren Mail has some good features and is competitive with other MUAs I've reviewed up to now. I've seen Ishmail 1.1, though, and it is a big improvement over 1.0. Netscape Mail has its own set of advantages, including Web integration and message threading.

The Siren Mail Motif Client is \$195. Clients for MS Windows (3.1, 95, and NT) and the Macintosh are \$100. Quantity discounts are available. Anything over \$100/seat is too much, in my opinion, and the advent of the CDE

desktop with the integrated Sun mail tool makes a purchasing decision that much more complicated. Evaluation copies of Siren Mail are available for downloading at the Siren Web site. □

Greg Cagle is a technical consultant with HP's Professional Services Organization, specializing in HP-UX and workstations. In his spare time he is a member of the Executive Committee of InterWorks, the Technical Users Forum of Interex. He can be reached at (503)598-8205 or gregc@hpupora.nsr.hp.com.

Developing Client-server Applications Using HP Distributed Smalltalk

BY FREDERICK F. CHEW

PART 2

WRITING THE APPLICATION

The Smalltalk Classes of the Application

The bulletinboard application consists of two classes (see *Listing 1*). The following briefly describes the purpose of each:

BulletinboardPO: *BulletinboardPO* represents the presentation object (*PO*) of the application. This *PO* class has Interface Repository operations to send the contents of HP-UX environment variables (*getDisplayStyle* and *getUserID*) to its semantic counterpart. The *open* instance method of this class displays the actual dialog box in which the user selects and retrieves the desired products. The specifications of the dialog box are contained within a class method called *windowSpec* in *BulletinboardPO*. These specifications are processed by a VisualWorks builder object to create the dialog box.

BulletinboardSO: *BulletinboardSO* represents the semantic object (*SO*) of the application. *BulletinboardSO* has some Interface Repository operations (*checkUserUpdate:* and *resetUserUpdate:*) to control the retrieval of the product selection file (*prodbbs.bos*). There is also an operation (*delete:*) to remove the user from the list of active users when the dialog box closes.

The DSTPresenter and DAAapplicationObject Classes

The presentation-semantic split paradigm of HPDST hides many distribution management details and gives the developer a jump start in the development of distributed applications. In order to make use of existing life cycle, link, event notification, and other services that are part of this paradigm, it is important to subclass the presentation and semantic objects from the proper classes of the Smalltalk framework.

BulletinboardPO is derived or subclassed from *DSTPresenter*, an abstract presentation class. By inheriting from *DSTPresenter*, one auto-



matically acquires default services such as window management and input controller management. Most important, *DSTPresenter* holds the key to communication with remote semantic objects.

BulletinboardSO is derived or subclassed from *DAApplicationObject*. Application objects are designed to support the standard and extended set of services, such as naming, properties, event notification, links, and life cycle.

Key Instance Methods: *abstractClassId* and *CORBAName*

For each PO or SO class, there are two very important instance methods: *abstractClassId* and *CORBAName*. The abstract class ID is a *universal unique identifier (UUID)* for a PO or SO class and is used by the Object Request Broker to locate the receiver of a message. A UUID string can be found by typing

```
ORBObject newId
```

into a workspace window, highlighting the statement and executing **print it**. The highlighted string result can then be copied into the body of the *abstractClassId* method with the *asUUID* message sent to it, like the one for *BulletinboardPO*:

```
^'6b7801f1-6e93-0000-020f-0328dd000000' asUUID.
```

The *CORBAName* instance method tells the Object Request Broker that the class has an interface in the Interface Repository (represented by the *DSTRepository* class). The *CORBAName* method for *BulletinboardPO* has one statement:

```
^#'::Bulletinboard::BulletinboardPres'
```

where *Bulletinboard* is the user-defined module name and *BulletinboardPres* is the user-defined interface name. The interface is a collection of *Interface Definition Language (IDL)* operations in which each operation is mapped to a matching Smalltalk method. The IDL operations are declared within the *DSTRepository* class.

The DSTRepository Class

The *DSTRepository* class is HPDST's implementation of the CORBA Interface Repository. This class is very special because its methods (or rather, *modules*) are not written in Smalltalk, but in the language-neutral *Interface Definition Language* as defined by the Object Management Group. IDL is strictly a specification language to describe interfaces. With IDL, all ORBs have a common language regardless of the implementation languages (e.g., C, C++, Smalltalk, Ada) used by cooperating host systems. HPDST transparently performs all of the binding between Smalltalk and IDL and vice versa.

The external IDL operations belonging to a Smalltalk class must be registered in the *DSTRepository* class. For the bulletinboard application, all such methods are under the method category called *bulletinboard IFs* (see Listing 2). This method category contains one module: *Bulletinboard*. The *module* is defined as a logical grouping of related interfaces. In this case, it encompasses the interfaces for both the presentation (*BulletinboardPO*) and semantic (*BulletinboardSO*) classes. Within the body of each of the interfaces is a series of IDL declarations.

Let us examine a fragment of module *Bulletinboard*:

```
module Bulletinboard {  
    #pragma IDENTITY = 6bb51563-e997-0000-020f-0328dd000000  
    interface BulletinboardPres : Presentation {  
        #pragma SELECTOR = getDisplayId  
        string      getDisplayId();  
        ...  
    };  
    #pragma IDENTITY = 6bb51563-e999-0000-020f-0328dd000000  
    interface BulletinboardSem : ApplicationSem {  
        #pragma SELECTOR = checkUserUpdate:  
        boolean     checkUserUpdate(in string aUser);  
        ...  
    };  
};
```

Notice where the *Bulletinboard* and the *BulletinboardPres* names appear and how these names correspond to the only statement within the *BulletinboardPO>>CORBAName* instance method (refer to the previous section or Listing 1).

Note: the *>>* is called the *object-method pairing symbol*. *BulletinboardPO>>CORBAName* means the instance method called *CORBAName* within class *BulletinboardPO*.

When a new module is about to be declared by the developer, HPDST will

LISTING 1 *Bulletinboard Application Classes*

```

DSTPresenter subclass: #BulletinboardPO
instanceVariableNames: 'bbdSelectionInList retrieveStatus itemList selectedFileName '
classVariableNames: 'Continue MaxInstances userId '
poolDictionaries: ''
category: 'DST-Bulletinboard'

BulletinboardPO methodsFor: 'repository'

abstractClassId

^'6b7801f1-6e93-0000-020f-0328dd000000' asUUID.

CORBAName

^#':':Bulletinboard::BulletinboardPres'

BulletinboardPO methodsFor: 'initialize'

initialize

| userName |
userName := CEnvironment getenv: 'USER'.
(userName = '') ifTrue:
[
(CEnvironment userEnvironment) add: 'USER'->'guest'.
self class userId: 'guest'.
].
ifFalse:
[
self class userId: userName.
].
self class defaultStyle: #windowSpec.

open

| updateStatus bosFilename |
bosFilename := Filename named: 'prodbbs.bos'.
bosFilename exists ifFalse:
[
^Dialog warn: 'Information file ''prodbbs.bos'' does NOT exist . Contact support for help.'
].
(self class allInstances size <= self class maxInstances) ifTrue:
[
(self class allInstances size < self class maxInstances) ifTrue:
[
self class maxInstances: (self class allInstances size).
].
updateStatus := self semantic checkUserUpdate: (self class userId).
super open.
(self builder componentAt: #abortButton) disable.
updateStatus ifTrue: [ (self builder componentAt: #updateButton) enable. ]
ifFalse: [ (self builder componentAt: #updateButton) disable. ].
self refreshList.
^self.
]
ifFalse:
[
^Dialog warn: 'You may run only one instance of the program at a time '.
].
BulletinboardPO methodsFor: 'actions'

transfer: aSelection with: aFile
{
self class continue: true.
(aFile = 'prodbbs.bos') ifFalse: [
self retrieveStatus value: aSelection, ' being retrieved...'.
(self builder componentAt: #abortButton) enable.
]
}

```

Continued on Page 50



PATROL puts out your fires before you feel the heat

There's only one way to gain control of your environment — PATROL

Performance and availability issues are flaring out of control. Worse, your users are informing you of the problems. To change the scenario, you've got to proactively monitor and manage applications, the databases they run on and the underlying resources. You also have to make the most of the system and network management frameworks you have in place. There's only one solution — PATROL from BMC Software.

Only PATROL puts it all together. And with 16 years of experience, more than 100 products and numerous technology partnerships, BMC Software — the world's largest database and application management tool vendor — is the company you can rely on to deliver it TODAY.

Keep your cool. Discover and correct problems before

Unrivaled database management —

- CA-Ingres
- CA-OpenIngres
- DB2 for AIX
- DB2 for MVS†
- DB2 for OS/2
- Informix
- Microsoft SQL Server
- ObjectStore
- Oracle
- Rdb
- Sybase
- With more in development.

Unparalleled application management —

- Lotus Notes
- Oracle Financials
- PeopleSoft HR†
- SAP R/3†
- TUXEDO System
- With many more in development.

Unmatched integration today —

- CA-Unicenter
- Cabletron SPECTRUM†
- HP MeasureWare
- HP OpenView
- IBM NetView for AIX
- POLYCENTER Manager on NetView
- Remedy ARS
- Solstice SunNet Manager
- Tivoli TME

Unequaled hardware & operating system support —

Only PATROL runs on more than 20 hardware platforms and operating systems, including:

- MVS†
- OpenVMS
- OS/2
- Unix
- Windows NT
- Windows 95†
- With more in development.

† available 2Q 96



they impact your organizational productivity. Only PATROL can help you monitor and manage the big picture. For a white paper or for a free trial, call 1 800 278-4262 or 713 918-8800 (ext. 1371).

Or visit our home page at <http://www.bmc.com/pat>

BMC® SOFTWARE

BMC Software offices are located in Australia, Belgium, Brazil, Denmark, France, Germany, Italy, Japan, the Netherlands, Singapore, Spain and the United Kingdom. Distributor and agent offices in 25 countries. BMC Software and the BMC Software logo are registered trademarks of BMC Software, Inc. in the USA and in other select countries. ® and ™ indicate USA registration. All other products mentioned are either trademarks or registered trademarks of their respective companies. ©1996, BMC Software, Inc. All rights reserved.

L I S T I N G 1 Bulletinboard Application Classes, continued

```
        ifTrue:  
        [  
         self retrieveStatus value: 'The product selection listing is being updated...'.  
         (self builder componentAt: #abortButton) disable.  
        ].  
        (self builder componentAt: #retrieveButton) disable.  
        (self builder componentAt: #closeButton) disable.  
        UnixProcess cshOne: 'getprod.ksh ', aFile.  
        self class continue ifTrue:  
        [  
         (aFile = 'prodbbs.bos') iffFalse: [ self retrieveStatus value: 'Retrieval completed   '. ]  
          ifTrue: [ self retrieveStatus value: 'Update completed   '. ].  
         (self builder componentAt: #abortButton) disable.  
         (self builder componentAt: #retrieveButton) enable.  
         (self builder componentAt: #closeButton) enable.  
         2 timesRepeat: [ Screen default ringBell ].  
         1 timesRepeat: [ (Delay forSeconds: 2) wait ].  
         self retrieveStatus value: ' '.  
         (aFile = 'prodbbs.bos') ifTrue: [ self semantic resetUserUpdate: (self class userId) ].  
        ].  
    ] fork.  
    ^ self.  
  
"Instance methods not shown: abort, close, refreshList, retrieve, update, postOpenWith:,  
windowEvent: from:, bbdSelectionInList, itemList, retrieveStatus "  
  
BulletinboardPO methodsFor: 'BulletinboardPres'  
  
getDisplayId  
  
    ^CEnvironment getenv: 'DISPLAY'.  
  
getUserId  
  
    ^CEnvironment getenv: 'USER'.  
  
BulletinboardPO class  
instanceVariableNames: ''  
  
"Class methods not shown: continue, continue:, maxInstances, maxInstances:, userId, userId:, windowSpec."  
  
DSTapplicationObject subclass: #BulletinboardSO  
instanceVariableNames: ''  
classVariableNames: 'UserList UserSemaphore '  
poolDictionaries: ''  
category: 'DST-Bulletinboard'  
  
BulletinboardSO methodsFor: 'repository'  
  
abstractClassId  
  
    ^'6b7801f1-6e94-0000-020f-0328dd000000' asUUID  
  
CORBAName  
  
    ^#'::Bulletinboard::BulletinboardSem'  
  
productName  
  
    '^'Bulletinboard'  
  
BulletinboardSO methodsFor: 'presenters mgmt'  
  
updatePresenter: aPO  
  
    | userFound userId |  
    userId := aPO getUserId.  
    userFound := self class search: userId.  
    userFound iffFalse: [ self class add: userId ].  
  
BulletinboardSO methodsFor: 'BulletinboardSem'  
  
checkUserUpdate: aUser  
  
    | usersFile recArray |
```

L I S T I N G 1 *Bulletinboard Application Classes, continued*

```
usersFile := BinaryObjectStorage onOldNoScan: (Filename named: 'users.bos') readStream.
recArray := usersFile contents.
usersFile close.
recArray do:
[
:element |
(element key key = aUser) ifTrue:
[
element value ifTrue: [ ^ true. ] ifFalse: [ ^ false. ].
].
].
^ false.

delete: aUser

    self class delete: aUser.

"Instance method not shown: resetUserUpdate:"

BulletinboardSO class
instanceVariableNames: ''

BulletinboardSO class methodsFor: 'actions'

add: aUser

UserList isNil ifTrue: [ UserList := List new. ^UserList add: aUser. ]
ifFalse: [ ^UserList add: aUser. ].

delete: aUser

UserList notNil ifTrue:
[ | newUserList |
newUserList := List new.
UserList do:
[
:element |
(element = aUser) ifFalse:
[ newUserList add: element. ].
].
UserList := newUserList.
].
^ newUserList.

resetUserSemaphore

"Initialize the UserSemaphore class variable with the following line as the first statement in "
"DSTControlPanelORB>>initializeRequestBroker:"

"BulletinboardSO resetUserSemaphore."

^UserSemaphore := Semaphore new signal.

search: aUser

UserList notNil ifTrue:
[ UserList do: [ :element | (element = aUser) ifTrue: [ ^true. ]. ].
].
^ false.

userSemaphore

^UserSemaphore isNil ifTrue: [ UserSemaphore := Semaphore new signal ]
ifFalse: [ UserSemaphore ].

"Create a Bulletinboard object on start up by inserting the following statements into"
"OfficeSO(class)>>exampleMe: just before the last return statement"

"o createChild: BulletinboardSO getInstanceACL title: 'Bulletinboard Retrieval Service'."
"BulletinboardPO maxInstances: (BulletinboardPO allInstances size + 1)."
```

generate a generic template for a module and its interfaces within the client area of the *System Browser* or *System Full Browser* window.

Every template will have a system-generated UUID (*#pragma IDENTITY*) for each of the interfaces. Each interface can also be subclassed from a base interface. For example,

```
interface BulletinboardPres : Presentation
```

means that interface *BulletinboardPres* inherits all of the declarations of interface *Presentation* (which is the collection of IDL operations for the *DSTPresenter* class).

In IDL, a derived interface may redefine inherited constructed types, constants, and exceptions. However, the inheriting interface may not redefine or override attributes or operations.

Within the body of each of the interfaces are the names of Smalltalk selectors and their IDL equivalents. For instance, we have the following:

```
#pragma SELECTOR = checkUserUpdate:  
boolean checkUserUpdate(in string aUser);
```

The IDL operation called *checkUserUpdate* takes a single argument of *string* type and returns a *boolean* type. The operation maps to Smalltalk instance method *BulletinboardSO>>checkUserUpdate:*.

In IDL, the *mode* of a parameter indicates its direction of movement. An *in* parameter means that the value is passed from client to server; an *out* parameter indicates that the value is passed from server to client. An *inout* parameter is bidirectional. The only argument to operation *checkUserUpdate* is an *in* parameter.

The IDL has a number of basic types such as *char*, *float*, *boolean*, *short*, *long*, and *octet*. The language also allows the programmer to build enumerated types, discriminated unions, and structs similar to their C language equivalents.

The developer can get assistance in the writing of the IDL operation declarations by sending *asIDLDefinition* to a class name. For example, a skeletal interface for class *BulletinboardPO* can be gotten by highlighting

```
BulletinboardPO asIDLDefinition
```

within a workspace window and executing **do it**. A skeletal interface of all the instance methods (except *abstractClassId*)

for *BulletinboardPO* would appear. At that point, the developer would remove any operations not intended for the Interface Repository. Furthermore, he would specify the appropriate types and modes for the parameters of the remaining operations. The amended text is then copied and saved into the appropriate area of the *DSTRepository* browser window.

The Flow of Control Between the Presentation and Semantic Objects

In order to design the bulletinboard application to function properly, we must have an understanding of the interaction between the *BulletinboardPO* and *BulletinboardSO* objects. HPDST is an environment where events happen in a certain order. After the user has opened the remote *Information Site Services* window and double clicked on the *Bulletinboard Retrieval Service* icon, the following events take place:

The remote *Information Site Services* window is aware that its child object, the *Bulletinboard Retrieval Service* (a *BulletinboardSO* object), was selected and an *oOpen* message is sent to the folder. The folder is actually of class *FolderPO*, which inherited *DSTcollectorPO>>oOpen*.

Within the body of *DSTcollectorPO>>oOpen*, the key statements are:

```
po := info tail  
createPresentation: self  
types: #()  
session: Session  
access: #read_write  
auto: true.  
po attachWindow: Session.
```

Within the first statement, a number of activities take place. On the right-hand side of the assignment operator (:=), *info tail* is the folder's way to get an instance of the semantic object (*BulletinboardSO*) based on the user's selection. The *createPresentation: types: session: access: auto:* keyword is an instance method of class *DSTSemantic*, which is inherited by *BulletinboardSO* (via *DSTapplicationObject*). The instance of *BulletinboardSO* then uses *createPresentation: types: session: access: auto:* to create a *BulletinboardPO* object.

As part of the PO creation process, the SO registers this particular instance of the PO (*DSTSemantic>>presenterAdd:*). In turn, *DSTSemantic>>presenterAdd:* calls *DSTSemantic>>update Presenter:* to notify its newly created PO of any events of in-

If you're an HP Computing Professional, you may be missing an important connection.

If you aren't a member of Interex, the International Association of Hewlett-Packard Computing Professionals, you're missing out on a number of valuable connections.

- Publications written to help you solve HP-UX problems
- Conferences designed to increase your knowledge and competitiveness
- Special Interest Groups to connect you with other users
- Advocacy efforts that give you a way to protect your investment in HP equipment

Get connected!

Find out more about these valuable resources by calling us at 800.INTEREX or 408.747.0227

Interex Online
<http://www.interex.org/>

interex

The International
Association of
Hewlett-Packard
Computing Professionals

ALPHANUMERIC PAGING FOR UNIX

ROBUST, RELIABLE,
USER-FRIENDLY DELIVERY
OF MESSAGES ANYTIME,
ANYWHERE

- Email forwarded to pager automatically
- Pages can be generated from scripts and network monitoring programs
- GUI and command line interface
- Works with any paging service
- Automatic email confirmation, history logs and error reporting
- Client-server technology
- Works with digital and alphanumeric pagers



Personal Productivity Tools
for the Unix Desktop

14141 Miranda Rd
Los Altos Hills, CA 94022
Email: sales@ppt.com
Tel: (415) 917-7000
Fax: (415) 917-7010
<http://www.ppt.com>

CIRCLE 91 ON READER SERVICE CARD

NECRUG '96... Tying IT Together!

Northeast Central Regional Hewlett Packard Users Group
Celebrates its 17th Annual Conference at
Bally's Park Place Hotel and Casino

Atlantic City, NJ

Tuesday Evening, May 28 through Friday, May 31
Opening Address: Seth Fearly - HP

HPUX MPE-iX

✓ Features & Futures	✓ MPE-iX 5.5 features
✓ Systems Administration	✓ Image/SQL ODBC & PC Toolkit
✓ Backup & NFS	✓ HP3000 as a Web Server

INTERNET

✓ Business Use of The Internet	✓ JAVA
--------------------------------	--------

and much more...including 5 case studies from people 'who have been there' and roundtables

PLUS!!

→ Internet Tutorial* ←
by Karin Rex of Computer Ease
→ Team Building/Stress Management Tutorial * ←
"Take Charge of How you Work!"

by Dr. Suzanne Zoglio

All for only

\$375 before April 21, 1996

\$475 after April 21, 1996

(non members add \$50)

* Tutorial registration add \$10

For more information call

Joe Bartucci 610-363-8010 or Tony Martin 215-343-8429
or e-mail to NECRUG@AOL.COM

CIRCLE 22 ON READER SERVICE CARD

LISTING 2 *Bulletinboard IFs*

```
DSTRpository methodsFor: 'bulletinboard IFs'

// Bulletinboard
// This module defines the types and interfaces which form the newModuleName
// protocol or service.
//
module Bulletinboard {

    // This interface defines the abstract behavior of anInterface objects
    //
    #pragma IDENTITY = 6bb51563-e997-0000-020f-0328dd000000

    interface BulletinboardPres : Presentation {
        #pragma SELECTOR = getDisplayId
        string      getDisplayId();

        #pragma SELECTOR = getUserId
        string      getUserId();

    };

    // This interface defines the abstract behavior of anInterface objects
    //

    #pragma IDENTITY = 6bb51563-e999-0000-020f-0328dd000000
    interface BulletinboardSem : ApplicationSem {
        #pragma SELECTOR = checkUserUpdate:
        boolean      checkUserUpdate(in string aUser);

        #pragma SELECTOR = resetUserUpdate:
        void         resetUserUpdate(in string aUser);

        #pragma SELECTOR = delete:
        void         delete(in string aUser);

    };
}
```

terest. Since *BulletinboardSO>>updatePresenter:* was defined, *BulletinboardSO>>updatePresenter:* is what gets executed since it overrides *DSTSemantic>>updatePresenter:*

In Listing 1, *BulletinboardSO>>updatePresenter:* determines whether the user is already using the application. If not, the semantic portion records him in a list of active users. This list may be inspected by the ORB administrator to monitor usage by executing *BulletinboardSO classPool inspect* in a workspace window.

At this point, the right-hand side of the first statement is complete. The instance PO is retained in variable *po* through the assignment operator (*:=*).

The *po* variable (which has a *BulletinboardPO* object) then proceeds to render itself as a window on the physical screen with

the *attachWindow:* method. This instance method is defined in class *DSTPresenter>>attachWindow:* and is inherited by class *BulletinboardPO*.

Finally, the last action of *DSTPresenter>>attachWindow:* is to call the *BulletinboardPO>>open* method, where the dialog box is built, made visible, and initialized with the product listings of file *prodbbs.bos*.

New Approaches for a Changing World

For a software developer who has spent many years in a function-driven world, my initial entry into CORBA objects with Smalltalk was something of a “cultural shock.” I felt I was living in a foreign land with not only a different language but also different cultures, customs, and philosophies. The Smalltalk environment enforces the object-oriented paradigm. Fortunately, with time, it is possible to become very comfortable and productive with this new life style.

The fundamental philosophy of Smalltalk is to give the developer essentially everything he needs to create a solution. His challenge is to find what he needs and reuse it in his solution. In addition, he should think about whether his own contributions could be reused

by others. This is in stark contrast to the traditional practice of reinventing data structures and functions for every new software project.

One of the greatest benefits of CORBA is that application developers are insulated from having to worry about the details of the network protocol and low-level interfaces (such as sockets). Furthermore, the Object Request Broker handles all of the responsibilities of message routing, marshaling, and object location. This allows clients and objects to be totally decoupled so that changes to one will not necessitate a change to the other.

In addition to the official OMG specifications, HPDST provides the presentation-semantic split paradigm, which con-

Are You Frustrated with Your Editor?

DO YOU NEED...



- Full screen productivity?
- Easy to use cut-and-paste functions?
- MPE/iX 5.0 POSIX support?
- Easy editing on HP-UX?
- Friendly, knowledgeable technical support?
- Worry-free reliability?

GET RELIEF WITH QEDIT!

Call Now! and find out how QEDIT can help you 1-800-561-8311.

Qedit is available on HP3000 and HP-UX computers.



Official Robelle Distributors

Australia, New Zealand.....61 2 484 3979
Central America.....502 2 314786
Czech, Slovac Republics.....42 2 723305
France, Belgium.....33 1 69 86 60 00
Germany.....49 7621 689 190

Unit 201, 15399-102A Ave.
Surrey, B.C.
Canada
V3R 7K1

Toll-free: 1-800-561-8311
Phone: (604) 582-1700
Fax: (604) 582-1799
E-mail: info@robelle.com
WWW: <http://www.robelle.com>



Greece, Italy.....30 1 777 0561
Holland, Belgium.....31 13 521 56 55
Hong Kong.....852 2609 1338
Mexico.....52 5 813 1325
Saudi Arabia, U.A.E.....966 1 477 4555
Scandinavia.....46 8 623 00 50
Singapore.....65 4411 2668
South Africa.....27 21 685 7809
Switzerland, Austria.....41 31 981 06 66
Taiwan.....886 2 545 2166
United Kingdom, Ireland.....44 171 473 2558

Qedit is a trademark of Robelle Consulting Ltd.

CIRCLE 67 ON READER SERVICE CARD

Frederick F. Chew is a software design engineer in HP's Professional Services Organization. He is currently composing an HP Press book entitled Building CORBA Applications with HP Distributed Smalltalk, which is expected to be published early next year.

References

Goldberg, Adele and Robson, David. *Smalltalk-80: The Language*, Addison-Wesley Publishing Company, 1989.

Hewlett-Packard. *HP Distributed Smalltalk Reference Guide*, Hewlett-Packard Company, 1993.

Hewlett-Packard. *HP Distributed Smalltalk Tutorial*, Hewlett-Packard Company, 1993.

Object Management Group and X/Open. *The Common Object Request Broker: Architecture and Specification*, John Wiley and Sons, Inc., 1992.

Object Management Group. *Common Object Services Specification, Volume 1*, John Wiley and Sons, Inc., 1994.

ParcPlace Systems. *ObjectWorks/Smalltalk User's Guide*, ParcPlace Systems, 1992.

ParcPlace Systems. *VisualWorks Tutorial*, ParcPlace Systems, 1992.

Taylor, David A. "Objects for the Enterprise," *Object Magazine*, January, 1995.



by Lisa Zahn

IN THE LAST ISSUE WE profiled Honeywell's MicroSwitch division. The subject of this issue's site profile is Honeywell's Industrial Automation and Control (IAC) organization, based in Phoenix, Arizona. We spoke with Dave Eaton, Senior Principal Engineer and team leader of the Development Environment Unit, Wayne Horton, Principal Engineer and lead Apollo administrator, and John Rodriguez, Senior Engineer and lead HP-UX administrator.

Q: How is your support organization structured?

Industrial Automation and Control is one of Honeywell's largest software development organizations. IAC designs and produces integrated control systems for a variety of industries. Our support organization is part of engineering. There is a separate IT organization that supports the business PCs and the network infrastructure.

Our group is divided into two different units: the Development Environment and Development Facilities. The Development Environment Unit (DEU) is responsible for the evaluation, development, and support of software tools that are used to assist engineers in product development on multiple platforms. The Development Facilities Unit (DFU) is responsible for system administration of all engineering computing systems. DFU is divided even further into four main parts: UNIX administration, configuration management administration, NT/PC administration, and network administration. (Note that in most cases, when we say "UNIX" we are including HP-UX, Apollo Domain/OS, and non-HP platforms.)

Q: Do you distinguish between operations and analysts/engineering functions?

Yes, we support only the engineering

environment and a few business applications that IT does not support. IT provides nearly all the support for the business machines.

Q: How many support people do you have for how many users?

There are 15 people (some specializing in one platform and some serving multiple platforms) who among them provide tools, support, and administration for about 200 to 300 users.

Q: Does anyone carry a beeper or do second shift/third shift support?

Most members of our staff carry a pager. Although there is no second or third shift, we are responsible for supporting people working off-hours and weekends as well as supporting some people off-site and in other time zones.

Q: What administrative areas do you support?

We support general operating systems for all UNIX systems, including OS loads, patches, tuning, and customizing.

We are responsible for the installation and support of all layered applications, including public domain utilities directly used for product development and related activities, though those receive a reduced, more background level of technical support. We support printer/plotter queues, perform backups, and manage the UNIX accounts.

We provide support for end users via an in-house help desk utility; users directly input requests and questions, which route to the proper administrator. The help desk utility runs on a Scopus/Sybase database and we have a World Wide Web interface, which enables anybody, regardless of platform, to issue a help desk request from his desktop.

The IT organization and a network services group share control of the network hardware. Network balance and

ISAMATION

THE FASTEST ISAM REBUILD AND DATA RECOVERY TOOL AVAILABLE!

HP-UX COBOL

TISAM

Micro Focus COBOL

Informix S.E.

C-ISAM

For more information on the ultimate ISAM maintenance and data recovery tools, contact:



Computer Solutions, Inc.

120 E. Marks St. • Suite 225 • Orlando, FL 32803
407-649-0123 or 512-343-6634 • FAX 407-649-1407

All trademarks belong to their respective holders.

CIRCLE 111 ON READER SERVICE CARD

configuration are controlled by both system admins and the network services group. Network services monitors our networks and informs us of trouble spots. For hardware support, Honeywell IAC has its own service organization that supports our desktop workstations and peripherals. The servers are supported by the appropriate vendor. IT configures and administers firewalls.

Q: What kinds of applications run in your environment?

There are two distinct product groups here: hardware development and software development. Hardware development groups run electrical and mechanical CAE/CAD applications such as Mentor Graphics products and ProEngineer. Software development uses products such as SoftBench, Atria's ClearCase, and Objectstore. We primarily use Z-mail for our UNIX-based mail front-end.

Q: What kind of computers and operating systems do you support in your environment?

Our group supports all development computers in engineering, including both HP and non-HP equipment. The non-HP equipment includes personal computers running a variety of different operating systems from several vendors. The HP equipment includes old Apollo DN3000s up to the latest HP K Series.

Q: Can you describe a typical desktop system in your environment?

As far as our HP platforms are concerned, this depends upon the product group. For the hardware development group, the desktop is usually high end (735/125) to moderate (715/100) with plenty of RAM, generally 128 MB to run the CAE/CAD tools, and some with graphics accelerators. All of these desktops have 19-inch to 21-inch color monitors. For software development, the

desktop is predominantly low-end workstations (720 and 715/33) with about 32 to 48 MB RAM and 19-inch color monitors. Some groups use high-end compile servers (J200) with 256 MB RAM.

The Apollos are primarily used for software development and most are configured with monochrome monitors and about 24 MB RAM.

Q: Do you support non-workstation platforms on the desktop?

A number of development groups have only Windows/NT workstations on the desktop. Within our group, there are a number of NT admins who support these users. Most of these users, however, require connectivity to the HPs; to do this, they are using an X package such as ReflectionX or EXceed.

Q: Does your environment use central file servers and compute servers for shared resources, or is your environment widely distributed?

On the Apollo network, data is distributed throughout the network and resources are shared across the network. Our UNIX environment is more of a client-server model. User data is stored on central file servers. The individual desktop machines are used for computing, although we have several compute servers as well. The majority of our file servers are 700-class workstations, but we are migrating these servers to 800-class file servers. We currently have H60s and K200s.

Coming from an Apollo background, we are used to a distributed environment, where resources can be spread across the network, but this is much harder to accomplish in an NFS environment. A client-server model is much more practical in this environment.

Q: What's your printer environment like?

We use the native *lp* spoolers for UNIX systems and *prf* for the Domain/OS systems. On the Apollo, network printers are connected directly to a workstation. Apollo print services are used the majority of the time, but all Domain/OS nodes are running *lpd*. The UNIX printers are network-based printers with a couple of central print server nodes; the desktop workstations spool to these nodes, which spool directly to the printers. We are moving toward allowing all desktops to print to the printers on all UNIX systems regardless of the platform.

Q: What does your network look like?

We are in the process of revamping our network here in Phoenix into a three-tier model. Tier 1 is the file server, tier 2 consists of compute and login servers, and tier 3 consists of the desktop nodes. Tier 1 and tier 2 are on switched 100MB FDDI, and tier 3 will be shared

10 MB with power users using dedicated 10 MB connections.

The three-tier model allows us to move to a flat network, where all engineering will be on the same subnet, thus eliminating the need for routers for local traffic.

Q: Does your site have physical Internet connectivity?

We have a T1 line that connects our location to the corporate headquarters. Access to the public Internet is provided from that location.

Q: What communications services do you support between your users and between your users and their associates?

We support e-mail services, ftp, World Wide Web, and modem dial-up access for all of engineering. To allow access from home or other off-site locations, we have a bank of terminal servers and we provide users with Windows-based SLIP/PPP software if they require it. SMTP is the mail protocol used, although we support POP for some of the NT users. We have a Web server that is only accessible internally; a public Web server is available outside of our physical network, at <http://www.iac.honeywell.com>.

Q: Can you describe your backup strategy?

Full backups are performed once a week, and incremental backups are performed daily; we do a combination of fulls and incrementals each day. Each server has a full backup done once a week and the remaining days are level 3 incrementals (incremental since last full). Our backup software is from Workstation Solutions writing to 8mm tapes. We use 10 tape autochangers for unattended backups.

Apollo backups and UNIX backups are done separately, although for both we are using Workstation Solutions backup utilities. Effective use of sophisticated

SCM software reduces the need for most restores due to lost files and provides a sort of "on-demand" backup function for the developers.

Q: How do you authenticate your users on your networked computers?

For the Apollo users we maintain the Domain/OS registry. The UNIX password file is separate from the Apollo registry, but we try to keep the two in sync (no duplicate UIDs). We use NIS to keep passwd files on all UNIX nodes the same. Passwords are required to meet minimum corporate standards.

Q: What kind of training do you support for your users and do you yourself participate in? How do people in your organization get trained?

We currently provide limited training to users. As Apollo users start to migrate to HP-UX, we will revise and adapt the "new user" class we had created when we first started using the Apollos, thus improving training for our existing HP-UX users as well. Informal one-on-one sessions with users are very common, and we have had HP and particular application vendors hold training classes in-house. People from our administration and support group attend the InterWorks conference regularly to gain new insights. □

Lisa Zahn is vice president of Ibis Communications Inc., a technical documentation and training consulting firm. She was one of the first five technical writers at Apollo Computer, Inc. and was a Learning Products manager at HP's Chelmsford, Massachusetts facility for several years before forming Ibis.

Midnight Lights '96

International HP Users' Conference

Helsinki-Stockholm-Tallinn

10-12 June 1996

The event of the year


Midnight Lights '96 will be the largest European event for HP users in 1996. The conference will take place on the Baltic Sea aboard the Silja Line's M/S Symphony, one of the world's most luxurious cruisers and a floating conference facility.

The Symphony provides a first class setting for official business. It also offers many ideal places to meet your colleagues as well as important speakers, business partners, and professionals outside of the scheduled conference agenda. Ideas and visions can be exchanged during the journey.

Share Visions - Keep on Moving!

We have focused the program of this conference to help IT professionals collect and share information with other users from around the world. With its Main Conference, EXPO, HP Technology Center and Pre-Conference Training Courses, Midnight Lights '96 will present an open view of the future.

Secure your place in this important conference.
Don't delay, register right away!



HP Users' Conference '96

Midnight Lights HP Users' Conference '96 Secretariat
c/o CONGREX

P.O.Box 40, FIN-00621 HELSINKI, FINLAND

Telephone +358 0 752 3611, telefax +358 0 752 0899, Internet HTTP://www.finug.fi

CIRCLE 10 ON READER SERVICE CARD

Internet Goodies

by Joseph Berry

MISC

CVS 1.4

It used to be that the art of writing software consisted of knowing how to invoke the compiler, the linker, the debugger, and the editor and, of course, the actual writing of the program itself. This was particularly true when the project source code consisted of a handful of source modules under the control and ownership of one programmer.

Today teams of developers write very complex programs that must be built and tested on a variety of platforms. As I have previously mentioned, my company, Landmark Systems Corporation, writes UNIX performance tools. Our team of developers decided to use a package called CVS for managing the revision control facet of the development. CVS (Concurrent Versions System) is a package that sits on top of the RCS (Revision Control System) package. One of the major advantages of using CVS rather than RCS alone is that I can refer to a group of files together, checking them all in and out with a single command. It is like a super-RCS. The command set is very straightforward and fairly minimal. It comes with extensive documentation and is easy to build.

Application developers who find RCS inhibiting should examine CVS. The software runs on a large variety of computers including DECs, HPs, IBMs, and Suns. The software is available from wherever you access your GNU software (*prep.ai.mit.edu*, *gatekeeper.doc.com*, etc.).

ODE v 2.3.4

Whenever you find one revision control system, you will find a second one. Recently, the Open Software Foundation (OSF), the makers of Motif, OSF/1, and DCE, released to the world a package

called the OSF Development Environment (ODE). This release is "unencumbered and freely redistributable."

Admittedly, I have never used ODE. But, you must remember, OSF programmers use it for all of their software development; and they write lots of big code! I downloaded the documentation and perused it.

ODE's philosophy is somewhat different from the way CVS works. CVS does not supply you with a built-in make engine and compile environment. ODE does. Depending on your philosophy or outlook on developing software, you might find ODE better or worse. By the way, underneath the covers, ODE also uses RCS.

To get a copy of ODE, do an anonymous ftp to *riftp.osf.org* and *cd* to */pub/ode*. To check out the documentation first, do a *cd* to the *doc* directory and get a copy of either *UsersGuide.ps.Z* (a compressed, formatted, PostScript file) or *UsersGuide.txt*. Source and binary files are also available.

COMP.UNIX.SOLARIS

NEdit v 4.0

Information about NEdit was posted on a variety of newsgroups but no HP-UX newsgroup. Nevertheless, according to the documentation at least, this software does compile and run on HP-UX systems.

NEdit is a GUI-based text editor for X/Motif systems. It is easy to use and fully takes advantage of the mouse and the window manager. Other features include multiple levels of undo, cut and paste with other Motif programs, and all sorts of goodies for programmers, such as auto indenting, parenthesis flashing and matching, and directly going to the lines that the compiler errors point to.

Sources and executables (including HP-UX) are available via anonymous ftp at *ftp.fnal.gov* in the */pub/nedit/v4_0* directory.

STAY ON COURSE! WHILE WE DO THE MONITORING



Tired of checking in on weekends or nights to verify that your data center is running as planned, when you could be spending this time enjoying one of your hobbies. With JMS to schedule and control your batch jobs, and with Callback to monitor your system looking for critical conditions, you can better enjoy your free time knowing that if a problem does occur, you will be notified by phone or pager.

CALLBACK SYSTEM DOWN DETECTOR AND JOB NOTIFICATION SYSTEM

Voice notification for:

- System hangs
- Job aborts
- Console messages
- Printer status
- Logon security
- Special job events
- Physical conditions
- Adverse temperature
- Power loss
- User requests
- Reply pending
- Spoolfile scanning

JMS JOB MANAGEMENT SYSTEM

Automated control for the scheduling and execution of batch jobs with very flexible scheduling capabilities and dependencies. Easy to use, no command language to learn and no jcl changes. JMS is a multiple-CPU system that allows jobs to have dependencies across the network. Ad hoc streamed jobs may be incorporated to allow complete batch job control. **Leaders in tools for the "Lights Out Environment". Call us today for a free 30 day demo. MPE/XL or HP-UX.**

Corporate Headquarters

3470 Pipebend Place, NE #120
Salem, OR 97301
Phone: (503) 585-0512
FAX: (503) 585-1706

International Sales Office

System Software Int'l.
Oakmoore Court
Hampton Lovett
Droitwich, Worcs.
England WR9 0QH
Phone: 44 905 79 4646
FAX: 44 905 79 4505



CIRCLE 164 ON READER SERVICE CARD

Also available is a Web page for NEdit at:
<http://fnpspa.fnal.gov/nirvana/nedit.html>.

COMP.SYS.HP.HPUX

rdist v 6.1.2

A useful systems administration tool, rdist is a utility that makes identical copies of files onto multiple hosts. This software comes from the University of Southern California. A number of security-related enhancements have been included in this release of the software including the ability to compile and run on Linux computers. To get a good understanding of the software, you should download a paper titled "Overhauling Rdist for the 90s" from the USENIX LISA VI conference. It is available via anonymous ftp on *usc.edu* as */pub/rdist/overhaul.ps.gz*.

The software itself is in the same directory in the file *rdist-6.1.1.tar.gz*.

sysinfo v 3.1

The University of Southern California is also responsible for this gem of a

program written by Michael Cooper (*mcooper@usc.edu*). As the README file says, "Sysinfo is a program which shows various pieces of information about the hardware and operating system software configuration of the host it's run on." This program is reminiscent of DOS sysinfo programs that simply dump out as much information about the computer as possible. The program compiles very easily on loads of different platforms.

The most recent version of sysinfo is available via anonymous ftp from the system *usc.edu* in */pub/sysinfo*.

ALT.SOURCES

drat v 0.1

If you don't mind using beta quality software, you might want to look at this program. Drat is an object-oriented interface to the curses programming library written in C++. Curses is a screen manipulation package providing extensive controls of the cursor, character-based screens, and various editing facilities. It

is included with virtually every UNIX operating system on the market.

If you don't need to write an application using a GUI, but you want pretty looking character-based output, you should probably be using curses. Curses understands many, many different kinds of terminals; it includes a database of terminal commands for doing various things—clearing the line from the current cursor position, scrolling the page, etc. While not difficult to use, curses has many idiosyncrasies (which is why some people say that the name is very descriptive).

Scott Murman has developed a C++ interface to the curses library. The package includes not only the standard user interfaces but also form-based classes to handle some common user interfaces: menus, input forms, and output forms. The implementation follows the X Window paradigm (using callbacks). For a more complete description of the software, check out the Web page at <http://www.best.com/~smurman/Drat>. The

software itself can be downloaded either from the same Web page or from ftp.best.com at location `/pub/smurman/Drat`.

Web Page Software

I finally decided to do it—to make my own Web page. Yes I know it's vain, but it seemed like so much fun. I am not going to discuss the details of creating html documents; many books have been written on this subject and many articles have been published. I will present instead some interesting and useful software that you might wish to take advantage of when building your Web pages.

httpd v 1.5

The most fundamental piece of software you must have on your system is a Web server. This is the program that listens for requests from user-operated browser software such as Netscape and Mosaic. Requests typically come in on port number 80. The page requested is then returned to the browser software.

There are many server packages available. They range from the high-end commercial products to low-end programs as basic as a 200-line Perl program. I use httpd, the original and possibly the most popular server from the National Center for Supercomputing Applications (NCSA) at the University of Illinois at Urbana-Champaign. This software is in the public domain.

httpd comes with extensive documentation and compiles in a very straightforward manner. Essentially, one configures the software via a couple of configuration files that define, among other things, which directory is to be considered the "root" Web directory. httpd can be brought up either manually or via the *inetd* daemon. It then continues to run by itself, waiting for external Web requests to process. The

software is available from the host ftp.ncsa.uiuc.edu. Look in directory `/Web/httpd/Unix/ncsa_httpd`. You'll see a `documents` directory where the extensive documentation set can be found. The software itself lives in directory `httpd_1.5`. An NCSA httpd home page also exists from which the documentation as well as software can be downloaded. The address is <http://hoohoo.ncsa.uiuc.edu/>.

fly v 1.3

fly is a program by Martin Gleeson that generates GIF images "on the fly." In reality, fly is a command-file interface to the included program, gd, developed by Thomas Boutell. To create a colored circle using fly, you would enter the line "circle *x,y,r,R,G,B*" where *x,y* represent the coordinate of the center of the circle of radius *r* with the color of *R,G,B*.

fly can be obtained via the Web page at <http://www.unimelb.edu.au/fly/fly.html>. The main reason fly is mentioned here is because the next package requires it.

counter v 1.1.1

Have you ever noticed the neat little counters that appear on some Web pages indicating how many people have accessed the page? This program supplies all the functionality to add a counter to your own Web pages. The counter program is just one of several useful Web-oriented utilities that Matt Wright has developed. Matt's utilities can be accessed via the Web page <http://www.worldwidemart.com/scripts/>.

The counter program requires the fly package described above. It comes with two Perl programs, one of which is the counter program itself and the other a program that produces a nice HTML file of the contents of the `access_logfile` so you can see (via a Web browser) who has previously

logged into the system. It's very nice.

One other piece of software will be required before the counter program is fully functional. The program does not include any graphical digits (as opposed to ASCII digits which the program does not use). However, Matt included a Web site address where hundreds of different styles of digits can be found. I never knew there was such a subculture of digits fanatics. At any rate, go to <http://cervantes.comptons.com/digits/digits.htm> and download at least one set of digits to implement the counter program.

If you're interested in seeing what I have put together, take a look at my Web page, <http://wayne.unix.landmark.com>. But please, no nasty comments. I don't do Web pages for a living.

Web Pages

<http://www.nytimes.com>

Now this is a nice site. And even better, it is basically still free. This is the Web site for *The New York Times*. It offers news, feature articles, classified ads, and other features.

<http://www.the-times.co.uk>

If you live in the U.K. or have lived in the U.K. or just want to know what the news from London is like, try out this site. It is the home to the newspaper, *The Times* of London. I was recently in London on business and since then have made a point of periodically taking a look at the "local" news. □

Joseph Berry is a senior software developer at Landmark Systems Corporation in Vienna, Virginia. He is one of the authors of Landmark's performance monitor, TMON for UNIX. A former HP 3000 systems specialist for Hewlett-Packard, he has been in the computer industry for more than 20 years. He can be reached at joe@landmark.com.

Have the Tools of the Trade at Your Fingertips with *UNIX Review's*

System Administration Toolkit CD-ROM

The comprehensive, low-cost system administration solution!

To help lighten your workload, *UNIX Review* now offers all the tools you need to perform most system and network administration tasks on one CD-ROM. These include security tools, languages, utilities, Internet tools, e-mail tools, and performance monitoring tools all in source code form. As an added bonus, we're throwing the code listings from all *UNIX Review* System and Network Administration supplements. You can't find a more complete set of tools!

Comes Complete with the Following:

Security Tools

- kerberos
- tripwire
- cops
- securelive
- shadow
- Satan

Languages

- Perl 5.0
- Tcl/Tk
- Expect

Utilities


- FAQs

Plus:

- Internet Tools
- E-mail Tools
- Performance Monitoring Tools
- And dozens more!

ADDED BONUSES:

- Code listings from *UNIX Review's* System and Network Administration supplements
- System administration product listings from *UNIX Review's 1995 Buyer's Guide*



ORDER FORM

YES! Rush me ____ copies of the *UNIX Review* System Administration Toolkit CD-ROM at \$49.95 each

Quantity	Price	Total
	\$49.95	\$
	Subtotal	
	Shipping/Handling	
	Sales Tax	
	TOTAL	\$

ORDER TODAY!
Sales Tax: NY residents-8%, IL residents-6.25%, CA residents-7.5%, TX residents-7.5%, GA residents-5%
Shipping & Handling: \$4 for U.S. and Canada orders; \$10 for international orders

Complete this form and return to: *UNIX Review* System Administration Toolkit CD-ROM, 1601 West 23rd Street, Suite 200, Lawrence, KS 66046. Telephone: 913/841-1631; FAX: 913/841-2624; e-mail: rdorders@rdpub.com

Name _____

Address _____

City _____ State _____ Zip _____

Phone _____

Check VISA Mastercard

Credit Card #: _____ Exp. Date _____

Signature: _____

by Larry Headlund

I HAVE SPENT THE last couple of columns on tools for driving shells from X/Motif programs. Now I want to look at the feeding of X programs from the shell. What X programs are usually hungry for is data and, as always with UNIX and X, there are several ways to accomplish our task.

Resources

The kind of data I'm looking for is used to populate Lists and related life-forms such as SelectionBoxes and ComboBoxes. I don't want to hard-code the elements in my programs—that is usually a bad idea. Unless, of course, you like keeping source code remotely and doing compiles for every customer change, or sending executables by wire or messenger and keeping distinct executables maintained for every site. No, data is very much the presentation layer and should be kept at arm's length from the code. If not further.

The simplest way is to set the list contents in a resource file. All the code to retrieve and manipulate is in the Xt toolkit or in Motif. Typically there are two resources with names *XmNItems* and *XmNItemCount* to control things. X itself will take care of internationalization and custom configurations on a per user basis with its usual *LANG* variables or *XAPPLRESDIR*.

This is fine for stable data, data that stays fixed at a site or for a user. It is not so fine for data that is dynamic or secular. For slowly changing data, say a list of printers, the first problem is synchronization. If you add or delete a printer, the file with the resource specification must be updated at the same time. Anyone want to guarantee this will always happen?

The second problem is editing the

resource file itself. The syntax of resource files is not complicated, but for an occasional user there are a couple of pitfalls. For entering a list, the common mistakes I have made a hundred times myself include not terminating each member with a comma, forgetting to put a backslash when continuing the list to a separate line, leaving spaces after the backslash, and setting *XmNItemCount* incorrectly. The last is a really fun error, leading to core dumps and memory errors. Anyway, I always feel odd sitting in front of a computer and manually counting the number of items in a list.

All these problems are magnified when the data is dynamic. If you want users to select from a list derived from a database, for example, they (or the administrator) first have to query the database with whatever tools they have, these days usually SQL or a reasonable facsimile—not the way to convince users of the simplicity and ease of use of X. It gets even worse when the data changes while the application is running. Suppose you want your program to remove an item. Resource files are read only when the application starts. There is no way, using resource files alone, to have your program reflect those deletions or additions.

Reading Data from Files

My first thought was to pass the name of the file to be read to a function and have the function populate the list. I assumed that the target file would be a carriage return delimited file with one list element per line. This matches well with the standard output of an SQL query and many other programs. I needed a function that took a file name argument and read it into a List. Wcl, my preferred tool, lets you specify file

L I S T I N G 1

```
/* setting a XmList from a file name */

#define MAX_LENGTH 512 /* maximum list item length */

void setListFromFile(
Widget widgetList,
char* strFileName,
caddr_t unused)
{
    FILE* file = (FILE*)0;
    int c = '$';

    if (strchr(strFileName, c)) { /* use shell to expand */
        FILE* pfile = (FILE*)0;
        char strCommand[MAX_LENGTH];
        char strFullName[MAX_LENGTH];

        (void)sprintf( strCommand,
                      "echo %s",
                      strFileName);
        if (pfile = popen(strCommand, "r")) {
            if (fgets(strFullName,
                      MAX_LENGTH,
                      pfile)) {
                strFullName[strlen(strFullName) -1] = '\0';
                file = fopen(strFullName, "r");
            }
            (void)pclose(pfile);
        }
    }
    else {
        file = fopen(strFileName, "r");
    }
    if (file && widgetList) {
        char line[MAX_LENGTH];
        XmString stringLine;

        { /* delete any existing items */
            int itemCount;

            XtVaGetValues(widgetList,
                          XmNItemCount,
                          &itemCount,
                          NULL);
            for(; itemCount > 0; )
                XmListDeletePos(widgetList,
                                --itemCount);
        }
        while (fgets(line, MAX_LENGTH, file)) {
            line[strlen(line)-1] = '\0';
            stringLine = XmStringCreate(line,
                                         XmSTRING_DEFAULT_CHARSET);
            XmListAddItem(widgetList,
                          stringLine, 0);
            XmStringFree(stringLine);
        }
    }
    if (file)
        (void)fclose(file);
}
```

L I S T I N G 2

```
/* setting a SelectionBox from a file name */
void setSelectionListFromFile(
Widget widgetSelection,
char* strFileName,
caddr_t unused)
{
    setListFromFile(XmSelectionBoxGetChild(
                    widgetSelection,
                    XmDIALOG_LIST),
                    strFileName,
                    unused);
}
```

name arguments in a resource file thus:

```
*widgetname.WcCallback: setListFromFile(filename)
```

You can accomplish the same result by having a line such as

```
*widgetName.filename: filename
```

and a call in your function such as

```
XtVaGetValues(widget, "filename, strFilename, NULL);
```

in your code.

Continued on Page 68


L I S T I N G 3

```
/* setting an Interleaf ComboBox from a file name */

static void ComboBoxFromFile(
Widget widget,
FILE* file)
{
    if (file && widget) {
        char line[MAX_LENGTH];
        XmString stringLine;
        /* delete any existing items */
        int itemCount;

        XtVaGetValues(widget,
                      XmNItemCount,
                      &itemCount,
                      NULL);
        for(; itemCount > 0; )
            DtComboBoxDeletePos(
                (DtComboBoxWidget)widget,
                --itemCount);
        while (fgets(line, MAX_LENGTH, file)) {
            line[strlen(line)-1] = '\0';
            stringLine = XmStringCreate(
                line,
                XmSTRING_DEFAULT_CHARSET);
            DtComboBoxAddItem(
                (DtComboBoxWidget)widget,
                stringLine, 0, True);
            XmStringFree(stringLine);
        }
    }
}
```

More of Everything You Want In a NFS File Server for Less



Take a closer look at MDL's Peak TriadServer™ and you'll discover it's the most reliable, fastest RAID solution you can buy at a price lower than other comparable servers.

Reliability: Proven open systems architecture allows maximum uptime for secure data redundancy.

Speed: At 4,350 I/Os per second for each controller and a host transfer speed of 20 MB per second, there's nothing faster than a Digital StorageWorks 410.

Accessibility: Take advantage of high-performance, Intel-based processors with MDL's enhanced network file server language. Or use the Peak TriadServer with your existing environments including HP-UX, AIX, SunOS, Solaris and Digital.

Affordability: With all due respect to our competition, we can save you more than 50% compared to some brands. Even though the Peak TriadServer is very affordable and saves system administration time, you won't have to give up capacity (up to 96 GB), non-proprietary architecture, modularity and more.

Protect your company's critical data with products from a company you've grown to trust. Depend on MDL Corporation for mass storage, archival backup solutions and performance technology.

Contact us today for more information about our affordable, high-performance Peak TriadServer.



(800) 800-3766 Outside U.S., call (206) 861-6767 <http://www.mdlcorp.com/mdlcorp/welcome.html>
e-mail: sales@mdlcorp.com

All brand, company and product names are trademarks or registered trademarks of their respective companies.

StorageW^{ks}



CIRCLE 94 ON READER SERVICE CARD

LISTING 4

```

/* setting Lists from processes */

void setListFromProcess(
Widget widgetList,
char* strProcessName,
caddr_t unused)
{
    FILE* file = popen(strProcessName, "r");

    if (file && widgetList) {
        char line[MAX_LENGTH];
        XmString stringLine;
        /* delete any existing items */
        int itemCount;

        XtVaGetValues(widgetList,
                      XmNItemCount,
                      &itemCount,
                      NULL);
        for(; itemCount > 0; )
            XmListDeletePos(
                widgetList,
                --itemCount);

        while (fgets(line, MAX_LENGTH, file)) {
            line[strlen(line)-1] = '\0';
            stringLine = XmStringCreate(
                line,
                XmSTRING_DEFAULT_CHARSET);

            XmListAddItem(widgetList,
                          stringLine, 0);
            XmStringFree(stringLine);
        }
    if (file)
        (void)pclose(file);
    }

void setSelectionListFromProcess(
Widget widgetSelection,
char* strProcessName,
caddr_t unused)
{
    setListFromProcess(XmSelectionBoxGetChild(
                        widgetSelection,
                        XmDIALOG_LIST),
                       strProcessName,
                       unused);
}

void ComboBoxFromFile(
Widget widget,

```

Continued on Page 69

My first function to accomplish this is in *Listing 1*. I needed similar functions for a SelectionBox and the contributed Interleaf widget the ComboBox (*Listing 2* and *Listing 3*).

Lists from Processes

I quickly realized I didn't have a complete solution. File names are fine but they are so *specific*. To go back to the original example of a printer control program, there isn't a convenient file with the names of the printers listed for you, although the program *lpstat -v* gives you the names of the printers. I also found that even when a file was maintained, I needed to massage it, usually with *awk*, before it was suitable for a list. For database access I needed to run SQL and massage. So I wrote similar functions that took an argument of a program to run. (*Listing 4*)

This had the advantage of allowing customizing outside the GUI program. If a user needed nonstandard input for his lists, changing his PATH and placing the data supplying programs in the appropriate directory took care of it.

All this has worked so well that I seldom specify a list's items explicitly in a resource file anymore. ▀

Larry Headlund is president of Eikonal Systems, a software development company specializing in the optical industry and a consultant on UNIX and X. He has been working with commercial UNIX since 1982 and with HP-UX since 1984. He can be reached at lmh@world.std.com or (617) 482-3345.

LISTING 4 *continued*

```
FILE* file)
#endif
{
    if (file && widget) {
        char          line[MAX_LENGTH];
        XmString     stringLine;

        /* delete any existing items */
        int      itemCount;

        XtVaGetValues(
            widget,
            XmNitemCount,   &itemCount,
            NULL);
        for(; itemCount > 0; )
            DtComboBoxDeletePos( (
                DtComboBoxWidget)widget,
                --itemCount);

        while (fgets(line, MAX_LENGTH, file)) {
            line[strlen(line)-1] = '\0';
            stringLine = XmStringCreate(
                line,
                XmSTRING_DEFAULT_CHARSET);
            DtComboBoxAddItem(
                (DtComboBoxWidget)widget,
                stringLine, 0, True);
            XmStringFree(stringLine);
        }
    }

void setComboBoxFromProcess(
Widget  widget,
char* strProcessName,
caddr_t unused)
{
    FILE*      file = popen(strProcessName, "r");

    if (file && widget) {
        ComboBoxFromFile(widget, file);
    }
    if (file)
        (void)pclose(file);
}
```

TAKE FIVE

That's All You'll Need To Improve Your Memory

Buying a memory upgrade for your workstation is serious business. That's why we at **Workstation DIRECT** are here to lend a hand. Our quality product, service and reliability make the whole process painless.

Our business is providing fully tested, guaranteed 100% compatible workstation and PC memory. We have what you're looking for in stock ready for immediate shipment. Hands down, our product selection is the best, including memory products for the newest workstations. We back every module we sell with a **lifetime warranty** and **free technical support**.

You can depend on **Workstation DIRECT** for great pricing, too.

No matter if your workstation is from HP, IBM, DEC, Sun, Silicon Graphics, **Workstation DIRECT** has the memory you need.

And the five you took to read this ad? No problem. We'll give you **Five Percent** off your first order just to say thanks for your time.



Call us today for a price quote.

888.610.1600
TOLL FREE

Workstation
DIRECT
YOUR SOURCE FOR MEMORY

CIRCLE 101 ON READER SERVICE CARD



HP 1000 Guru

Q: How much smaller than an A900 system file is an A990 system file? I am tight on OS space and wonder whether upgrading to an A990 will help.

A: It depends on whether the A900 is using the Rev 4 Base Set or not. If the A900 has the latest (Rev 4) Base Set firmware, then the system gen should contain the following two RPL files: %RPL91 (or %RPL90) and RPL_A900_REV4.REL. This fully implements all A900 firmware code. In this case, updating to an A990 system gen will *not* gain any OS space because the A990 RPL, RPL_A990_CDS.REL (or RPL_A990.REL), is not any smaller.

If you do not have the Rev 4 A900 Base Set, and you are using XMB.REL in the system gen, then updating to an A990 will gain you 241 words. This is the difference in size between the RPL_A990_CDS.REL and (%RPL91 + XMB.REL).

Q: Does the PASCAL compiler have a line length limit? I seem to run into problems when my lines exceed 80 characters. I see no method for continuing lines as in FORTRAN using column 6.

A: The HP 1000 PASCAL compiler defaults to a line length of 80 characters. This can be changed with the compiler directive (option) \$WIDTH<char>. "char" can be in the range of 1 to 150.

Q: My system seems to be filling up SAM rather quickly because of extremely high network broadcast traffic. I am not able to use the discard packet mode, because I am still running 5.27 NS. Is there something else I can do in the meantime, before I update to 6.2?

A: Yes. In the interim, you can modify the packet filtering performed on the LANIC. If your 1000 system is configured for both 802.3 and Ethernet packets, then NSINIT sets the packet filter to 6. This allows Individual, Multicast, and Broadcast packets to be received. You can change this value to 4, which will allow only Individual and Multicast addresses to be received. To change the packet filter use the following command:

```
cn <lu_of_lan_card> 37B p1 -20465
```

where p1 is the desired value, for example, 4. Make sure this command is done after NS/1000 has been initialized.

For more information, see the *12076A LAN/1000 LINK Node Manager's Manual* and the *12079A Direct Driver Access Manual*.

Q: What is the largest session number allowed by RTE-A?

The Relocatable Library manual under GETSN indicates that the session number

returned may be larger than 8 bits, but how much larger can it be? It seems I can pass any value I want when using CLGON to create a programmatic session.

A: The actual limit is 319. (Note that the minimum programmatic session number is LastLu+1.) GETSN will return an error (-1) if a value greater than 319 or less than (LastLu+1) is used.

The problem with CLGON is that it does not check the number being passed to it. It assumes the programmer has used GETSN and validated the number being used. This is why you can actually create programmatic sessions larger than 319. These sessions can lead to unpredictable behavior, including, in the worst case, a system crash.

A crash can occur under the following conditions:

1. You create a programmatic session greater than 319.
2. Your system size is just under 32,767 words.
3. You terminate the programmatic session.

A crash can occur under these conditions because RTE keeps a bitmap in the operating system to keep track of active sessions. This bitmap is allocated by RTAGN as 20 words. Coincidentally, it is the very last thing in the 32 pages of the RTE-A OpSys. These 20 words equal 320 sessions ($20 \times 16 = 320$). When a programmatic session is created, GETSN is responsible for setting the appropriate bit in the bitmap. When a session is terminated, either by KILLSes or a call to RTNSN, this bit needs to be cleared. The operating system does not validate the session number, so it goes ahead and clears the appropriate bit. If the session

number is greater than 320, the bit is above the allocated bitmap. And if the system is just below the 32,767 word limit, a memory wraparound can take place, and the A register (memory location 0) can be corrupted. This will crash the system. Not much fun to troubleshoot!

Q: I need to transfer a binary file that has a record length of 1,088 words from a PC to the 1000. When I transfer the file using binary mode, the file on the 1000 winds up with a record length of 128 words. How do I do this?

A: When transferring a binary file from a non-RTE machine, you must specify any desired file attributes. By default, FTP binary mode will create the target file as a Type 1, which means a fixed record length of 128 words. If you need a record length of 1088 words, you must specify a Type 2 file. For example:

```
ftp> bin  
200 Type set to I.  
ftp> get binary binary:::2:::1088  
200 PORT command successful.  
150 Opening BINARY mode data connection for binary (2560 bytes).  
226 Transfer complete.  
2560 bytes transferred in 0.4 seconds [ 64.0 kbytes/second ]  
ftp>quit
```

The file on the 1000 will look like this:

```
CI> dl binary srn  
directory ::SYSTEM  
      name   blks recs rlen  
      BINARY    10     1   1088
```

Q: I recently needed to restore some files from an old FST backup. When I did a DL of the FST tape, it contained the same file, "8", repeated hundreds of times. How did this happen and what can be done to recover a specific file from this tape?

A: What happened here is that when the backup was created, the FST command used was probably something like this:

```
FST> BA /MYFILES/ 8
```

(Like a TF command, most likely.)

This is a legal FST BA command but the result is probably not what the user expected.

Here is the syntax for the BA command:

```
BBackup <mask> [<dest>] [<msc>] - Select files to backup.
  <mask> - mask descriptor for selection of disk files.
  <dest> - mask for destination file descriptor.
  <msc> - system master security code.
```

The *<dest>* parameter can be any file mask. What this does is back up the files specified by "mask" and rename them "dest." In the example FST backup above, FST renamed all files in the directory /*MYFILES* to "8" on the tape.

Older revisions of FST did not warn the user that the command entered would result in duplicate file names. Current versions of FST report the following if a BA command of the form:

```
FST> BA /MYFILES/ 8
```

is used. FST reports the following:

```
** WARNING ** destination mask for BA command yields duplicates names.
```

So that is what happened to create a tape with the same file name repeated. By the way, the intended usage of the *<dest>* parameter is for either of the following:

1. You are backing up a single file, and want the file name on tape to be different.
2. You want the directory path on the tape to be different from the source disk directory. For example:

```
FST> BA /SW/REV_6P2/NS1000/ /NS1000/
```

will back up all the files in the subdirectory *NS1000*/ and put them on tape under /*NS1000*/.

Now, as for recovering a particular file of the tape. Since all the file names on tape are identical, the only way to differentiate a particular file is by the contents itself. This means restoring all the files and then looking at the individual files with GREP or EDIT for known data. If the contents of the desired file are binary data of unknown origin, you are probably out of luck. Restoring the files can be a very time-consuming process. For example, here is a "bad" backup:

```
FST> dl
Format      : FST
Title       : @ temp
Created     : Wed Feb 14, 1996 1:36:46 pm
File paths and names
File
TEMP:::5:48:128
TEMP:::4:1:9
```

```
TEMP:::4:96:40
TEMP:::6:113:128
TEMP:::2:256:1024
TEMP:::4:96:36
```

In this case, you could restore a particular TEMP file by specifying the full name as follows:

```
FST> RE TEMP:::2:256:1024
1    files selected; 1 total
```

Obviously, this can be a very time-consuming process, and if there are multiple files with the same attributes, you'll have to play games with the D option, and perhaps perform a BR command to prevent overlaying a restored file that you want to save. At this point, it would depend on how badly you needed to recover the data. □

Walt Boeninger works in the HP Response Center in Mountain View, California. He has been supporting the HP 1000 for 15 years. His e-mail address is: walt@hpurxe.mayfield.hp.com

**This is what the typical
system administrator looks like after
attending our conference.**

**Isn't it ironic how no one notices you
when the system is running smoothly?**
That's precisely the goal of our System & Network Administration Conference.


In four days of information-packed sessions, we give you skills to handle all the potential crises that make up a day in the life of a system or network administrator.

Our hard-working conference is the most technical, solutions-oriented program

for system administrators on the East Coast.

You'll hear expert speakers break down issues and technologies critical to administrators of UNIX, NT and legacy systems, from security, internetworking and Java to high availability and ATM. You'll leave with solid skills and information you can apply right away to increase your systems' performance.

With any luck, you'll also learn how to make yourself invisible.



**System & Network
Administration Conference**
May 20-23, 1996
Crowne Plaza Hotel
New York City

Order your free conference catalog:

Phone 800.441.8826 Fax 415.905.2222 Internet snac@mfi.com Web <http://www.mfi.com/unixrev/snac>

*Brought to
you by:*



CIRCLE 125 ON READER SERVICE CARD





CSL Perspective

DURING ONE OF MY brief forays into "management," I spent two summers working as the program director at a Scout camp in central New York. The responsibilities included every aspect of the camp, its programs, staff, and facilities. The only thing I didn't do was the bookkeeping and food service. It was sort of like being the first officer on a starship.

The training for this assignment involved a week-long school where you learned some valuable skills—planning, leading activities, and keeping your staff productive. Two lessons have stayed with me over the intervening 20 years: (1) Be flexible and (2) Use your resources. As the years go by, I keep seeing instances of how both of these values have been key to effective leadership.

During the past year, I have been recalling these principles as I assume the responsibilities of managing production systems and services. I'm spending a considerable amount of time setting up several new systems that will form the backbone for some of our internal services such as e-mail, Domain Name Service, and the World Wide Web. Our support strategy is centered around building a so-called low maintenance environment where a system administrator can manage these systems remotely and with minimal daily intervention.

In order to pull this off, we've taken some off-the-shelf system management products and integrated them. We've gained significant advantages over the traditional management processes through the use of these tools and will probably continue using them in other environments. Unfortunately, one of the biggest negatives in the system management marketplace today is that no one package, or even several, can meet all the requirements for building and

managing the kind of environments we wish to provide our users and customers. Vendors continue to make great strides in dealing with these growing and changing needs, but for the most part they've sacrificed flexibility along the way. Vendors just cannot anticipate many of the requirements that come up in an operational environment; being adaptable then becomes a key capability of a top-notch support staff.

In our current environment, the tools we work with have a lot of flexibility and adaptability, so we have the freedom to create additional capabilities to solve particular problems. By using public tools such as Perl, we can create monitoring functions that are specific to our environment. HP-UX, being a UNIX system, is inherently a flexible, adaptable system right out of the box. That is a very big benefit to me, especially when I've been under tight schedule pressure and have to get the system up quickly.

Another example, this time of "using your resources," is the monitoring of kernel table space. None of the tools I currently use will enable me easily to assess the current size of the file table.

On our Web server, files handles are being created, used, and returned at the rate of several thousand per hour. The only recovery strategy when the system runs out of this resource is to increase the size of the table in the kernel and reboot. What is needed is a way to monitor the table real-time and sound an alarm if it begins to approach full utilization. Through some digging I've discovered that the *sar(1)* utility can dump out the information I need in a format that is easily integrated with my monitoring system.

As I look back over the last year, I'm appreciating the fact that the open sys-

OUR 16th YEAR

QUALITY HP WORKSTATIONS - WITHOUT THE HP PRICE

RENT · LEASE · BUY

Immediate Delivery On Most Items

- **700 SERIES:** Models 710, 715/50, 715/75, 715/100, 735, 735/125, 712/60, 712/80, 745i
- **X-STATIONS:** ENVIZEX, C270X
- All 300, 400T and 400E Series
- Memory, Features & Disc Upgrades for all Workstations
- CPU Upgrades: 715/50, 715/75, 735, 735/125, 425, 380, 360

*More Than 1500 Satisfied Customers
Throughout The USA and Worldwide*

For technical info, specs or pricing
call Mordy or Carol



C.S.U. Industries, Inc.

207 Rockaway Turnpike, Lawrence, NY 11559
(516) 239-4310 FAX (516) 239-8374

Paul Gerwitz is chairman of the CSL committee and a Senior Technology Specialist at Eastman Kodak Company in Rochester NY. He can be reached at 716-477-3067 or by e-mail at gerwitz@interex.org or gerwitz@kodak.com.

CIRCLE 140 ON READER SERVICE CARD



Industry Watch

WELL, IT'S THAT TIME again. Election fever is breaking out all across the U.S. with 30-second sound bites to beat the band (or beat on one's opponent, more likely). There is relief, though, for those of us who want more than the demo/psycho/geographically hewn non-speak dished out over the traditional media. If you want to know what the candidates really have to say (if they have anything to say), as well as to engage in some serious political discourse with fellow voters, turn off the TV, put down the paper, and hang up on the poll taker—and check out ElectionLine on the World Wide Web.

A joint venture of Digital, the *Washington Post*, ABC News and *Newsweek*, the ElectionLine Web site should prove to be this year's hot spot for pundits, politicos, and public alike. ElectionLine covers daily campaign events, provides information on candidates and issues, offers commentary and analysis, and delivers real-time coverage of election results. There also will be interactive forums, for the public to discuss issues and provide views. Digital is providing the hardware with its 64-bit Alpha, along with the Web forum software. Digital partners Personal Library Software, Inc. provided the search engine and Persimmon IT helped design the site for easy navigation.

Of course, the rest of the world does still turn outside of the political arena. So, just jump over to one of the Knight-Ridder newspapers now on the Web. They're using SGI's WebFORCE CHALLENGE servers to put up as many as 31 sites. With seven online already, and new ones coming on at a rate of two a month, they may make it by the end of the year. Content for the Web papers is created and edited on a WebFORCE Indy workstation, which

acts as both an authoring station and a staging file server. Pages are updated several times a day and then sent to a public Web server in Virginia. Knight-Ridder says it eventually will add video, audio, and animation to the sites. We may never look at a newspaper the same way again.

When we're not all clustered around our Web browsers, we may be clustered back at the office. A number of vendors made cluster announcements in late winter. HP came out with enhancements to its high-availability offerings for HP 9000 customers. The company introduced management software that integrates clusters into the OpenView framework, complete with a visual map and event-triggered color coding. The new software integrates clusters from anywhere in a distributed network into a single management station, which certainly makes life easier for monitoring and controlling large clustered networks. HP also announced its High Availability Storage System, which accommodates 2-GB and 4-GB disks, as well as DDS-2 tape drives, and features hot-pluggable storage and support for dual SCSI-2 buses for disk-mirroring within the enclosure.

Data General unveiled its four-system AviiON cluster at UniForum. The clusters give the company's DG/UX customers a high-availability option along with a graphical management interface. The company says its DG/UX Clusters can be interconnected across multiple sites with replication server software to accommodate enterprise-wide availability requirements.

Digital announced a new adapter that allows PCI-based AlphaServers to hook up with the CI-based storage subsystems used in OpenVMS clusters. Part of Digital's StorageWORKS offering, the

company says the adapter provides ready access to both high-performance storage controllers and industry-standard SCSI devices. The idea is to open up the door to more storage expansion options, RAID, and high-performance backup solutions. PCI is certainly the fast way to do it.

Finally, SGI came out with a fail-over solution for its CHALLENGE servers and claims it can deliver 99.9 percent uptime. Called IRIS FailSafe, SGI says the software will support two clustering configurations—either two active servers with separate file systems or one active server that fails over to a hot standby.

The CHALLENGE cluster uses shared storage either on RAID subsystems or mirrored disks. The software also has a scripting feature, which the company says can be used to restart applications. SGI is offering restart kits for NFS and Netscape Web services, too. ■



GE Capital

Computer Rental Services

Our Business Is Helping Yours®

**Workstation Rentals
for Business**

Now's the time to RENT the newest UNIX Workstations!

- Cost-effective rental of latest Hewlett Packard, Sun, and Tadpole workstations:

- HP Model 735/125 CRX	- Sun SPARCstation 20
- HP Model 735 CRX	- Sun SPARCstation 10
- HP Model 715/100 HCRX	- Sun SPARCstation 5
- HP Model 715/75 CRX	- Tadpole SPARCbook 3
- HP Envizex X-Station	- Tadpole SPARCbook 2

Plus new products available as released by manufacturers!

- Large inventory – Fast delivery
- Flexible rental and leasing options – Rent-To-Own
- Major credit cards accepted

Call 1-800-GE-RENTS!

Authorized Rental Company



**Sun Microsystems
Computer Corporation**



**HEWLETT
PACKARD**




**TADPOLE
TECHNOLOGY**



CIRCLE 56 ON READER SERVICE CARD

James H. Gamble is a freelance writer and communications consultant for technology-based products and services companies. He can be reached by phone at (603) 673-1904 or by e-mail at jhg@mv.mv.com.



New Products

Windows Translator

QualSoft and Non Standard Logics (NSL) have announced XFaceMaker/Win, a new addition to the XFaceMaker line of X/Motif GUI builders for the rapid deployment of applications in the UNIX and Windows environments.

XFaceMaker/Win enables users to translate a Motif GUI into an MS Windows equivalent version with a click of the mouse. The generated code can then be compiled on a Windows platform and from there be ported to a Macintosh.

Fully functional Motif GUIs can be developed and translated into Windows Visual C++ code using Microsoft Foundation Classes, as well as additional classes provided by NSL to implement Motif functionality missing in Windows. XFaceMaker/Win also allows the translation of Motif GUIs generated by other GUI builders.

XFaceMaker/Win is priced at \$1,995 for a single-user network license in North America, and at 15,000 FF in Europe. The XWin-Pack, which includes XFaceMaker/IL or UIMS and the XFaceMaker/Win translator, is priced from \$3,750 in North America and from 39,000 FF in Europe. Quantity discounts are available.

Contact QualSoft (North American distributor), phone: (415) 494-6100, fax: (415) 494-6099, e-mail: info@qsoft.com, or contact NSL in Paris, France, phone: (33) 1 44 08 70 80, fax: (33) 1 44 08 70 81, e-mail: info@nsl.fr.

Scanning Software

tummy.com, ltd. has announced XVScan Version 1.21, which adds batch command-line image and document scanning capability to the interactive X11 scanning and image manipulation program XVScan.

XVScan works under HP-UX 9.x and

10.x with HP ScanJet scanners. It is based on xv, image manipulation software for X Windows, and handles 24-bit color, 8-bit grayscale, and 1-bit monochrome images. Supported image formats include GIF, JPEG, TIFF (compressed and uncompressed), PostScript (requires ghostscript), PBM/PGM/PPM (raw and ASCII), X11 Bitmap, and XPM (X PixMap).

The new command-line scanning utility "sjscan" allows full control of the scanner and Auto Document Feeder to provide unattended batch scanning of up to 50 pages. Updates to the ScanJet API allow other applications to control an HP ScanJet scanner.

XVScan is priced at \$50 for ftp or e-mail delivery. It is also available on 3.5-inch floppies or 4-mm DAT tape for an additional \$15 in the United States or \$25 internationally.

Contact tummy.com, ltd, phone: (402) 344-4426, fax: (402) 341-7119, URL: <http://www.tummy.com/xvscan/hpux>, email: xvscan@tummy.com

Text Editor

Inclination Software, Inc. has announced the Quick-E text editor, which runs under Microsoft Windows but edits files on UNIX and other host systems. The Quick-E package is designed for simple editing tasks and provides rapid response and a true and up-to-date Windows interface for editing UNIX files.

Host files are selected from familiar Windows dialogues, which allow the user to browse through files and traverse host directories before selecting the file. The interface uses the familiar Windows Multi Document Interface, which allows multiple overlapped, resizable, stackable windows. Standard Windows cut-and-paste and search-and-replace

LIE BACK WHILE YOUR NETWORK BACKS UP.



Now, you can relax with IEM and Alexandria. Alexandria is designed to supervise every facet of your UNIX network backup. So, while you are taking it easy, Alexandria will:

- Work 24 hours a day, 7 days a week, and never take vacation.
- Organize and automate your system backups and archives.
- Manage all of your backup media — including optical.
- Back up your entire network — even if it consists of several UNIX platforms.
- Work with IEM's 4mm and 8mm carousels and autofeeders as well as HP's optical libraries.

Backup Devices

Drives, Autofeeders,
and Jukeboxes


- 4mm tape
- 8mm tape
- 3480 tape
- Optical disk
- DLT

Alexandria Servers

HP 9000 700/800
and non-HP
UNIX-based machines

Alexandria Clients

HP 9000 300/ 400/ 700/ 800
and non-HP
UNIX-based machines



IEM specializes in HP-compatible solutions. For more information on IEM products, please contact us at one of the numbers below.



© 1995 Anis Inc., A3.395

Alexandria is a trademark of Spectralogic

In the U.S. and Canada:

IEM, Inc., P.O. Box 1889
Fort Collins, CO 80522 USA
Phone: (970) 221-3005
(800) 321-4671
Fax: (970) 221-1909
E-Mail: info@iem.com

In the United Kingdom:

IEM, Inc., Colorado House
Cromwell Park, Banbury Road
Chipping Norton, Oxfordshire
OX7 5SR
Phone: [44] 01608 645000
Fax: [44] 01608 645155

All Others

IEM International Sales
1629 Blue Spruce Drive
Fort Collins, CO 80524 USA
Phone: +(1) 970-221-3005
Fax: +(1) 970-221-1909
E-Mail: info@iem.com

Graphical Data Analysis

DSP Development Corporation has announced DADiSP 4.0, a major new release of its graphical data analysis software package. The new release extends the capabilities of DADiSP to collect, analyze, and display scientific and technical data in a format that is intuitively understood by scientists and engineers.

Native MS Windows and OSF Motif GUI standards have been incorporated, using common dialogue

boxes for standard cross-application operations. DADiSP 4.0 offers Dynamic Data Exchange (DDE) in MS Windows. DDE is an inter-program communications protocol that allows disparate applications to easily exchange data.

DADiSP 4.0 also includes a complete programming language called Series Processing Language, or SPL, which is modeled on the C language. It offers online documentation and improved printing capabilities, with added plot titles, legends, multiple scales, selectable fonts, and a preview mode. Postscript, HPGL, Metafile, and native bitmap formats are supported.

DADiSP 4.0 is priced at \$1,895 for PCs and \$2,995 for workstations.


Contact DSP Development Corporation, phone: (800) 424-3131 or (617) 577-1133.

operations are supported, as well.

Quick-E can work with virtually any host computer that supports the FTP protocol.

Quick-E is priced at \$49. Demonstration versions can be downloaded off the Internet by contacting the Inclination Software Web page at www.isiinc.com or by calling the company.

Contact Inclination Software, Inc., phone: (702) 831-5595, fax: (702) 831-4979.



DSP Development DADiSP 4.0

published in the series are: *Instant Java* by John A. Pew, *Java by Example* by Jerry R. Jackson and Alan L. McClellan, *Just Java* by Peter van der Linden, and *Core Java* by Gary Cornell and Cay S. Horstmann.

Web Surfing Guide

Prentice Hall and Hewlett-Packard Professional Books have announced *The Essential Web Surfer Survival Guide* by Jenny Fristrup, a PC user's guide to making the most of the Web.

The Essential Web Surfer Survival Guide helps PC users get up and running quickly and easily on the WWW. The book is an easy-to-read, nontechnical guide to the WWW along with all the products and tools associated with the WWW, such as Mosaic and Netscape. The book features a friendly introduction to WWW, instructions on how to find what you want on the Web, and NetCruiser Internet software, a Web browser/Internet access tool. The book also covers hypertext and HTML, how to create your own home page, putting information on the Web, Internet tools, how to navigate within the Web using URLs, a directory of URLs, and using the Web to learn more about the Web.

The Essential Web Surfer Survival Guide (ISBN: 0-13-442971-0), by J. Fristrup is \$24.95.

Internet Beginner's Guide

Prentice Hall PTR has announced *Zen and the Art of the Internet: A Beginner's Guide*, Fourth Edition, by Brendan Kehoe. This is the latest edition of the critically acclaimed, best-selling

technology that empowers developers to make full use of multimedia and interactivity, most notably on the World Wide Web, where once-static images are being transformed with such special effects as animation and sound.

This series of original authored works on Java will deliver key information about this technology to programmers, application developers, and others interested in using Java. The first titles to be

beginner's guide to the Internet.

Using his unique, easy-to-read, light, and entertaining style, Kehoe guides Internet and WWW users to the wonders of the information superhighway. Kehoe has fully updated the fourth edition, added new information about the WWW, and added a special section devoted to "Kids and the Net."

The book assumes no knowledge of the Net and helps users get up to speed quickly and easily. A Net insider, Kehoe even includes amusing facts and stories to illustrate the culture of the Net. *Zen* is for anyone, no matter what type of operating system is being used.

Zen and the Art of the Internet: A Beginner's Guide, Fourth Edition (ISBN: 0-13-452914-6), by B. Kehoe is priced at \$23.95.

Contact Prentice Hall PTR, phone: (800) 947-7700 or (515) 284-6751, fax: (515) 284-2607, e-mail: orders@prenhall.com.

SCSI Gateway

Computer Network Technology Corporation (CNT) has announced enhancements to its SCSI Gateway, as well as a new SCSI Multiplexer. CNT's SCSI Gateway transparently interconnects standard System/390 channels (including ESCON) with the industry-standard SCSI bus. Newly added to the product is a fast/wide bus interface, bus extension, and ESCON support to further add to the product's storage networking capabilities.

CNT's new SCSI Multiplexer offers high-performance, many-to-any connectivity between multiple servers and devices using the standard SCSI bus. Up to six servers can transparently access devices on the same SCSI bus.

SCSI Gateway enhancements are priced as follows: the SCSI fast/wide

POWERFUL, YET AFFORDABLE

Razor from Tower Concepts, Inc. has a proven track record as a powerful, integrated software tool suite for UNIX workstations. Razor is simple to learn, easy to configure but powerful in its performance capabilities for configuration management and problem tracking. Priced at only \$495 per floating license, Razor is the best value on the market today to save development time and costs.

CONFIGURATION MANAGEMENT

The flexible Configuration Management (CM) module allows for seamless integration into your work environment. Razor users don't need to spend days immersed in manuals or training sessions on how to use Razor. Users are often up and running on Razor within 30 minutes.

Razor/CM supports ASCII or binary files, easily imports your existing SCCS/RCS investments, is highly extensible using triggers and scripts, and requires minimal system resources. Because Razor uses a non-proprietary database, direct user queries are allowed and encouraged.

WHAT IS
POWERFUL,
EASY TO USE,
AND A GREAT
VALUE?

PROBLEM TRACKING

The Problem Tracking (PT) module features fully configurable forms that simplify data entry, editing and routing. And Razor's powerful reporting capabilities provide engineers and managers with timely feedback. Razor/PT supports parallel databases at remote sites and offers an e-mail interface for information entry, query and review.

OUTSTANDING VALUE

Whether you utilize all of its features or just some, Razor's intuitive interface, unmatched versatility and award-winning technical support makes it an excellent investment.

Available on all major UNIX platforms, Windows 95/NT and HTML interfaces. For free eval copies and full documentation, visit our web site at <http://www.tower.com>



Razor®

103 Sylvan Way, New Hartford, N.Y. 13413 U.S.A.
sales@tower.com <http://www.tower.com>
315-724-3540

CIRCLE 42 ON READER SERVICE CARD

FDDI Probe

Armon Networking, Inc. has announced the incorporation of FDDI support into its OnSite line of RMON-based products. RMON support for the new FDDI OnSite Manager additions is based on RFCs 1757 and 1513. Applications are provided for all nine RMON groups specified by RFC 1757. These products are RMON II ready with Armon MIB extensions for Protocol Distribution and Level-3 (network-layer) Matrix, allowing network managers to see fiber backbone traffic with OnSite EyeNet internetworking monitoring and OnSite NetReporter.

The hardware is based on the Intel i960 RISC processor (33 MHz), with a dedicated controller for enhanced performance. The probes include up to 28 MB of DRAM and 1.5 MB of FLASH for downloadable software stored in compressed format.

The FDDI probes come standard with bypass switch control. Single Attach Station (SAS) configurations start at \$9,500, and Dual Attach Stations (DAS) start at \$11,000.

Contact Armon Networking, phone: (805) 965-0859, fax: (805) 965-5689, e-mail: armon@armon.com.



**Armon
OnSite**

designed for use with X.400-based EXM Mail. It provides seamless scheduling, with automatic time zone adjustment, as well as resource management, personal calendar and information management, and task management.

EXM/Time is the result of an OEM agreement between ESL and Corporate Software & Technologies Int., Inc. (CS&T). EXM/Time is Corporate-Time, CS&T's calendar/scheduling solution, which has been X.400 mail-enabled with ESL's EXM Mail. EXM Mail is available across all popular platforms. EXM/Time runs on various UNIX platforms and provides uniform cross-platform support for Windows, Macintosh, UNIX character, and Motif clients.

EXM/Time, an add-on module, is priced from \$40 to \$120 per user depending on quantity.

Contact Enterprise Solutions Limited, phone: (805) 449-4181, fax: (805) 449-4186.

Help System Development

ObjectSpace, Inc. has added HelpDesigner, the integrated help development tool for VisualWorks and ENVY, to its Smalltalk product line. HelpDesigner, which is rich in features and provides flexible choices in authoring tools, is a GUI toolbox that allows a non-developer to design and add help to any Smalltalk application.

ObjectSpace entered an exclusive distribution agreement with GreenPoint, Inc., the creator of the program. Under the agreement, ObjectSpace will be the sole distributor of HelpDesigner.

The topics covered include process and thread scheduling, synchronization and concurrency primitives, file management, memory management, performance, networking facilities, and user interfaces.

Don Merusi has been a senior computer systems support specialist for 22 years. He is also an associate adjunct professor at the Hartford Graduate Center and teaches courses on operating systems.

Software Implementation Techniques: Open VMS, UNIX, OS/2, and Windows NT (1-55558-134-X) by D. Merusi is priced at \$49.95.

Contact Digital Press, phone: (617) 928-2500, fax: (617) 928-2620.

Enterprise Calendar/Scheduling

Enterprise Solutions Limited (ESL) has announced an enterprise-wide, e-mail-enabled calendar solution with multiple client platform support. EXM/Time is

interface is priced at \$11,000, the ESCON device interface is priced at \$18,000, and the SCSI bus extension is priced from \$20,000 per system for unlimited distance, SCSI-2 fast/wide extension over a T1 interface. (Wide area interfaces over T3 and frame relay are also available.) The SCSI Multiplexer is priced from \$5,000 to \$12,500.

Contact CNT, phone: (617) 498-2300, fax: (617) 498-2480, <http://www.cnt.com>.

Operating System Guide

Digital Press has announced *Software Implementation Techniques: Open VMS, UNIX, OS/2, and Windows NT* by Don Merusi, a comparison of the four operating system platforms mentioned in the title. The book provides an introduction of how to migrate comparable program functionality between the different platforms. By comparing four operating systems in one book, it eliminates the need for several manuals.

Hewlett-Packard 9000 It's Our Specialty

200/300 Series

216/236/217
310/320/330
350/360/370
318/319/340
345/375/380

400 Series

425e
425t
425s

700 Series

705/710
715/720
730/750

We also carry memory and interface for all of our workstations

Printers

2225A/B/C/D
3630A PaintJet
C1602A PaintJet XL
LaserJet II/ID/IIIP
LaserJet III/IIID
LaserJet IIIP, IISi
Specials
7585A/B Plotters
HP Vectras
380C+ Workstations

Mass Storage

9121/9122
9153A/B/C
7957A/B
7958A/B/S
7959B/S
7963B
C2213A/D
DAT Drives
CD ROMs
Optical Drives

Plotters

7440A ColorPro
7475A 6-Pen
7550A/B Self-Feed
7570A DraftPro
7575A DXL, 7576A EXL
7595A/B/C DraftMaster I SX
7596A/B/C DraftMaster II RX
Electrostatic DesignJet

*We offer large discounts,
outstanding service
and immediate delivery.*
TED DASHER & ASSOCIATES



PH: 800-638-4833
FAX: 205-591-1108
E-mail: sales@dasher.com

CIRCLE 49 ON READER SERVICE CARD

Do You Know Where Your Security Holes Are? Find Them with SecurityAudit/UX!

**Have You Heard that UNIX is Notorious for Its Lack of Security Features?
Do You Know Where to Check to See if Your HP-UX System is Secure?
Do You Have the Time to Do This Checking Regularly?
Use SecurityAudit/UX To Do It All!**

EVEN IF YOUR SYSTEM IS SET UP CORRECTLY (AND HOW WOULD YOU KNOW IF IT WAS?) AND HAS NO SECURITY LOOPHOLES, IT CAN BE VERY DIFFICULT TO MONITOR SYSTEM CHANGES, AND TO ENSURE THAT SECURITY ISN'T COMPROMISED. THE MAGNITUDE OF THE PROBLEM INCREASES AS THE TOTAL NUMBER OF USERS CONFIGURED AND THE TOTAL NUMBER OF FILES GROWS. IT'S EASY FOR ORDINARY USERS TO CHANGE THE SECURITY OF THEIR OWN FILES TO ALLOW OTHERS TO ACCESS THE CONTENTS. A LOOPHOLE LEFT BEHIND INADVERTENTLY OR ON PURPOSE MAY BE EXPLOITED BY A DISGRUNTLED EMPLOYEE OR A HACKER TO BREAK SYSTEM SECURITY, SOMETIMES MUCH LATER.

SecurityAudit/UX PRODUCES OVER 40 REPORTS, CONTAINING DETAILED INFORMATION ON THE FOLLOWING CLASSES OF PROBLEMS:

- User and Group-related problems, including weak passwords and non-unique identification numbers.
- File-system related problems, including historical tracking of files and detection of potential Trojan horses.
- PDF-related security problems, extended to detect changes in ACL specifications.
- Logging subsystems status display, and logfile analysis.
- Network-related status display and configuration weaknesses.

SecurityAudit/UX RUNS ON ALL HP-UX BASED 9000 SERIES 700 AND 800 SYSTEMS, AND HAS BEEN SPECIFICALLY TAILORED TO ADDRESS PECULIARITIES OF HP-UX, SUCH AS PDF, ACL AND HP'S SHADOW PASSWORDS.

Call EUGENE VOLOKH for more info!



1135 S. Beverly Drive
Los Angeles, CA 90035 U.S.A.
FAX (310) 785-9566

CIRCLE 40 ON READER SERVICE CARD

Continued on Page 84

Concorde Technologies Model 452 DLT**Digital Linear Tape Library**

Concorde Technologies, Inc. has announced a strategic partnership with Hewlett-Packard as a supplier of Digital Linear Tape (DLT) Libraries for the HP 9000 business servers. Under the arrangement, HP will recommend and support Concorde's DLT-based Model 452 as the preferred automated tape solution for customers buying its business server products. All library sales, service, installation, and support will be handled through Concorde and contracted service organizations.

The Model 452 features four DLT drives and fifty-two 20-GB cartridges for an available capacity of more than 1 terabyte. With data compression enabled, capacity is boosted to well over 2 terabytes. Each of the four DLT drives supports a sustained data rate of 1.5 MB per second in native mode, at least three times as fast as 4-mm DAT drives.

The Model 452 has been certified on the HP 9000 Business Servers running HP OpenView OmniBack II under HP-UX 9.04 or HP-UX 10.0.

Contact Concorde Technologies, phone: (619) 536-5000, fax: (619) 566-4396.

InfoTransport Version 2.0 now supports change propagation from InfoRefiner, enabling companies to distribute just the changes to a data file. It also includes GUI enhancements and support for DB2 for MVS Version 4.0 as a source and Informix as a target.

InfoRefiner Version 3.0 enables more efficient management data extraction, refinement, and movement from mainframe sources into a data warehouse.

PLATINUM InfoHub 2.0 allows



access to data stored in nonrelational legacy database management systems using the same SQL commands used to access RDBMSs.

Contact PLATINUM, phone: (708) 620-5000, fax: (708) 691-0710, e-mail: info@platinum.com.

Storage System

Zitel Corporation has announced its new SCP-II (Storage Co-Processor) system, an extremely high-performance storage architecture designed for use with RDBMSs and OLTP applications on UNIX, Windows NT, OpenVMS, or NetWare platforms. SCP-II delivers significantly faster data access than traditional disk or RAID technologies, providing up to 600-percent improvement in database performance, the company notes.

SCP-II uses a patented

"intelligence-based" caching system and multiprocessor architecture to deliver I/O performance that rivals that of solid-state disks, but at a fraction of the cost.

The SCP-II system is designed for modular, cost-effective scalability and fault-tolerant data protection. SCP-II modules can be combined in standard rackmount data cabinets or pedestals. Each SCP-II module has a formatted capacity of 4.3 GB to 17.2 GB, and up to six modules can be configured in a single

cabinet for over 103 GB of storage.

SCP-II units are available for HP 9000 Series 700 and 800 servers and other platforms. Entry-level SCP-II storage modules with 17.2 GB of disk storage and 64 MB of cache per module are priced at \$37,995.

Contact Zitel Corporation, phone: (510) 440-9600 or (800) 622-5020, fax: (510) 440-9666.

Software Support Services

Quest International, Inc. has announced a comprehensive multiplatform support program for UNIX and distributed systems. Drawing on its expertise and knowledge of corporate computing and engineering, Quest's new software support service allows companies to call on one source for all their support needs.

Quest's highly qualified senior technical staff handles all support calls. Operating systems currently supported include Sun OS, Solaris, HP-UX, SGI IRIX, OS/2, MS-DOS, Windows NT, Windows 95, and Novell.

The support program provides technical expertise in the areas of answer line, onsite/remote systems administration, Webmaster services, and network support. Consulting services are provided for network and systems security, optimization, and analysis; firewall establishment; and platform migration studies.

Contact Quest, phone: (800) 231-6777, e-mail: info@questinc.com, http://www.questinc.com.

CGI Program

Cuadra Associates has announced STAR/Web, an option to the company's powerful STAR information management and retrieval software. STAR/Web is a common gateway interface (cgi-bin) program

Make the UNIX to MPE Connection

IX/92™

Full featured HP terminal emulation

New! Version 6

**Faster File Transfer
NS/VT Network Option
Enhanced Script Language**

Available for:

HP-UX Interactive UNIX SCO UNIX SunOS/Solaris

Software Licensing Corp., Suite 280, 930 Tahoe Blvd. Unit #802
Incline Village, NV 89451-9436

Phone: (800) 831-0882 or (702) 832-0881 Fax: (702) 832-0883

All trademarks are the property of their respective holders.

CIRCLE 180 ON READER SERVICE CARD



**I/O Data
Systems,
Inc.**

Buy - Sell - Lease - Trade
**HEWLETT-PACKARD
Systems, Workstations
Peripherals & Solutions**

NOW FEATURING

**Fax-on-Demand & Interactive Voice Response
Solutions
For your Hewlett-Packard System or PC Network**



**Channel
Partner**

(216) 835-2211

27378 W. Oviatt
Bay Village, OH 44140
FAX: (216) 835-0220

CIRCLE 105 ON READER SERVICE CARD

that connects STAR software to any standard or commercial World Wide Web server (http daemon). With STAR/Web, data administrators can let users of their Web hosts or hosts on their in-house networks use common Web browsers—such as Mosaic or Netscape Navigator—to search for information organized and structured into online databases.

STAR/Web offers database administrators a simple way to enable complex searches by users who may know little or nothing about the structure and content of the data.

STAR/Web pricing depends on the number of simultaneous users supported and typically adds about \$240 per simultaneous user to the system price. STAR/Web requires the STAR UNIX-based software for managing, accessing, and presenting all types of information from corporate and other institutional databases.

Contact Cuadra, phone: (310) 478-0066 or (800) 366-1390, e-mail: hq@cuadra.com.

Four-bay Rackmount Enclosure

Artecon has released a -48VDC version of its new Sphinx 4000 four-bay rackmount enclosure. Sphinx 4000 - 48VDC enclosure supports the use of off-the-shelf SPARC 5 and 20 workstations/servers and the HP 9000 Model 712 workstation and any combination of up to four removable 5.25-inch half-height devices and 3.5-inch hot-plug removable disks, or two removable full-height 5.25-inch devices. It occupies 7 inches of vertical rack space.

The Sphinx 4000 48-volt adds a removable power supply and removable trays, and single or dual SCSI I/O connections for all devices.

A single front-mounted power switch

Power Center Software

Enterprise Management


Power Center Software has enhanced its Power Center management suite to support HP-UX. Power Center guarantees system availability and improves management efficiency by rapidly detecting and correcting problems with computer systems, networks, peripherals, and applications. It is designed to simplify management of single workgroup systems to worldwide networks of thousands of systems.

Power Center brings fault-free, multivendor management to client-server and legacy systems by using important industry standards. It interoperates with leading management applications including OpenView, NetView, and SunNet Manager.

Power Center automates the task of problem detection, containment, investigation, and resolution, and it automatically corrects system problems wherever they occur, according to each company's individual "lights-out" policy.

Prices start at \$495 per node, depending upon machine size.

Contact Power Center Software LLC, phone: (303) 220-1500, fax: (303) 220-9776.



applies power to all encapsulated devices, including the workstations.

All models list for \$4,795. Delivery is immediate.

Contact Artecon, phone: (619) 931-5500.

Graphical Editor

MicroEdge, Inc. has announced Visual SlickEdit for X Windows on several UNIX platforms, including HP-UX. Programmers migrating from Visual SlickEdit on other operating systems will find that their editor customizations, including macros, are compatible across all Windows-based, OS/2, and X Windows platforms. Visual SlickEdit has support for popular version control systems on all Windows platforms, OS/2, and X Windows systems, including SCCS and RCS. It also supports syntax expansion, tagging, and color-coding for more

than a dozen languages, including Java and HP SoftBench 4.0 and 5.0. Programmers can define custom support for their own version control system, as well. Brief, Emacs, vi, and CUA emulations are included with Visual SlickEdit on all platforms.

Visual SlickEdit sells for \$395 for all X Windows platforms except for Linux. Visual SlickEdit for Linux sells for \$195 per user. Visual SlickEdit for Windows-based platforms sells for \$295 per user. Visual SlickEdit for OS/2 sells for \$219 per user.

Contact MicroEdge, Inc., phone: (800) 934-EDIT or (919) 831-0600, fax: (919) 831-0101.

Storage Management

Software Partners/32, Inc. has announced StorageCenter, a storage management suite for UNIX. It offers four tightly integrated applications: Backup

and Restore, Media Management, Archiving, and Administration.

StorageCenter is offered in Enterprise, Workgroup, and Personal versions. The Enterprise version is aimed at large data centers supporting client-server networks. It can manage a virtually unlimited number of CPUs and storage devices as a single "storage domain" and offers multisite parallel backups, save set copying for off-site vaulting, and automated media cycling.

The Workgroup version is designed for departmental networks and offers increased reliability and ease of use. A GUI eliminates the need to create and edit complicated backup scripts, and tape labeling prevents accidental overwriting of an unexpired backup volume.

The StorageCenter Enterprise version is priced starting at \$6,250. The Workgroup version is priced starting at \$1,875. The Personal version will be priced upon release later this year. StorageCenter supports HP-UX and other platforms.

Contact Software Partners/32, phone: (508) 887-6409, fax: (508) 887-3680, e-mail: info@softwarepartners.com.

Web Products

TriTeal Corporation and Spyglass Inc. have announced a licensing agreement in which TriTeal will adopt Spyglass' server technology as the basis for TEDserver, TriTeal's enterprise server product. The TEDserver Early Release, priced at \$199, includes one year of technical support.

TERMINALS

Who's got the best deal?

With more than 200 different types of HP-UX compatible terminals, **MIDCOM does!**

Whether you need to...

- ... save space
- ... save money
- ... replace existing equipment
- ... boost productivity
- ... expand applications

... we've got the right terminals for your HP-UX system. At the right price. Call today for our **free** product catalog, or visit our Web site: <http://www.mdcom.com>

We stock all major brands including:



E-mail: info@mdcom.com



MIDCOM
Communications, Inc.
1-800-643-2664



Specialists in terminals, printers, and data communications devices since 1982.
All trademarks are the property of their respective owners.

CIRCLE 130 ON READER SERVICE CARD

Large Databases Require New Solutions for Backup !!!!!

FINALLY!

Backup 4 to 8 Gigabytes/Hour/Drive
Store 20 to 40 Gigabytes/Tape
Random Libraries from 5 to 264 Cartridges

DallasTools

*Back-up, Restore and Archiving
Software for Heterogeneous Networks*



*Dallastone also sells and supports all major brands –
Quantum, Breeze Hill, ADIC and Odetics*



DALLASTONE

2 Cote Lane
Bedford, NH 03110

Phone 603-647-8168
Fax 603-624-2466
Email dtool@delphi.com

CIRCLE 76 ON READER SERVICE CARD

TriTeal has already integrated Spyglass' client technology into the TriTeal Enterprise Desktop (TED), reportedly the only X/Open-branded, multiplatform implementation of the CDE specification.

TriTeal also announced a fully integrated, comprehensive client-server Web solution that includes an integrated browser, personal Web server, enterprise server, Web-aware applications, and data-level security. The personal Web server and associated management tools will be integrated and bundled with TED 4.1, scheduled for release in mid 1996. TriTeal's enterprise Web server, TEDserver, will include a variety of enhancements to the Spyglass server code. TEDserver and TriTeal's personal server will also include data-level security capabilities in future releases.

Contact TriTeal, phone: (619) 930-2077, fax: (619) 930-2081, e-mail: info@triteal.com.

Workstation Memory

Kingston Technology has announced price decreases on its workstation memory line for all Sun Microsystems, Hewlett-Packard, Silicon Graphics, IBM RS6000, and Digital Equipment Corporation workstations. Kingston's 64-MB module for HP 9000 Model 750 workstations retails for \$3,395, while HP's equivalent module retails for \$4,160.

All Kingston memory is backed by a lifetime warranty with a 24-hour product replacement policy. All memory is 100-percent tested and guaranteed fully compatible with the system, diagnostics, and software for which it is designed.

Kingston markets its products through a worldwide network of distributors, major reseller chains, and

independent dealers.

Contact Kingston, phone: (800) 835-2545 or (714) 435-2615, fax: (714) 438-2720.

Java Development Environment

TakeFive Software has announced the release of SNiFF+ 2.2, an integrated software development environment that fully complies with the Java language specification. SNiFF+'s integrated toolset provides tools for browsing, editing, compiling, and debugging Java applications.

SNiFF+ open architecture provides multilanguage development support for Java and C/C++. The product ships with a Java parser, seven browsers, including an inheritance browser, source code

management tools, a documentation editor, and the Java Developer Kit (Java class library, compiler, debugger, etc.). The documentation editor supports the generation and maintenance of source-level documents in HTML format.

Contact TakeFive, phone: (408) 777-1440, fax: (408) 777-1444, e-mail: info@takefive.com, http://www.takefive.com.

New from Dimension Software

CONTROL-M 2.2.0

New Dimension Software, formerly 4th Dimension Software, has announced Version 2.2.0 of its CONTROL-M enterprise production scheduling and con-

trol solution, featuring expanded product scalability.

CONTROL-M allows operations personnel to easily manage and automate the setup, scheduling, and execution of processes running across multiplatform client-server environments. New agent technology allows users to implement CONTROL-M servers and agents in different combinations to maximize the availability of their computing environment while streamlining the management of these systems.

CONTROL-M 2.2.0 is designed to manage the production activities for both mainframe and nonmainframe platforms and consolidate their respective schedules.

Prices start at \$20,995 for a base configuration including the Enterprise Controlstation component.

Security Administration

New Dimension Software also announced MultiPlatform CONTROL-SA for enterprise-wide security administration. Enterprise Security-Station and SA agents provide a central point of management for various commercially available security systems. By providing a common interface for individual products spanning multiple platforms and operating systems, MultiPlatform CONTROL-SA allows administrators to easily implement uniform procedures for the existing security systems in heterogeneous environments.

The Enterprise SecurityStation GUI provides the administrator with a central point of control for overseeing functions such as user management, which defines uniform security procedures across all platforms. The Enterprise

Memory Upgrades

Centon Electronics Inc. has announced new memory upgrade kits, the Centon Sun Ultra Series and the Centon HP 9000 Series. These products are designed for use in Sun and HP high-performance workstations and for applications such as 3D modeling, simulation, CAD/CAE, and financial modeling. For the latest HP workstations, Centon is among only a few companies to offer a 256-MB upgrade kit.

Centon's HP 9000 Series supports HP 9000 Models 720, 730, 735/99, 735/125, 750, and 755. Memory upgrade kits include a pair of matched memory modules in five different densities. Due to memory interleaving used in the HP 9000 series, modules must be installed in sets. The new offerings provide an additional 16, 32, 64, 128, and 256 MB.

HP 9000 Models 720 and 730 can be brought up to 256 MB, the Model 735 can be brought up to 400 MB, the Model 750 can be brought up to 384 MB, and the Model 755 can be brought up to 768 MB.

Pricing of HP 9000 memory ranges from \$750 to \$9,990.

Contact Centon, phone: (800) 234-9292 or (714) 855-9111, fax: (714) 855-6035, e-mail: ussales@centon.com.



Centon Electronics, Inc.

HEWLETT-PACKARD

REFURBISHED EQUIPMENT — IMMEDIATE DELIVERY

DISASTER RECOVERY SERVICES — HOT SITE

THIRD PARTY MAINTENANCE

SecurityStation maintains an audit trail of events based on prioritized alerts.

New Dimension Software's Enterprise SecurityStation is a UNIX-based application that runs on Sun, HP, or IBM workstations. SA agents are available for HP-UX and other platforms.

Contact New Dimension Software, phone: (800) 347-4694, ext. 522, or Memco Software, at (800) 862-2602; outside of North America, phone Tel Aviv: 972-3-645-1111; <http://www.ddddf.com>.

New from Black & White Software

Installation and Integration Tool

Black & White Software has announced Integration Manager 2.0, designed to automate the installation and integration of various application development products, including the UIM/X GUI development tool from Visual Edge Software, View.h++ class bindings for OSF/Motif from Rogue Wave Software, XRT widgets from KL Group, Orbix object request broker from IONA Technologies, and Xmove dynamic graphics package from Siemens Austria PSSE.

The Integration Manager 2.0 includes enhancements over the previous version, including a new icon-driven user interface, automatic package installation from CD-ROM or other media, and integration support for additional packages.

The Integration Manager automates the tasks required for integrating tools with UIM/X that formerly had to be performed manually. A customized application development environment can be rapidly built, tested, and installed.

Integration Manager 2.0 is available now for HP-UX and other UNIX platforms. Pricing is \$250 per single user or

Computer Systems

HP-1000 HP-300 Series
HP-9000 HP-700
HP-3000 HP-800

Terminals

HP-700 Series
HP-239X
HP-262X

Peripherals

Disk Drives
Tape Drives
Printers

Accessories

Memory Products
Interfaces
Cabinets

Plotters

HP-722X Series
HP-74XX
HP-75XX

**SAVINGS ON ALL MODELS WE BUY, SELL, TRADE AND LEASE.
CALL US TODAY AND SAVE**

EURODATA INC.

2574 Sheffield Road, Ottawa, Canada K1B 3V7

(613) 745-0921, Fax: (613) 745-1172

E-Mail: eurodata@magi.com

CIRCLE 93 ON READER SERVICE CARD

Are You Moving?

Send your change of address to:

Member Services

Interex

**P.O. Box 3439, Sunnyvale, CA
94088-3439, USA**

Or call:

408.747.0227

Or fax:

408.747.0947

Or e-mail:

membership@interex.org

interex

Interex Online

<http://www.interex.org/>

The International Association of Hewlett-Packard Computing Professionals

Real-Time Distributed Software

VERILOG has announced ObjectGODE, an object-oriented tool for software development teams working on real-time, distributed applications for client-server networks. The package provides support throughout the development cycle, particularly in design analysis, verification/validation, simulation, C++ programming, and test generation.

The tool manages real-time application constraints including time factors, event processing, parallelism, and distribution. Advanced object-oriented design and analysis technology is used to implement client-server architectures, increase reuse of code at all stages of development, and ensure that generated applications are open-ended. Complementary object-oriented approaches based on standards are readily integrated.

The package operates on a range of workstations, including HP 9000 Series 700s.

Contact VERILOG, phone: (214) 241-6595, fax: (214) 241-6594.

\$1,000 per network site per platform.

Distributed Database Applications

Black & White Software also announced DB/Enable, which extends the power of the UIM/Orbix distributed graphical application builder and Orbix object request broker to leading databases, such as Sybase and Oracle.

Orbix from IONA Technologies is an implementation of the Object Management Group's CORBA (Common Object Request Broker Architecture) specification. DB/Enable was developed to facilitate the construction and deployment of both graphical and non-graphical database client programs. Transparent client-server distribution is achieved through Orbix. As a result, relational database clients can work with other CORBA-based applications using a single, industry-standard distribution mechanism.

Pricing for a development seat is \$1,500 for a single connection license and \$3,000 for a multiple-connection license. Additional database access libraries can be attached for \$1,000 each.

Contact Black & White Software, phone: (408) 369-7400, fax: (408) 369-7406, e-mail: info@blackwhite.com, http://www.blackwhite.com.

New from HP

Web Browser Interface

HP has introduced an HP OpenView integrated system- and network-performance management solution, for isolating network-performance components and identifying problems in a client-server environment. The company also announced the HP NetMetrix Web Reporter, which pinpoints network hot spots and distributes performance information via the World Wide Web.

Using the two new enhanced HP NetMetrix applications, HP's Internetwork Response Manager and Internetwork Response Agent, IT managers can narrow the scope of analysis and expose weak components by isolating problem conditions and providing simultaneous analysis of multiple client-server pairs.

When combined with HP's PerfView analyzer and MeasureWare Agent software, these applications can help users identify system, network, application, and database components. HP NetMetrix applications provide network-response-time management information, while metrics from MeasureWare, such as Transaction Tracker, allow IT managers to measure end-to-end response time of business-application transactions.

HP NetMetrix Web Reporter func-

tions as a service tool for troubleshooting network problems, as a means of monitoring daily operation to determine how best to optimize the network, and as a planning tool to manage network growth and determine return-on-investment projections. It automatically collects data from standard remote monitoring agents, provides high-level analysis, and generates reports, which it can display on any kind of personal computer.

HP NetMetrix/UX Internetwork Response Manager is priced at \$3,995. HP NetMetrix/UX Internetwork Response Agent is priced at \$495. HP NetMetrix/UX Web Reporter is priced at \$4,995. HP PerfView Analyzer costs \$8,000, and HP MeasureWare Agent costs \$2,000.

HP OpenView IT/Administration

HP also announced HP OpenView IT/Administration, a combined management solution for system administrators. HP combined HP OpenView AdminCenter, a key component of the HP OpenView Solution Framework, with HP OpenView Network Node Manager, to make the solution easy to order and deploy. In addition, the combined product offers expanded database and platform support as well as improved self-management and security capabilities.

IT/Administration will include support for Oracle databases; it currently supports CA-Ingres and Open Ingres. Additionally, IT/Administration has been integrated with IT/Operations. Because IT/Operations' intelligent agents provide real-time monitoring, OpenView operators can be notified immediately of undesired changes to the managed environment.

IT/Administration, expected to be

TERM

GETS YOUR FILES MOVIN'



available in June, starts at \$26,000. The IT/Administration upgrade kit for customers currently holding licenses for HP OpenView Network Node Manager starts at \$17,000.

Information about HP and its products can be found on the Web at <http://www.hp.com>.

EMULATIONS

WYSE 60, WYSE 50,
SCO ANSI, DEC
VT220, VT100,
VT52 AND MORE

PROTOCOLS

X-, Y-, & ZMODEM;
KERMIT; WTERMCRD
& TERMCRD

If moving files between systems with UUCP has nearly brought your productivity to a halt, get the UNIX superuser's choice for professional communications — TERM Communications Software. Add TERM to your UNIX system for enhanced speed, reliability, and to automate routine communications functions.

An easy-to-use productivity tool, TERM gives you fast error-free file transfers between systems. It also provides a powerful scripting language for automation of all communications functions like unattended file transfers, remote polling, auto logins, and much more.

In addition, TERM includes a complete set of industry-leading terminal emulations to access remote UNIX files and applications over a modem, serial line or network.

Get TERM now or *hang tight* because it could be a long time until your files arrive.



TERM is available for SCO UNIX, IBM RS6000, HP 9000, SunSPARC, DEC Ultrix, DOS, Windows, Macintosh, and many more.



Software Clearing House


Phone: 1-800-729-8649
FAX: 1-513-579-1064.
Email: info@sch.com
Internet: www.sch.com



Get your free "Assessing Your Information Transfer Needs" paper. Call SCH today!

CIRCLE 84 ON READER SERVICE CARD

Don't Let Poor System Performance Drive You Crazy!



System managers today are being faced with complex problems, performance management is one of them. **SOS/9000 Performance Advisor** is the ultimate on-line performance tool for HP 9000 systems.

With instant access to performance data as it happens, system managers can optimize performance, identify bottlenecks, increase throughput and solve performance problems quickly and easily.

For more information or a **FREE 30 day trial copy**, call today at: (541) 926-3800!



SOS/9000
Performance Advisor

LUND
PERFORMANCE SOLUTIONS
Performance Beyond Expectation
428 2nd Ave. SE • Albany, OR 97321 USA


CIRCLE 129 ON READER SERVICE CARD

Attention vendors: New product announcements should be sent to New Products Editor, hp-ux/usr magazine, Interex, P.O. Box 3439, Sunnyvale, California 94088-3439, USA.

Deadline for submission is two months prior to publication.

New Products refers to numerous products by their trade names. In most cases, these designations are claimed as trademarks or registered trademarks by their companies.

Training



HPWORLD '96

AUGUST 4-9, 1996
ANAHEIM, CALIFORNIA
ANAHEIM CONVENTION CENTER

Packed with the real-world experience you need to get up to speed on many of today's most critical issues, HP WORLD '96 training seminars are some of the most valuable seminars of the year. Here's a list of the seminars you can attend Monday, August 5, 1996:

- Building a Web Site
- Using Information Technology for a Competitive Advantage
- Network and System Management for HP-UX 10.0
- Distributed Computing Technologies and Products
- Positioning, Configuring, and Interoperating in a Heterogeneous UNIX/Windows NT Environment
- HP-UX and Internet Security
- Data Warehousing
- Second-Generation Client-Server Technology
- Introduction to Visual Basic
- Creating Market-Focused Products
- Enabling Technologies for Supply Chain Management

Seminars

Do you need practical, hands-on technologies in your computing environment? Our seminars are designed for you.

For computing professionals utilizing HP 9000 technology, here's an in-depth look at a few of the seminars most applicable to your environment.

Network and System Management for HP-UX 10.0

Many new tools and features that have been introduced with HP-UX 10.x make managing the system easier and provide added flexibility for the system and network administrator.

Who should attend:

System Analysts, System Administrators, Network Administrators, and Information Systems Supervisors who are implementing or planning systems using HP-UX 10.x will benefit from this program. Familiarity and experience with HP-UX 9.0 and 10.0 basic features is assumed.

After completing this class, you will be able to:

- Identify ways to utilize the new HP-UX 10.x features
- Develop strategies and tactics for implementing 10.x environments

Positioning, Configuring, and Interoperating in a Heterogeneous UNIX/Windows NT Environment

More and more organizations must now implement and configure networking services in a heterogeneous environment of UNIX servers, Windows NT servers and clients, NetWare clients, and Windows clients. Knowing how to set up consistent and manageable interoperability in this kind of environment is challenging, but necessary to achieve a successful enterprise environment. This seminar offers practical insights into interoperability issues such as file and print services, security, and system backup and recovery in a multivendor enterprise.

designed to keep you ahead

hands-on information in order to implement new computing environment? Then HP WORLD '96 training you.

Who should attend:

System Administrators/Integrators and IT Technical Staff/Consultants who need a practical approach to achieving systems integration in mixed environments.

After completing this class, you will be able to:

- Articulate how to position UNIX, Windows NT, and even NetWare platforms within a corporate IT infrastructure
- Configure and troubleshoot TCP/IP interconnectivity to the network on UNIX and Windows NT
- Set up Telnet FTP and NFS in a mixed UNIX and Windows NT environment
- Understand the redirection of spool queues between UNIX and Windows NT
- Back up all servers in an integrated environment from a single utility

HP-UX and Internet Security

Security is important to everyone who keeps important and sensitive information on an HP-UX system. Over 90 percent of HP-UX security problems can be solved with attention to good user and administration practices. Connection to the Internet poses additional problems and dangers. This course focuses upon practical procedures that can strengthen the security of networked HP-UX systems. The security mechanisms of the UNIX system, in particular HP-UX, are explained with examples.

Who should attend:

People who are responsible for system and/or network administration and planning and design of security policies, and managers responsible for site security of networked HP-UX systems.

After completing this class, you will be able to:

- Improve the security of HP-UX systems at your site
- Recognize the signs of a break-in
- Detect hidden code that may have been added to your system by crackers
- Update your site policy with regard to HP-UX security
- Audit your systems for security problems
- Choose a safe means for controlling Internet access

In addition to the seminars, you'll also discover a world of HP-related information by attending the main conference sessions focusing on the following tracks:

- Operating Systems/Hardware Technology
- Networking Technology
- Database Technology
- Development Technology
- HP Computing Management

To register or learn more about HP WORLD '96 call 1.800.990.EXPO, 1.408.747.0227 or e-mail us at conference@interex.org.



interex

*Shared Knowledge.
Shared Power.*

Interex Online

WWW at <http://www.interex.org/>
or call 1.800.INTEREX, or 408.747.0227

Sign up NOW for Fall 1996 Listings

hp-ux/resource directory

The *hp-ux/resource directory* is a complete resource guide for HP-UX users seeking answers. This is one of the industry's most extensive reference guides for HP-UX products, services, and vendors. It will be devoted entirely to HP 9000 users operating in multi-user, workstation, and multi-system UNIX environments. This bi-annual directory, published each year in March and September, is a separate publication mailed out with *hp-ux/usr* magazine, the only HP-specific publication on the market.

Each company is listed by category, with each listing including company name, product, operating environment, and phone number. The cost for a full year listing in the *hp-ux/resource directory* is \$475. Discounts are available for current advertisers in *hp-ux/usr*, *Interact* or the *Vendor Service Source Directory*. Advertisers who run more than one listing per issue also receive a discount. There is a 75-word maximum per listing, with a charge of \$1.00 per word over the maximum.

PRODUCT CATEGORIES

Accounting	GIS (Geographic Information System)	Process Control Software
Accounting Software	Government and Utility	Production Planning
Alphanumeric Paging Software	Software	Project Management
Application Development Software	Graphics	Programmer's Editor
Application Development Tools	Hardware	Protocol Converters/Interfaces
Application Development Tools/4GL	Hardware/Mass Storage	Hardware
Application Software Design	Hardware Subsystems	Publications
Backup Software	Help Desk Management	Purchase Order Management
Bar Code Data Collection Systems	Human Resources and Personnel	Quality Assurance Tools
Batch Job Management	Systems	Records Management
Books	Image Processing	Rentals
Business Software	Image Storage and Retrieval	Report Viewing, Printing, and Distribution
CD-R	Management	Report Writers
CAD Software/Hardware	Input Devices	Sales and Marketing
Case Tools	Industrial Terminals	Scheduling
Change Management for Software Development	Instrument Control	Scheduling/Task Management
Change Management Tools	Integration Tools	Security
Client-Server	Inventory Control	Software
Communications	I/O Boards	Software Development Tools
Communications Servers	Job Scheduling and Workload Management	Software Distribution Tools
Communications Software	Laser Printers	Software Maintenance and Testing
Consulting	Laser Printing Software	Spoolers
Consulting/Systems Integration	Maintenance	Spreadsheets
Customer Support/Help Desk Systems	Manufacturing	Statistics/Data Analysis
Database Management Systems	Manufacturing Software	System Integration
Database Management Tools	Mass Storage	System Management
Data Center Management	Mass Storage Peripherals	System Management Tools
Data Warehousing	Memory	System Printers
Decision Support Systems	Memory Upgrades	3D Graphics Tool Kit
Desktop Publishing	Migration Services	3D Porting Tool
Diagramming and Flowcharting	Migration Tools	Tape Backup Products
Disaster Recovery	Modular Mass Storage	Tape Storage/Data Interchange
Distributed Computing	Multimedia	Technical Documentation/Cross Referencing
Distribution Resource Planning	Network Backup Software	Telephone Management
Distribution Software	Networking	Terminals
Document Management	Networking Systems	Terminal Emulation
Electronic Data Interchange (EDI)	Network Management	Text Editors
Electronic Form Printing	Operating System	Time and Billing
Electronic Mail	Payroll	Time Reporting Terminals
E-Mail and Directory Integration	PC Compatibility	Training
End-User Computing	PC Integration	User Groups
Executive Information Systems	Performance	Video/Keyboard/Mouse Extension
Facility Maintenance Software	Performance Software	Warehouse & Distribution Management
Fax Automation	Personal Information Manager	Workstations
Financial	Personnel Management	
Forestry	Pointing Devices	
Fourth Generation Language	Power Protection and Conditioning	
	Print Management	

Other categories may be created as needed.



hp-ux/resource directory

Fall 1996 Listing Form

	FIRST LISTING	EACH LISTING THEREAFTER	TOTAL
<input type="checkbox"/> Listing (includes two issues)	\$475 ¹	\$375 ²	\$_____
<input type="checkbox"/> Hyperlink to your home page ⁶	\$500	\$150	\$_____
<input type="checkbox"/> Company or Product Logo ³	\$100	\$ 50 ²	\$_____
<input type="checkbox"/> Product Photo ⁴	\$100	\$ 50 ²	\$_____
<input type="checkbox"/> Cross Reference ⁵	\$200	\$200 ²	\$_____

¹ For current vendors who advertise at least 6 times a year in hp-ux/usr, Interact, the cost is \$425.

² For current vendors who place more than one listing or who have a listing(s) in the Vendor Service Source directory.

³ Maximum size that logo will appear is 3/4 inches high by 1-1/2 wide.

⁴ There is a \$75 charge for changing photos between issues. Photos must be submitted in either 35mm slides, 4x5 transparencies, or up to 4x6 Glossy prints (black and white or color). The actual size of the photo in the publication will be 2-3/16" wide. The height will be determined by the orientation of the original photo (horizontal or vertical).

⁵ A single listing can be placed in multiple categories for an additional charge of \$200 per category.

⁶ In addition to the listing in the magazine

Total \$_____

Drop Deadline: Friday, June 7th, 1996

(Please fill in all information completely—**ONLY** typed or legibly printed copy will be accepted.)

Category _____

Product Name _____

Operating Environment _____

Product Description (MAXIMUM 75 WORDS) There is a \$1.00 per word charge for all listings over 75 words.
Please send your listing(s) to address below. Type or print copy on a separate sheet and attach to this form.

Company Name _____

Address _____

City _____ State _____

Zip/Postal Code _____ Country _____

Telephone _____ Fax _____

Authorization:

Signature _____ Print Name _____

Title _____ Date _____

Please mail or fax completed form to: Interex, 1192 Borregas Avenue, Sunnyvale, CA 94088, U.S.A.,
Attention: Kathie Schwartz, Interex Advertising Department, 800.468.3739, Ext. 620, 408.747.0227,

Fax 408.747.0947

PAYMENT OR PURCHASE ORDER MUST ACCOMPANY ALL ORDERS

Terms & Condition of Sale: All ads are under the terms Net 30 Days. Any balance over 30 days old will be charged 1.5% per month. Interex reserves the right to refuse advertisement from any delinquent advertisers. **Cancellations Clause:** All cancellations must be made by the listing due date and must be followed in writing within 5 working days.

Advertiser's Index

Please call or fill out adjacent card for further product information.

READER SERVICE NUMBER	ADVERTISER	PAGE #	READER SERVICE NUMBER	ADVERTISER	PAGE #
115	Bering Technologies, Inc.	33	129	Lund Performance Solutions.....	91
	(800) 237-4641 or (408) 365-6500			(541) 926-3800	
53	Camintonn/Z-Ram	C-2	94	MDL Corporation.....	67
	(800) 368-4726 or (714) 454-1500			(800) 800-3766 Outside US Call (206) 861-6700	
84	Century Software	91	130	Midcom Communications, Inc.	87
	(800) 729-8649/Fax: (513) 579-1064			(800) 643-2664	
22	Computer Ease.....	53	7	Monterey Bay Communications	1
	(610) 363-8010 or (215) 363-8429			(408) 429-6144/Fax: (408) 429-1918	
110,111	Computer Solutions.....	13,57	122	ORBIT Software	27
	(407) 649-0123/Fax (407) 649-1407			(800) 6-Online or (510) 837-4143	
113	Concorde Technologies	7	183	Pericom, Inc.	41
	(800) 359-0282/Fax: (619) 536-5500			(609) 588-5300/Fax: (609) 588-8906	
119	Consan	C-4	91	Personal Productivity Tools.....	53
	(612) 949-0053 or (612) 949-0453			(708) 620-5000/Fax: (708) 691-0718	
140	C.S.U. Industries, Inc.....	75	67	Robelle Consulting Ltd.....	55
	(516) 239-4310/Fax: (516) 239-8374			(604) 582-1700/Fax: (604) 582-1799	
76	Dallastone	87	29	SBE	11
	(603) 647-8168/Fax: (603) 624-2466			(800) 214-4SBE	
164	Design 3000 Plus, Inc.	61	126	Sejus Corporation	25
	(503) 585-0512/ Fax: (503) 585-1706			(503) 638-9000/Fax: (503) 638-9009	
93	Eurodata, Inc.	89	125	SNAC '96	73
	(613) 745-0921 or Fax (613) 745-1172			(800) 441-8826 or (415) 905-2222 or e-mail: snac@mfi.com	
56	GE Capital.....	77	180	Software Licensing Corp.	85
	(800) GE-RENTS			(702) 832-0881	
8	Herstal Automation	19	89	Software Moguls, Inc.	9
	(941) 358-2001/Fax: (941) 358-2010			(612) 932-6738/Fax: (612) 932-6736	
	Hewlett-Packard	2.3	103	Straightline	36,37
	(800) HP-KNOWS			(206) 865-8314	
157	IEM, Inc.	79	77	Technical & Scientific Application.....	29
	(970) 221-3005 or (800) 321-4671/ or /e-mail: info@iem.com			(800) 422-4872/Fax: (713) 935-1555	
48	Inclination Software, Inc.	31	49	Ted Dasher & Associates.....	83
	(702) 831-5595/Fax: (702) 831-4979			(800) 638-4833/Fax: (205) 591-1108	
10	International User Conference '96.....	59	42	Tower Concepts, Inc.	81
	+358-0-752 3611/Fax +358-0-752 0899			(315) 724-3540	
133	Interphase	C-3	131	UNIX Review	63
	(800) FASTNET			(913) 841-1631 or (913) 841-2624	
105	I/O Data Systems, Inc.	85	40	VESOFT, Inc.....	83
	(216) 835-2211/Fax: (216) 835-0220			(310) 282-0420/ Fax: (310) 785-9566	
117	ITAC Systems, Inc. - Mouse-Trak	5	183	Vital Soft, Inc.	15
	(214) 494-3073/Fax: (214) 494-4159			(408) 745-7680/ Fax: (408) 745-6681	
59	LBM	41	101	Workstation Direct	69
	(800) 898-6434 or (203) 966-0661			(888) 610-1600	
			128	World Data Products	45
				(800) 553-0592/Fax: (612) 943-1131	

INTERPHASE



CORPORATION®



Performance I/O Products for Hewlett- Packard Servers and Workstations

Powerful networking and mass storage connectivity for the world's leading line of UNIX-based workstations and servers!

Interphase provides performance I/O products for HP systems as both an OEM supplier to Hewlett-Packard and as an authorized HP Channel Partner. Interphase products for HP platforms are available worldwide through a network of distributors, value added resellers and HP LPO organizations. Our product line includes:

ATM (Asynchronous Transfer Mode)

5515 VME ATM Adapter — ATM connectivity for VME-based HP workstations and servers running HP-RT.

4815 EISA ATM Adapter — ATM connectivity for EISA-based HP platforms running HP-UX.

FDDI (Fiber Distributed Data Interface)

5215 VME FDDI Adapter — FDDI connectivity for VME-based system running both HP-UX and HP-RT.

4811 EISA FDDI Adapter — FDDI connectivity for EISA platforms running HP-UX.

FDDI Concentrators — One of the industry's broadest lines of FDDI concentrators ranging from inexpensive desktop models through fully-redundant backbone workhorses.

10Base-T "Ethernet"

4221 VME Ethernet Adapter — Provides four 10Base-T ports from a single slot and includes driver support for HP-RT.

100VG-AnyLAN

5022 HP-PB AnyLAN Adapter — IEEE 802.12 network connectivity for Series 800 systems running HP-UX.

4622 SBus AnyLAN Adapter — Provides 100VG-AnyLAN connectivity for Sun SBus systems running Solaris.

100Base-T "Fast Ethernet"

4824 EISA 100Base-T Adapter — Brings Fast Ethernet technology to HP 9000 servers and workstations running HP-UX.


SCSI-2

4220 VME SCSI-2 Adapter — Provides mass storage connectivity to HP systems operating in HP-RT environments.

Fibre Channel

5526 PCI Fibre Channel Adapter — Utilizes the HP Tachyon™ Fibre Channel engine and the Interphase (i)chipTPI™ TSI-to-PCI ASIC to provide high performance Fibre Channel connectivity for PCI-based platforms.

© 1996 Interphase Corporation. (i)chipTPI is a trademark of Interphase Corporation. Tachyon is a trademark of Hewlett-Packard. All other trademarks are property of their respective owners.




For more information :

1-800-FASTNET

fastnet@iphase.com

http://www.ipphase.com

SATISFY your everEXPANDING needs for Data STORAGE



THINK BIG. THINK MAMMOTH.

THE MAMMOTH 8MM CARTRIDGE TAPE SUBSYSTEM FROM EXABYTE USES HIGH-PERFORMANCE IDRC DATA COMPRESSION to give you double capacity and throughput. That high capacity along with ultra-fast transfer rate and search speed offers the performance you require to meet growing data storage needs.

BIG ADVANTAGES—

BIG ADVANTAGES—

- **HIGH PERFORMANCE**—for digital video and multimedia applications
- **HIGH CAPACITY**—40GB [compressed] at 6MB/sec. transfer rate
- **COMPATIBILITY** with earlier 8mm releases.

The Mammoth 8MM tape subsystem is available today from Consan. Consan distributes a full line of tape, disk and optical storage products from the world's leading manufacturers. For more information on the Mammoth subsystem or other storage products, call Consan today at **1-800-229-DISK**



EXABYTE® 
We're Backing It Up.

CONSAN

© 1996 CONSAN, INC.

CIRCLE 119 ON READER SERVICE CARD

7676 EXECUTIVE DRIVE 1320 TOWER ROAD
EDEN PRAIRIE, MN 55344 SCHAUMBURG, IL 60173
TEL: 612-949-0053 TEL: 847-519-1060
FAX: 612-949-0453 FAX: 847-519-1248

101 EAST PARK BLVD.
PLANO, TX 75074
TEL: 214-422-3392
FAX: 214-422-3397

